**REPUBLIC OF KENYA**

**ATHI WATER WORKS DEVELOPMENT AGENCY**

**CKE 1135**

# NAIROBI WATER AND SANITATION PROJECT

# CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

## CONTRACT No: AWWDA/AFD/NWSP/W-03/2023

**ISSUED ON: 28TH MAY 2024**

## BIDDING DOCUMENT VOLUME IV - ENGINEERING DRAWINGS


**EMPLOYER**
**The Chief Executive Officer,**
**Athi Water Works Development Agency,**
Athi Water Plaza, Muthaiga North Road,
off Kiambu Road
P.O. Box 45283 - 00100, Nairobi, Kenya

Email: **info@awwda.go.ke**

**PROJECT MANAGER**
**The Technical Manager,**
**Athi Water Works Development Agency,**
Athi Water Plaza, Muthaiga North Road,
off Kiambu Road
P.O. Box 45283 - 00100, Nairobi, Kenya

Email: **info@awwda.go.ke**

## CKE 1135 NAIROBI WATER AND SANITATION PROJECT
## CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT
## SCHEDULE OF ENGINEERING DRAWINGS

| DRG NO. | AREA | DESCRIPTION | PRIORITY LEVEL | | DRG NO. | AREA | DESCRIPTION | PRIORITY LEVEL |
|---|---|---|---|---|---|---|---|---|
| | | **General Layout Plans** | | | | **Layout Plans & Pipe Fittings** | | |
| 6000023-HH-GL-DR-W-001 | | Proposed Construction Methodology - General Layout Sheet 1 | | | 6000023-HH-LP-DR-W-019 | Eastleigh | Pipelines Layout Plan - Sheet 19 | Priority 3 |
| 6000023-HH-GL-DR-W-002 | | Proposed Pipeline Sizes - General Layout Sheet 1 | | | 6000023-HH-FT-DR-W-019A | Eastleigh | Pipelines Fittings - Sheet 19A | Priority 3 |
| 6000023-HH-GL-DR-W-003 | | Sheet Index Map - General Layout Sheet 1 | | | 6000023-HH-LP-DR-W-020 | Eastleigh | Pipelines Layout Plan - Sheet 20 | Priority 3 |
| 6000023-HH-GL-DR-W-004 | | Rehabilitation Pipeline Material - General Layout Sheet 1 | | | 6000023-HH-FT-DR-W-020A | Eastleigh | Pipelines Fittings - Sheet 20A | Priority 3 |
| | | | | | 6000023-HH-LP-DR-W-021 | Eastleigh | Pipelines Layout Plan - Sheet 21 | Priority 3 |
| | | **Layout Plans & Pipe Fittings** | | | 6000023-HH-FT-DR-W-021A | Eastleigh | Pipelines Fittings - Sheet 21A | Priority 3 |
| 6000023-HH-LP-DR-W-001 | Pangani | Pipelines Layout Plan - Sheet 1 | Priority 3 | | 6000023-HH-LP-DR-W-022 | Eastleigh | Pipelines Layout Plan - Sheet 22 | Priority 3 |
| 6000023-HH-FT-DR-W-001A | Pangani | Pipeline Fittings - Sheet 1A | Priority 3 | | 6000023-HH-FT-DR-W-022A | Eastleigh | Pipelines Fittings - Sheet 22A | Priority 3 |
| 6000023-HH-LP-DR-W-002 | Pangani | Pipelines Layout Plan - Sheet 2 | Priority 3 | | 6000023-HH-LP-DR-W-023 | Eastleigh | Pipelines Layout Plan - Sheet 23 | Priority 3 |
| 6000023-HH-FT-DR-W-002A | Pangani | Pipeline Fittings - Sheet 2A | Priority 3 | | 6000023-HH-FT-DR-W-023A | Eastleigh | Pipelines Fittings - Sheet 23A | Priority 3 |
| 6000023-HH-LP-DR-W-003 | Pangani | Pipelines Layout Plan - Sheet 3 | Priority 3 | | 6000023-HH-LP-DR-W-024 | Eastleigh | Pipelines Layout Plan - Sheet 24 | Priority 3 |
| 6000023-HH-FT-DR-W-003A | Pangani | Pipeline Fittings - Sheet 3A | Priority 3 | | 6000023-HH-FT-DR-W-024A | Eastleigh | Pipelines Fittings - Sheet 24A | Priority 3 |
| 6000023-HH-LP-DR-W-004 | Pangani | Pipelines Layout Plan - Sheet 4 | Priority 3 | | 6000023-HH-LP-DR-W-025 | Ngara E/W | Pipelines Layout Plan - Sheet 25 | Priority 2 |
| 6000023-HH-FT-DR-W-004A | Pangani | Pipelines Fittings - Sheet 4A | Priority 3 | | 6000023-HH-FT-DR-W-025A | Ngara E/W | Pipelines Fittings - Sheet 25A | Priority 2 |
| 6000023-HH-LP-DR-W-005 | Pangani | Pipelines Layout Plan - Sheet 5 | Priority 3 | | 6000023-HH-LP-DR-W-026 | Ngara E/W,Pangani | Pipelines Layout Plan - Sheet 26 | Priority 3 |
| 6000023-HH-LP-DR-W-006 | Pangani | Pipelines Layout Plan - Sheet 6 | Priority 3 | | 6000023-HH-FT-DR-W-026A | Ngara E/W,Pangani | Pipelines Fittings - Sheet 26A | Priority 3 |
| 6000023-HH-FT-DR-W-006A | Pangani | Pipelines Fittings - Sheet 6A | Priority 3 | | 6000023-HH-FT-DR-W-026B | Ngara E/W,Pangani | Pipelines Fittings - Sheet 26B | Priority 3 |
| 6000023-HH-LP-DR-W-007 | Pangani | Pipelines Layout Plan - Sheet 7 | Priority 3 | | 6000023-HH-LP-DR-W-027 | Ngara E/W,Eastleigh | Pipelines Layout Plan - Sheet 27 | Priority 2 |
| 6000023-HH-FT-DR-W-007A | Pangani | Pipelines Fittings - Sheet 7A | Priority 3 | | 6000023-HH-FT-DR-W-027A | Ngara E/W,Eastleigh | Pipelines Fittings - Sheet 27A | Priority 2 |
| 6000023-HH-LP-DR-W-008 | Pangani | Pipelines Layout Plan - Sheet 8 | Priority 3 | | 6000023-HH-LP-DR-W-028 | Pangani | Pipelines Layout Plan - Sheet 28 | Priority 3 |
| 6000023-HH-FT-DR-W-008A | Pangani | Pipelines Fittings - Sheet 8A | Priority 3 | | 6000023-HH-FT-DR-W-028A | Pangani | Pipelines Fittings - Sheet 28A | Priority 3 |
| 6000023-HH-LP-DR-W-009 | Pangani | PPipelines Layout Plan - Sheet 9 | Priority 3 | | 6000023-HH-FT-DR-W-028B | Pangani | Pipelines Fittings - Sheet 28B | Priority 3 |
| 6000023-HH-FT-DR-W-009A | Pangani | Pipelines Fittings - Sheet 9A | Priority 3 | | 6000023-HH-FT-DR-W-028C | Pangani | Pipelines Fittings - Sheet 28C | Priority 3 |
| 6000023-HH-LP-DR-W-010 | Pangani | Pipelines Layout Plan - Sheet 10 | Priority 3 | | 6000023-HH-LP-DR-W-029 | Eastleigh, Pangani | Pipelines Layout Plan - Sheet 29 | Priority 2 |
| 6000023-HH-FT-DR-W-010A | Pangani | Pipelines Fittings - Sheet 10A | Priority 3 | | 6000023-HH-FT-DR-W-029A | Eastleigh, Pangani | Pipelines Fittings - Sheet 29A | Priority 2 |
| 6000023-HH-LP-DR-W-011 | Pangani | Pipelines Layout Plan - Sheet 11 | Priority 3 | | 6000023-HH-FT-DR-W-029B | Eastleigh, Pangani | Pipelines Fittings - Sheet 29B | Priority 2 |
| 6000023-HH-FT-DR-W-011A | Pangani | Pipelines Fittings - Sheet 11A | Priority 3 | | 6000023-HH-FT-DR-W-029C | Eastleigh, Pangani | Pipelines Fittings - Sheet 29C | Priority 2 |
| 6000023-HH-LP-DR-W-012 | Pangani | Pipelines Layout Plan - Sheet 12 | Priority 3 | | 6000023-HH-LP-DR-W-030 | Eastleigh | Pipelines Layout Plan - Sheet 30 | Priority 2 |
| 6000023-HH-LP-DR-W-013 | Pangani | Pipelines Layout Plan - Sheet 13 | Priority 3 | | 6000023-HH-FT-DR-W-030A | Eastleigh | Pipelines Fittings - Sheet 30A | Priority 2 |
| 6000023-HH-LP-DR-W-014 | Pangani | Pipelines Layout Plan - Sheet 14 | Priority 3 | | 6000023-HH-LP-DR-W-031 | Ngara E/W | Pipelines Layout Plan - Sheet 31 | Priority 2 |
| 6000023-HH-LP-DR-W-015 | Pangani | Pipelines Layout Plan - Sheet 15 | Priority 3 | | 6000023-HH-FT-DR-W-031A | Ngara E/W | Pipelines Fittings - Sheet 31A | Priority 2 |
| 6000023-HH-FT-DR-W-015A | Pangani | Pipelines Fittings - Sheet 15A | Priority 3 | | 6000023-HH-LP-DR-W-032 | Pangani | Pipelines Layout Plan - Sheet 32 | Priority 3 |
| 6000023-HH-LP-DR-W-016 | Eastleigh/ Pangani /Ngara E/W | Pipelines Layout Plan - Sheet 16 | Priority 3 | | 6000023-HH-FT-DR-W-032A | Pangani | Pipelines Fittings - Sheet 32A | Priority 3 |
| 6000023-HH-FT-DR-W-016A | Eastleigh/ Pangani /Ngara E/W | Pipelines Fittings - Sheet 16A | Priority 3 | | 6000023-HH-LP-DR-W-033 | Pangani | Pipelines Layout Plan - Sheet 33 | Priority 3 |
| 6000023-HH-FT-DR-W-016B | Eastleigh/ Pangani /Ngara E/W | Pipelines Fittings - Sheet 16B | Priority 3 | | 6000023-HH-FT-DR-W-033A | Pangani | Pipelines Fittings - Sheet 33A | Priority 3 |
| 6000023-HH-FT-DR-W-016C | Eastleigh/ Pangani /Ngara E/W | Pipelines Fittings - Sheet 16C | Priority 3 | | 6000023-HH-LP-DR-W-034 | Eastleigh, Pangani | Pipelines Layout Plan - Sheet 34 | Priority 2 |
| 6000023-HH-LP-DR-W-017 | Eastleigh/ Pangani | Pipelines Layout Plan - Sheet 17 | Priority 3 | | 6000023-HH-FT-DR-W-034A | Eastleigh, Pangani | Pipelines Fittings - Sheet 34A | Priority 2 |
| 6000023-HH-FT-DR-W-017A | Eastleigh/ Pangani | Pipelines Fittings - Sheet 17A | Priority 3 | | 6000023-HH-FT-DR-W-034B | Eastleigh, Pangani | Pipelines Fittings - Sheet 34B | Priority 2 |
| 6000023-HH-FT-DR-W-017B | Eastleigh/ Pangani | Pipelines Fittings - Sheet 17B | Priority 3 | | 6000023-HH-LP-DR-W-035 | Eastleigh | Pipelines Layout Plan - Sheet 35 | Priority 2 |
| 6000023-HH-FT-DR-W-017C | Eastleigh/ Pangani | Pipelines Fittings - Sheet 17C | Priority 3 | | 6000023-HH-FT-DR-W-035A | Eastleigh | Pipelines Fittings - Sheet 35A | Priority 2 |
| 6000023-HH-LP-DR-W-018 | Eastleigh | Pipelines Layout Plan - Sheet 18 | Priority 2 | | 6000023-HH-LP-DR-W-036 | Ngara E/W | Pipelines Layout Plan - Sheet 36 | Priority 2 |
| 6000023-HH-FT-DR-W-018A | Eastleigh | Pipelines Fittings - Sheet 18A | Priority 2 | | 6000023-HH-FT-DR-W-036A | Ngara E/W | Pipelines Fittings - Sheet 36A | Priority 2 |
| 6000023-HH-FT-DR-W-018B | Eastleigh | Pipelines Fittings - Sheet 18B | Priority 2 | | | | | |

## CKE 1135 NAIROBI WATER AND SANITATION PROJECT

## CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

## SCHEDULE OF ENGINEERING DRAWINGS

| DRG NO. | AREA | DESCRIPTION | PRIORITY LEVEL | | DRG NO. | AREA | DESCRIPTION | PRIORITY LEVEL |
|---|---|---|---|---|---|---|---|---|
| | | Layout Plans & Pipe Fittings | | | | | Layout Plans & Pipe Fittings | |
| 6000023-HH-LP-DR-W-037 | Ngara E/W | Pipelines Layout Plan - Sheet 37 | Priority 2 | | 6000023-HH-LP-DR-W-053 | Eastleigh, Jogoo Rd | Pipelines Layout Plan - Sheet 53 | Priority 2 |
| 6000023-HH-FT-DR-W-037A | Ngara E/W | Pipelines Fittings - Sheet 37A | Priority 2 | | 6000023-HH-FT-DR-W-053A | Eastleigh, Jogoo Rd | Pipelines - Pipe Fittings - Sheet 53A | Priority 2 |
| 6000023-HH-FT-DR-W-037B | Ngara E/W | Pipelines Fittings - Sheet 37B | Priority 2 | | 6000023-HH-LP-DR-W-054 | Jogoo Rd | Pipelines Layout Plan - Sheet 54 | Priority 2 |
| 6000023-HH-LP-DR-W-038 | Ngara E/W | Pipelines Layout Plan - Sheet 38 | Priority 2 | | 6000023-HH-FT-DR-W-054A | Jogoo Rd | Pipelines Fittings - Sheet 54A | Priority 2 |
| 6000023-HH-FT-DR-W-038A | Ngara E/W | Pipelines Fittings - Sheet 38A | Priority 2 | | 6000023-HH-LP-DR-W-055 | Jogoo Rd | Pipelines Layout Plan - Sheet 55 | Priority 2 |
| 6000023-HH-LP-DR-W-039 | Ngara E/W | Pipelines Layout Plan - Sheet 39 | Priority 2 | | 6000023-HH-FT-DR-W-055A | Jogoo Rd | Pipelines Fittings - Sheet 55A | Priority 2 |
| 6000023-HH-FT-DR-W-039A | Ngara E/W | Pipelines Fittings - Sheet 39A | Priority 2 | | 6000023-HH-LP-DR-W-056 | CBD | Pipelines Layout Plan - Sheet 56 | Priority 1 |
| 6000023-HH-LP-DR-W-040 | Ngara E/W | Pipelines Layout Plan - Sheet 40 | Priority 2 | | 6000023-HH-FT-DR-W-056A | CBD | Pipelines Fittings - Sheet 56A | Priority 1 |
| 6000023-HH-FT-DR-W-040A | Ngara E/W | Pipelines Fittings - Sheet 40A | Priority 2 | | 6000023-HH-LP-DR-W-057 | CBD | Pipelines Layout Plan - Sheet 57 | Priority 1 |
| 6000023-HH-LP-DR-W-041 | CBD | Pipelines Layout Plan - Sheet 41 | Priority 1 | | 6000023-HH-FT-DR-W-057A | CBD | Pipelines Fittings - Sheet 57A | Priority 1 |
| 6000023-HH-FT-DR-W-041A | CBD | Pipelines Fittings - Sheet 41A | Priority 1 | | 6000023-HH-LP-DR-W-058 | CBD | Pipelines Layout Plan - Sheet 58 | Priority 1 |
| 6000023-HH-FT-DR-W-041B | CBD | Pipelines Fittings - Sheet 41B | Priority 1 | | 6000023-HH-LP-DR-W-059 | Central Industrial Area | Pipelines Layout Plan - Sheet 59 | Priority 1 |
| 6000023-HH-LP-DR-W-042 | CBD | Pipelines Layout Plan - Sheet 42 | Priority 1 | | 6000023-HH-FT-DR-W-059A | Central Industrial Area | Pipelines Fittings - Sheet 59A | Priority 1 |
| 6000023-HH-FT-DR-W-042A | CBD | Pipelines Fittings - Sheet 42A | Priority 1 | | 6000023-HH-LP-DR-W-060 | Central Industrial Area, Jogoo Rd | Pipelines Layout Plan - Sheet 60 | Priority 1 |
| 6000023-HH-FT-DR-W-042B | CBD | Pipelines Fittings - Sheet 42B | Priority 1 | | 6000023-HH-FT-DR-W-060A | Central Industrial Area, Jogoo Rd | Pipelines Fittings - Sheet 60A | Priority 1 |
| 6000023-HH-FT-DR-W-042C | CBD | Pipelines Fittings - Sheet 42C | Priority 1 | | 6000023-HH-FT-DR-W-060B | Central Industrial Area, Jogoo Rd | Pipelines Fittings - Sheet 60B | Priority 1 |
| 6000023-HH-LP-DR-W-043 | CBD | Pipelines Layout Plan - Sheet 43 | Priority 1 | | 6000023-HH-LP-DR-W-061 | Central Industrial Area, Jogoo Rd | Pipelines Layout Plan - Sheet 61 | Priority 2 |
| 6000023-HH-FT-DR-W-043A | CBD | Pipelines Fittings - Sheet 43A | Priority 1 | | 6000023-HH-FT-DR-W-061A | Central Industrial Area, Jogoo Rd | Pipelines Fittings - Sheet 61A | Priority 2 |
| 6000023-HH-LP-DR-W-044 | Eastleigh | Pipelines Layout Plan - Sheet 44 | Priority 2 | | 6000023-HH-LP-DR-W-062 | Eastleigh, Jogoo Rd | Pipelines Layout Plan - Sheet 62 | Priority 2 |
| 6000023-HH-FT-DR-W-044A | Eastleigh | Pipelines Fittings - Sheet 44A | Priority 2 | | 6000023-HH-FT-DR-W-062A | Eastleigh, Jogoo Rd | Pipelines Fittings - Sheet 62A | Priority 2 |
| 6000023-HH-LP-DR-W-045 | Eastleigh, Pangani | Pipelines Layout Plan - Sheet 45 | Priority 2 | | 6000023-HH-LP-DR-W-063 | Jogoo Rd | Pipelines Layout Plan - Sheet 63 | Priority 2 |
| 6000023-HH-FT-DR-W-045A | Eastleigh, Pangani | Pipelines Fittings - Sheet 45A | Priority 2 | | 6000023-HH-FT-DR-W-063A | Jogoo Rd | Pipelines Fittings - Sheet 63A | Priority 2 |
| 6000023-HH-FT-DR-W-045B | Eastleigh, Pangani | Pipelines Fittings - Sheet 45B | Priority 2 | | 6000023-HH-LP-DR-W-064 | Jogoo Rd | Pipelines Layout Plan - Sheet 64 | Priority 2 |
| 6000023-HH-FT-DR-W-045C | Eastleigh, Pangani | Pipelines Fittings - Sheet 45C | Priority 2 | | 6000023-HH-FT-DR-W-064A | Jogoo Rd | Pipelines Fittings - Sheet 64A | Priority 2 |
| 6000023-HH-LP-DR-W-046 | Eastleigh | Pipelines Layout Plan - Sheet 46 | Priority 2 | | 6000023-HH-LP-DR-W-065 | Central Industrial Area | Pipelines Layout Plan - Sheet 65 | Priority 1 |
| 6000023-HH-FT-DR-W-046A | Eastleigh | Pipelines Fittings - Sheet 46A | Priority 2 | | 6000023-HH-FT-DR-W-065A | Central Industrial Area | Pipelines Fittings - Sheet 65A | Priority 1 |
| 6000023-HH-FT-DR-W-046B | Eastleigh | Pipelines Fittings - Sheet 46B | Priority 2 | | 6000023-HH-LP-DR-W-066 | Central Industrial Area | Pipelines Layout Plan - Sheet 66 | Priority 1 |
| 6000023-HH-LP-DR-W-047 | CBD | Pipelines Layout Plan - Sheet 47 | Priority 1 | | 6000023-HH-FT-DR-W-066A | Central Industrial Area | Pipelines Fittings - Sheet 66A | Priority 1 |
| 6000023-HH-FT-DR-W-047A | CBD | Pipelines Fittings - Sheet 47A | Priority 1 | | 6000023-HH-LP-DR-W-067 | Central Industrial Area | Pipelines Layout Plan - Sheet 67 | Priority 1 |
| 6000023-HH-LP-DR-W-048 | CBD | Pipelines Layout Plan - Sheet 48 | Priority 1 | | 6000023-HH-FT-DR-W-067A | Central Industrial Area | Pipelines Fittings - Sheet 67A | Priority 1 |
| 6000023-HH-FT-DR-W-048A | CBD | Pipelines Fittings - Sheet 48A | Priority 1 | | 6000023-HH-FT-DR-W-067B | Central Industrial Area | Pipelines Fittings - Sheet 67B | Priority 1 |
| 6000023-HH-FT-DR-W-048B | CBD | Pipelines Fittings - Sheet 48B | Priority 1 | | 6000023-HH-LP-DR-W-068 | Central Industrial Area | Pipelines Layout Plan - Sheet 68 | Priority 1 |
| 6000023-HH-FT-DR-W-048C | CBD | Pipelines Fittings - Sheet 48C | Priority 1 | | 6000023-HH-FT-DR-W-068A | Central Industrial Area | Pipelines Fittings - Sheet 68A | Priority 1 |
| 6000023-HH-LP-DR-W-049 | CBD, Eastleigh | Pipelines Layout Plan - Sheet 49 | Priority 1 | | 6000023-HH-LP-DR-W-069 | Eastern Industrial Area | Pipelines Layout Plan - Sheet 69 | Priority 3 |
| 6000023-HH-FT-DR-W-049A | CBD, Eastleigh | Pipelines Fittings - Sheet 49A | Priority 1 | | 6000023-HH-FT-DR-W-069A | Eastern Industrial Area | Pipelines Fittings - Sheet 69A | Priority 3 |
| 6000023-HH-FT-DR-W-049B | CBD, Eastleigh | Pipelines Fittings - Sheet 49B | Priority 1 | | 6000023-HH-LP-DR-W-070 | Eastern Industrial Area, Jogoo Rd | Pipelines Layout Plan - Sheet 70 | Priority 2 |
| 6000023-HH-LP-DR-W-050 | CBD | Pipelines Layout Plan - Sheet 50 | Priority 1 | | 6000023-HH-FT-DR-W-070A | Eastern Industrial Area, Jogoo Rd | Pipelines Fittings - Sheet 70A | Priority 2 |
| 6000023-HH-FT-DR-W-050A | CBD | Pipelines Fittings - Sheet 50A | Priority 1 | | 6000023-HH-LP-DR-W-071 | Eastern Industrial Area, Jogoo Rd | Pipelines Layout Plan - Sheet 71 | Priority 2 |
| 6000023-HH-LP-DR-W-051 | Eastleigh | Pipelines Layout Plan - Sheet 51 | Priority 2 | | 6000023-HH-FT-DR-W-071A | Eastern Industrial Area, Jogoo Rd | Pipelines Fittings - Sheet 71A | Priority 2 |
| 6000023-HH-FT-DR-W-051A | Eastleigh | Pipelines Fittings - Sheet 51A | Priority 2 | | 6000023-HH-LP-DR-W-072 | Jogoo Rd | Pipelines Layout Plan - Sheet 72 | Priority 2 |
| 6000023-HH-LP-DR-W-052 | Eastleigh | Pipelines Layout Plan - Sheet 52 | Priority 2 | | 6000023-HH-FT-DR-W-072A | Jogoo Rd | Pipelines Fittings - Sheet 72A | Priority 2 |
| 6000023-HH-FT-DR-W-052A | Eastleigh | Pipelines Fittings - Sheet 52A | Priority 2 | | | | | |

## CKE 1135 NAIROBI WATER AND SANITATION PROJECT

## CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

## SCHEDULE OF ENGINEERING DRAWINGS

| DRG NO. | AREA | DESCRIPTION | PRIORITY LEVEL | | DRG NO. | AREA | DESCRIPTION | PRIORITY LEVEL |
|---|---|---|---|---|---|---|---|---|
| | | **Layout Plans & Pipe Fittings** | | | | | **Layout Plans & Pipe Fittings** | |
| 6000023-HH-LP-DR-W-073 | Jogoo Rd | Pipelines Layout Plan - Sheet 73 | Priority 2 | | 6000023-HH-LP-DR-W-092 | Eastern Industrial Area | Pipelines Layout Plan - Sheet 92 | Priority 3 |
| 6000023-HH-FT-DR-W-073A | Jogoo Rd | Pipelines Fittings - Sheet 73A | Priority 2 | | 6000023-HH-FT-DR-W-092A | Eastern Industrial Area | Pipelines Fittings - Sheet 92A | Priority 3 |
| 6000023-HH-LP-DR-W-074 | Central Industrial Area | Pipelines Layout Plan - Sheet 74 | Priority 1 | | 6000023-HH-LP-DR-W-093 | South C | Pipelines Layout Plan - Sheet 93 | Priority 3 |
| 6000023-HH-FT-DR-W-074A | Central Industrial Area | Pipelines Fittings - Sheet 74A | Priority 1 | | 6000023-HH-FT-DR-W-093A | South C | Pipelines Fittings - Sheet 93A | Priority 3 |
| 6000023-HH-LP-DR-W-075 | Central Industrial Area | Pipelines Layout Plan - Sheet 75 | Priority 1 | | 6000023-HH-LP-DR-W-094 | South C | Pipelines Layout Plan - Sheet 94 | Priority 3 |
| 6000023-HH-FT-DR-W-075A | Central Industrial Area | Pipelines Fittings - Sheet 75A | Priority 1 | | 6000023-HH-FT-DR-W-094A | South C | Pipelines Fittings - Sheet 94A | Priority 3 |
| 6000023-HH-FT-DR-W-075B | Central Industrial Area | Pipelines Fittings - Sheet 75B | Priority 1 | | 6000023-HH-LP-DR-W-095 | Central Industrial Area, South C | Pipelines Layout Plan - Sheet 95 | Priority 1 |
| 6000023-HH-LP-DR-W-076 | Central Industrial Area | Pipelines Layout Plan - Sheet 76 | Priority 1 | | 6000023-HH-FT-DR-W-095A | Central Industrial Area, South C | Pipelines Fittings - Sheet 95A | Priority 1 |
| 6000023-HH-FT-DR-W-076A | Central Industrial Area | Pipelines Fittings - Sheet 76A | Priority 1 | | 6000023-HH-FT-DR-W-095B | Central Industrial Area, South C | Pipelines Fittings - Sheet 95B | Priority 1 |
| 6000023-HH-FT-DR-W-076B | Central Industrial Area | Pipelines Fittings - Sheet 76B | Priority 1 | | 6000023-HH-LP-DR-W-096 | Central Industrial Area | Pipelines Layout Plan - Sheet 96 | Priority 1 |
| 6000023-HH-LP-DR-W-077 | Central Industrial Area | Pipelines Layout Plan - Sheet 77 | Priority 1 | | 6000023-HH-FT-DR-W-096A | Central Industrial Area | Pipelines Fittings - Sheet 96A | Priority 1 |
| 6000023-HH-FT-DR-W-077A | Central Industrial Area | Pipelines Fittings - Sheet 77A | Priority 1 | | 6000023-HH-FT-DR-W-096B | Central Industrial Area | Pipelines Fittings - Sheet 96B | Priority 1 |
| 6000023-HH-LP-DR-W-078 | Central Industrial Area | Pipelines Layout Plan - Sheet 78 | Priority 1 | | 6000023-HH-LP-DR-W-097 | Central Industrial Area | Pipelines Layout Plan - Sheet 97 | Priority 1 |
| 6000023-HH-FT-DR-W-078A | Central Industrial Area | Pipelines Fittings - Sheet 78A | Priority 1 | | 6000023-HH-FT-DR-W-097A | Central Industrial Area | Pipelines Fittings - Sheet 97A | Priority 1 |
| 6000023-HH-LP-DR-W-079 | Central Industrial Area | Pipelines Layout Plan - Sheet 79 | Priority 1 | | 6000023-HH-LP-DR-W-098 | Central Industrial Area | Pipelines Layout Plan - Sheet 98 | Priority 1 |
| 6000023-HH-FT-DR-W-079A | Central Industrial Area | Pipelines Fittings - Sheet 79A | Priority 1 | | 6000023-HH-FT-DR-W-098A | Central Industrial Area | Pipelines Fittings - Sheet 98A | Priority 1 |
| 6000023-HH-LP-DR-W-080 | South C | Pipelines Layout Plan - Sheet 80 | Priority 3 | | 6000023-HH-LP-DR-W-099 | Central Industrial Area | Pipelines Layout Plan - Sheet 99 | Priority 1 |
| 6000023-HH-FT-DR-W-080A | South C | Pipelines Fittings - Sheet 80A | Priority 3 | | 6000023-HH-FT-DR-W-099A | Central Industrial Area | Pipelines Fittings - Sheet 99A | Priority 1 |
| 6000023-HH-LP-DR-W-081 | Central Industrial Area, South C | Pipelines Layout Plan - Sheet 81 | Priority 3 | | 6000023-HH-LP-DR-W-100 | Central Industrial Area, Eastern Industrial Area | Pipelines Layout Plan - Sheet 100 | Priority 3 |
| 6000023-HH-FT-DR-W-081A | Central Industrial Area, South C | Pipelines - Pipe Fittings - Sheet 81A | Priority 3 | | 6000023-HH-FT-DR-W-100A | Central Industrial Area, Eastern Industrial Area | Pipelines Fittings - Sheet 100A | Priority 3 |
| 6000023-HH-FT-DR-W-081B | Central Industrial Area, South C | Pipelines - Pipe Fittings - Sheet 81A | Priority 3 | | 6000023-HH-LP-DR-W-101 | Eastern Industrial Area | Pipelines Layout Plan - Sheet 101 | Priority 3 |
| 6000023-HH-LP-DR-W-082 | Central Industrial Area, South C | Pipelines Layout Plan - Sheet 82 | Priority 3 | | 6000023-HH-FT-DR-W-101A | Eastern Industrial Area | Pipelines Fittings - Sheet 101A | Priority 3 |
| 6000023-HH-FT-DR-W-082A | Central Industrial Area, South C | Pipelines Fittings - Sheet 82A | Priority 3 | | 6000023-HH-LP-DR-W-102 | South C | Pipelines Layout Plan - Sheet 102 | Priority 3 |
| 6000023-HH-LP-DR-W-083 | Central Industrial Area | Pipelines Layout Plan - Sheet 83 | Priority 1 | | 6000023-HH-FT-DR-W-102A | South C | Pipelines Fittings - Sheet 102A | Priority 3 |
| 6000023-HH-FT-DR-W-083A | Central Industrial Area | Pipelines Fittings - Sheet 83A | Priority 1 | | 6000023-HH-LP-DR-W-103 | South C | Pipelines Layout Plan - Sheet 103 | Priority 3 |
| 6000023-HH-LP-DR-W-084 | Central Industrial Area | Pipelines Layout Plan - Sheet 84 | Priority 1 | | 6000023-HH-FT-DR-W-103A | South C | Pipelines Fittings - Sheet 103A | Priority 3 |
| 6000023-HH-FT-DR-W-084A | Central Industrial Area | Pipelines Fittings - Sheet 84A | Priority 1 | | 6000023-HH-FT-DR-W-103B | South C | Pipelines Fittings - Sheet 103B | Priority 3 |
| 6000023-HH-LP-DR-W-085 | Central Industrial Area | Pipelines Layout Plan - Sheet 85 | Priority 1 | | 6000023-HH-LP-DR-W-104 | South C | Pipelines Layout Plan - Sheet 104 | Priority 3 |
| 6000023-HH-FT-DR-W-085A | Central Industrial Area | Pipelines Fittings - Sheet 85A | Priority 1 | | 6000023-HH-FT-DR-W-104A | South C | Pipelines Fittings - Sheet 104A | Priority 3 |
| 6000023-HH-LP-DR-W-086 | Central Industrial Area | Pipelines Layout Plan - Sheet 86 | Priority 1 | | 6000023-HH-FT-DR-W-104B | South C | Pipelines Fittings - Sheet 104A | Priority 3 |
| 6000023-HH-FT-DR-W-086A | Central Industrial Area | Pipelines Fittings - Sheet 86A | Priority 1 | | 6000023-HH-LP-DR-W-105 | Central Industrial Area | Pipelines Layout Plan - Sheet 105 | Priority 1 |
| 6000023-HH-LP-DR-W-087 | Central Industrial Area | Pipelines Layout Plan - Sheet 87 | Priority 1 | | 6000023-HH-FT-DR-W-105A | Central Industrial Area | Pipelines Fittings - Sheet 105A | Priority 1 |
| 6000023-HH-FT-DR-W-087A | Central Industrial Area | Pipelines Fittings - Sheet 87A | Priority 1 | | 6000023-HH-LP-DR-W-106 | South C | Pipelines Layout Plan - Sheet 106 | Priority 3 |
| 6000023-HH-LP-DR-W-088 | Eastern Industrial Area | Pipelines Layout Plan - Sheet 88 | Priority 3 | | 6000023-HH-FT-DR-W-106A | South C | Pipelines Fittings - Sheet 106A | Priority 3 |
| 6000023-HH-FT-DR-W-088A | Eastern Industrial Area | Pipelines Fittings - Sheet 88A | Priority 3 | | 6000023-HH-LP-DR-W-107 | South C | Pipelines Layout Plan - Sheet 107 | Priority 3 |
| 6000023-HH-LP-DR-W-089 | Eastern Industrial Area | Pipelines Layout Plan - Sheet 89 | Priority 3 | | 6000023-HH-FT-DR-W-107A | South C | Pipelines Fittings - Sheet 107A | Priority 3 |
| 6000023-HH-FT-DR-W-089A | Eastern Industrial Area | Pipelines Fittings - Sheet 89A | Priority 3 | | 6000023-HH-LP-DR-W-108 | South C | Pipelines Layout Plan - Sheet 108 | Priority 3 |
| 6000023-HH-LP-DR-W-090 | Eastern Industrial Area | Pipelines Layout Plan - Sheet 90 | Priority 3 | | 6000023-HH-FT-DR-W-108A | South C | Pipelines Fittings - Sheet 108A | Priority 3 |
| 6000023-HH-FT-DR-W-090A | Eastern Industrial Area | Pipelines Fittings - Sheet 90A | Priority 3 | | 6000023-HH-LP-DR-W-109 | South C | Pipelines Layout Plan - Sheet 109 | Priority 3 |
| 6000023-HH-LP-DR-W-091 | Eastern Industrial Area | Pipelines Layout Plan - Sheet 91 | Priority 3 | | 6000023-HH-FT-DR-W-109A | South C | Pipelines Fittings - Sheet 109A | Priority 3 |
| 6000023-HH-FT-DR-W-091A | Eastern Industrial Area | Pipelines Fittings - Sheet 91A | Priority 3 | | 6000023-HH-LP-DR-W-110 | South C | Pipelines Layout Plan - Sheet 110 | Priority 3 |
| | | | | | 6000023-HH-FT-DR-W-110A | South C | Pipelines Fittings - Sheet 110A | Priority 3 |
| | | | | | | | | Priority 3 |

## CKE 1135 NAIROBI WATER AND SANITATION PROJECT

## CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

## SCHEDULE OF ENGINEERING DRAWINGS

| DRG NO. | AREA | DESCRIPTION | PRIORITY LEVEL | | DRG NO. | AREA | DESCRIPTION | PRIORITY LEVEL |
|---|---|---|---|---|---|---|---|---|
| | | **Layout Plans & Pipe Fittings** | | | | | **Layout Plans & Pipe Fittings** | |
| 6000023-HH-LP-DR-W-111 | South C | Pipelines Layout Plan - Sheet 111 | Priority 3 | | 6000023-HH-LP-DR-W-131 | Ridgeways | Pipelines Layout Plan - Sheet 131 | Priority 3 |
| 6000023-HH-FT-DR-W-111A | South C | Pipelines Fittings - Sheet 111A | Priority 3 | | 6000023-HH-FT-DR-W-131A | Ridgeways | Pipelines Fittings - Sheet 131A | Priority 3 |
| 6000023-HH-LP-DR-W-112 | South C | Pipelines Layout Plan - Sheet 112 | Priority 3 | | 6000023-HH-LP-DR-W-132 | Ridgeways | Pipelines Layout Plan - Sheet 132 | Priority 3 |
| 6000023-HH-FT-DR-W-112A | South C | Pipelines Fittings - Sheet 112A | Priority 3 | | 6000023-HH-FT-DR-W-132A | Ridgeways | Pipelines Fittings - Sheet 132A | Priority 3 |
| 6000023-HH-LP-DR-W-113 | Embakasi | Pipelines Layout Plan - Sheet 113 | Priority 3 | | 6000023-HH-LP-DR-W-133 | Ridgeways | Pipelines Layout Plan - Sheet 133 | Priority 3 |
| 6000023-HH-FT-DR-W-113A | Embakasi | Pipelines Fittings - Sheet 113A | Priority 3 | | 6000023-HH-FT-DR-W-133A | Ridgeways | Pipelines Fittings - Sheet 133A | Priority 3 |
| 6000023-HH-LP-DR-W-114 | Embakasi | Pipelines Layout Plan - Sheet 114 | Priority 3 | | 6000023-HH-LP-DR-W-134 | Ridgeways | Pipelines Layout Plan - Sheet 134 | Priority 3 |
| 6000023-HH-FT-DR-W-114A | Embakasi | Pipelines Fittings - Sheet 114A | Priority 3 | | 6000023-HH-FT-DR-W-134A | Ridgeways | Pipelines Fittings - Sheet 134A | Priority 3 |
| 6000023-HH-LP-DR-W-115 | Embakasi | Pipelines Layout Plan - Sheet 115 | Priority 3 | | | | **Plan & Profile Drawings** | |
| 6000023-HH-FT-DR-W-115A | Embakasi | Pipelines Fittings - Sheet 115A | Priority 3 | | 6000023-HH-PP-DR-W-001 | Eastleigh | Juja Road - Sheet 1 of 4 | Priority 2 |
| 6000023-HH-LP-DR-W-116 | Embakasi | Pipelines Layout Plan - Sheet 116 | Priority 3 | | 6000023-HH-PP-DR-W-002 | Eastleigh | Juja Road - Sheet 2 of 4 | Priority 2 |
| 6000023-HH-FT-DR-W-116A | Embakasi | Pipelines Fittings - Sheet 116A | Priority 3 | | 6000023-HH-PP-DR-W-003 | Eastleigh | Juja Road - Sheet 3 of 4 | Priority 2 |
| 6000023-HH-FT-DR-W-116B | Embakasi | Pipelines Fittings - Sheet 116B | Priority 3 | | 6000023-HH-PP-DR-W-004 | Eastleigh | Juja Road - Sheet 4 of 4 | Priority 2 |
| 6000023-HH-FT-DR-W-116C | Embakasi | Pipelines Fittings - Sheet 116C | Priority 3 | | 6000023-HH-PP-DR-W-005 | Eastleigh | 2nd Avenue - Sheet 1 of 2 | Priority 2 |
| 6000023-HH-LP-DR-W-117 | Embakasi | Pipelines Layout Plan - Sheet 117 | Priority 3 | | 6000023-HH-PP-DR-W-006 | Eastleigh | 2nd Avenue - Sheet 2 of 2 | Priority 2 |
| 6000023-HH-FT-DR-W-117A | Embakasi | Pipelines Fittings - Sheet 117A | Priority 3 | | 6000023-HH-PP-DR-W-007 | Eastleigh | 1st Avenue - Sheet 1 of 3 | Priority 2 |
| 6000023-HH-LP-DR-W-118 | Embakasi | Pipelines Layout Plan - Sheet 118 | Priority 3 | | 6000023-HH-PP-DR-W-008 | Eastleigh | 1st Avenue - Sheet 2 of 3 | Priority 2 |
| 6000023-HH-FT-DR-W-118A | Embakasi | Pipelines Fittings - Sheet 118A | Priority 3 | | 6000023-HH-PP-DR-W-009 | Eastleigh | 1st Avenue - Sheet 3 of 3 | Priority 2 |
| 6000023-HH-LP-DR-W-119 | Embakasi | Pipelines Layout Plan - Sheet 119 | Priority 3 | | 6000023-HH-PP-DR-W-010 | Eastleigh | Mlango Roundabout Line 1 - Sheet 1 of 2 | Priority 2 |
| 6000023-HH-FT-DR-W-119A | Embakasi | Pipelines Fittings - Sheet 119A | Priority 3 | | 6000023-HH-PP-DR-W-011 | Eastleigh | Mlango Roundabout Line 1 - Sheet 2 of 2 | Priority 2 |
| 6000023-HH-LP-DR-W-120 | Embakasi | Pipelines Layout Plan - Sheet 120 | Priority 3 | | 6000023-HH-PP-DR-W-012 | Eastleigh | Mlango Roundabout Line 2 - Sheet 1 of 2 | Priority 2 |
| 6000023-HH-FT-DR-W-120A | Embakasi | Pipelines Fittings - Sheet 120A | Priority 3 | | 6000023-HH-PP-DR-W-013 | Eastleigh | Mlango Roundabout Line 2 - Sheet 2 of 2 | Priority 2 |
| 6000023-HH-LP-DR-W-121 | Embakasi | Pipelines Layout Plan - Sheet 121 | Priority 3 | | 6000023-HH-PP-DR-W-014 | CBD | Haile Selassie Avenue - Sheet 1 of 2 | Priority 1 |
| 6000023-HH-FT-DR-W-121A | Embakasi | Pipelines Fittings - Sheet 121A | Priority 3 | | 6000023-HH-PP-DR-W-015 | CBD | Haile Selassie Avenue - Sheet 2 of 2 | Priority 1 |
| 6000023-HH-LP-DR-W-122 | Ridgeways | Pipelines Layout Plan - Sheet 122 | Priority 3 | | 6000023-HH-PP-DR-W-016 | CBD | Kenyatta Avenue - Sheet 1 of 1 | Priority 1 |
| 6000023-HH-FT-DR-W-122A | Ridgeways | Pipelines Fittings - Sheet 122A | Priority 3 | | 6000023-HH-PP-DR-W-017 | CBD | Moi Avenue - Sheet 1 of 2 | Priority 1 |
| 6000023-HH-LP-DR-W-123 | Ridgeways | Pipelines Layout Plan - Sheet 123 | Priority 3 | | 6000023-HH-PP-DR-W-018 | CBD | Moi Avenue - Sheet 2 of 2 | Priority 1 |
| 6000023-HH-FT-DR-W-123A | Ridgeways | Pipelines Fittings - Sheet 123A | Priority 3 | | 6000023-HH-PP-DR-W-019 | Embakasi | Plan and Profile - Sheet 1 of 2 | Priority 3 |
| 6000023-HH-LP-DR-W-124 | Ridgeways | Pipelines Layout Plan - Sheet 124 | Priority 3 | | 6000023-HH-PP-DR-W-020 | Embakasi | Plan and Profile - Sheet 2 of 2 | Priority 3 |
| 6000023-HH-FT-DR-W-124A | Ridgeways | Pipelines Fittings - Sheet 124A | Priority 3 | | 6000023-HH-PP-DR-W-021 | Central Industrial Area | Enterprise Road - Sheet 1 of 3 | Priority 1 |
| 6000023-HH-LP-DR-W-125 | Ridgeways | Pipelines Layout Plan - Sheet 125 | Priority 3 | | 6000023-HH-PP-DR-W-022 | Central Industrial Area | Enterprise Road - Sheet 2 of 3 | Priority 1 |
| 6000023-HH-FT-DR-W-125A | Ridgeways | Pipelines Fittings - Sheet 125A | Priority 3 | | 6000023-HH-PP-DR-W-023 | Central Industrial Area | Enterprise Road - Sheet 3 of 3 | Priority 1 |
| 6000023-HH-LP-DR-W-126 | Ridgeways | Pipelines Layout Plan - Sheet 126 | Priority 3 | | 6000023-HH-PP-DR-W-024 | Central Industrial Area | Lusaka Road - Sheet 1 of 2 | Priority 1 |
| 6000023-HH-FT-DR-W-126A | Ridgeways | Pipelines Fittings - Sheet 126A | Priority 3 | | 6000023-HH-PP-DR-W-025 | Central Industrial Area | Lusaka Road - Sheet 1 of 3 | Priority 1 |
| 6000023-HH-LP-DR-W-127 | Ridgeways | Pipelines Layout Plan - Sheet 127 | Priority 3 | | 6000023-HH-PP-DR-W-026 | Central Industrial Area | Dunga - Mukenia Road - Sheet of 2 | Priority 1 |
| 6000023-HH-FT-DR-W-127A | Ridgeways | Pipelines Fittings - Sheet 127A | Priority 3 | | 6000023-HH-PP-DR-W-027 | Central Industrial Area | Dunga - Mukenia Road - Sheet of 2 | Priority 1 |
| 6000023-HH-LP-DR-W-128 | Ridgeways | Pipelines Layout Plan - Sheet 128 | Priority 3 | | 6000023-HH-PP-DR-W-028 | Muthaiga Road | Muthaiga Road - Sheet 1 of 4 | Priority 3 |
| 6000023-HH-FT-DR-W-128A | Ridgeways | Pipelines Fittings - Sheet 128A | Priority 3 | | 6000023-HH-PP-DR-W-029 | Muthaiga Road | Muthaiga Road - Sheet 2 of 4 | Priority 3 |
| 6000023-HH-LP-DR-W-129 | Ridgeways | Pipelines Layout Plan - Sheet 129 | Priority 3 | | 6000023-HH-PP-DR-W-030 | Muthaiga Road | Muthaiga Road - Sheet 3 of 4 | Priority 3 |
| 6000023-HH-LP-DR-W-130 | Ridgeways | Pipelines Layout Plan - Sheet 130 | Priority 3 | | 6000023-HH-PP-DR-W-031 | Muthaiga Road | Muthaiga Road - Sheet 4 of 4 | Priority 3 |
| 6000023-HH-FT-DR-W-130A | Ridgeways | Pipelines Fittings - Sheet 130A | Priority 3 | | 6000023-HH-PP-DR-W-032 | Muthaiga Road | Thika Road - Sheet 1 of 3 | Priority 3 |
| | | | | | 6000023-HH-PP-DR-W-033 | Muthaiga Road | Thika Road - Sheet 2 of 3 | Priority 3 |

## CKE 1135 NAIROBI WATER AND SANITATION PROJECT

## CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

## SCHEDULE OF ENGINEERING DRAWINGS

| DRG NO. | AREA | DESCRIPTION | PRIORITY LEVEL |
|---|---|---|---|
| | | **Plan & Profile Drawings** | |
| 6000023-HH-PP-DR-W-034 | Muthaiga Road | Thika Road - Sheet 3 of 3 | Priority 3 |
| 6000023-HH-PP-DR-W-035 | South C | Muhoho Avenue - Sheet 1 of 2 | Priority 3 |
| 6000023-HH-PP-DR-W-036 | South C | Muhoho Avenue - Sheet 2 of 2 | Priority 3 |
| 6000023-HH-PP-DR-W-037 | South C | Ole Shapara Avenue - Sheet 1 of 1 | Priority 3 |
| 6000023-HH-PP-DR-W-038 | South C | Plan and Profile - Sheet 1 of 1 | Priority 3 |
| 6000023-HH-PP-DR-W-039 | South C | Plan and Profile - Sheet 1 of 2 | Priority 3 |
| 6000023-HH-PP-DR-W-040 | South C | Plan and Profile - Sheet 2 of 2 | Priority 3 |
| 6000023-HH-PP-DR-W-041 | Jogoo Road | Jogoo Road Zone- Sheet 1 of 1 | Priority 2 |
| 6000023-HH-PP-DR-W-042 | Jogoo Road | Jogoo Road Zone- Sheet 1 of 1 | Priority 2 |
| 6000023-HH-PP-DR-W-043 | Jogoo Road | Jogoo Road Zone- Sheet 1 of 1 | Priority 2 |
| 6000023-HH-PP-DR-W-044 | Jogoo Road | Jogoo Road Zone- Sheet 1 of 1 | Priority 2 |
| 6000023-HH-PP-DR-W-045 | Central Industrial Area | Lusaka Road - Sheet 1 of 2 | Priority 1 |
| 6000023-HH-PP-DR-W-046 | Central Industrial Area | Lusaka Road - Sheet 2 of 2 | Priority 1 |
| 6000023-HH-PP-DR-W-047 | Central Industrial Area | Off Lusaka Road - Sheet 1 of 1 | Priority 1 |
| 6000023-HH-PP-DR-W-048 | Eastleigh | Juja Road - Sheet 1 of 2 | Priority 2 |
| 6000023-HH-PP-DR-W-049 | Eastleigh | Juja Road - Sheet 2 of 2 | Priority 2 |
| | | **Standard Drawings** | |
| 6000023-HH-SD-DR-W-001 | | Project Sign board Details | |
| 6000023-HH-SD-DR-W-002 | | Consumer Water Connection Details | |
| 6000023-HH-SD-DR-W-003 | | Fire Hydrant, Gate Valve & Washout Details | |
| 6000023-HH-SD-DR-W-004 | | Marker Post & Trench Details | |
| 6000023-HH-SD-DR-W-005 | | AirValve Chamber | |
| 6000023-HH-SD-DR-W-006 | | Gate Valve and Flow Meter Chamber | |
| 6000023-HH-SD-DR-W-007 | | Road Kerb, Channel and Drainage Details | |
| 6000023-HH-SD-DR-W-008 | | Pipe Ancor Suport & Thrust Block Details | |
| 6000023-HH-SD-DR-W-009 | | Reinstatement Cross-section Details | |


**LEGEND**

Priority 1 - Current contract

Priority 2 - Provisional

Priority 3 - Future scope, not included in this contract

# GENERAL LAYOUTS PLANS




## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE

2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS

3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS

4. PIPE LAYOUTS, TYPES OF FITTINGS AND INTERCONNECTIONS ARE GIVEN IN DRAWINGS 6000023-HH-LP-DR-W-001 TO 6000023-HH-LP-DR-W-134 AND 6000023-HH-FT-DR-W-001 TO 6000023-HH-FT-DR-W-134 RESPECTIVELY

5. PRIORITY 1 LINES ARE TO BE CONSTRUCTED IN THIS CONTRACT WHILE PRIORITY 2 LINES ARE PROVISIONAL

## LEGEND

- Zone 8 Border

Pipeline Installation Method (See note 5)

- Trenchless Technology (Priority 1)
- Open Cut (Priority 1 )
- Trenchless Technology (Priority 2)
- Open Cut (Priority 2)

Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title


CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK

Drawing Title

GENERAL LAYOUT
PROPOSED CONSTRUCTION METHODOLOGY
Sheet 1

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:25,000 | Date: JUNE, 23 |

Drawing Number: 6000023-HH-GL-DR-W-001
Revision: T0




## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE

2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS

3. PROPOSED PIPE CONSTRUCTION METHODOLOGY IS GIVEN ON DRAWING 6000023-HH-GL-DR-W-002

4. PIPE LAYOUTS, TYPES OF FITTINGS AND INTERCONNECTIONS ARE GIVEN IN DRAWINGS 6000023-HH-LP-DR-W-001 TO 6000023-HH-LP-DR-W-134 AND 6000023-HH-FT-DR-W-001 TO 6000023-HH-FT-DR-W-134 RESPECTIVELY

5. PRIORITY 1 LINES ARE TO BE CONSTRUCTED IN THIS CONTRACT WHILE PRIORITY 2 LINES ARE PROVISIONAL

6. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH DRAWINGS 6000023-HH-GL-DR-W-001, 6000023-HH-GL-DR-W-003 AND ALL OTHER RELEVANT DRAWINGS

## LEGEND

- Zone 8 Border
- OD110 Proposed Diameter
- OD160 Proposed Diameter
- OD200 Proposed Diameter
- OD250 Proposed Diameter
- OD315 Proposed Diameter
- OD400 Proposed Diameter

Client

ATHI WATER WORKS

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers

The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title


CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK

Drawing Title

GENERAL LAYOUT
PROPOSED REHABILITATION PIPELINE SIZES
Sheet 1

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:25,000 | Date: JUNE, 23 |

| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-002 | T0 |




## NOTES

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT DRAWINGS
2. PRIORITY 1 LINES ARE TO BE CONSTRUCTED IN THIS CONTRACT WHILE PRIORITY 2 LINES ARE PROVISIONAL

## LEGEND

- 134 — Sheet number reference for pipeline details
- Zone 8 Border

Priority Level (See note 2)

- Priority 1
- Priority 2
- Future Scope, Not included in this contract

Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP — Devan Plaza, Crossway Road, Westlands. P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers — The Address, Muthangari Drive, off Waiyaki Way. P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title


CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK

Drawing Title

GENERAL LAYOUT
SHEET INDEX MAP
Sheet 1

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:50,000 | Date: JUNE, 23 |

Drawing Number: 6000023-HH-GL-DR-W-003
Revision: TO




## NOTES

1. POSITIONS AND MATERIAL OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS AND MATERIAL TO BE DETERMINED ON SITE

2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS

3. PROPOSED PIPE CONSTRUCTION METHODOLOGY IS GIVEN ON DRAWING 6000023-HH-GL-DR-W-002

4. PIPE LAYOUTS, TYPES OF FITTINGS AND INTERCONNECTIONS ARE GIVEN IN DRAWINGS 6000023-HH-LP-DR-W-001 TO 6000023-HH-LP-DR-W-134 AND 6000023-HH-FT-DR-W-001 TO 6000023-HH-FT-DR-W-134 RESPECTIVELY

5. PRIORITY 1 LINES ARE TO BE CONSTRUCTED IN THIS CONTRACT WHILE PRIORITY 2 LINES ARE PROVISIONAL

6. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH DRAWINGS 6000023-HH-GL-DR-W-001, 6000023-HH-GL-DR-W-003 AND ALL OTHER RELEVANT DRAWINGS

## LEGEND

- Zone 8 Border

Pipe Material

- AC
- Bitumen Lined Steel
- Cast Iron/ Galvanised Iron
- HDPE/ uPVC
- Steel
- Unknown

Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK

Drawing Title

GENERAL LAYOUT
REHABILITATION PIPELINE MATERIAL
Sheet 1

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:25,000 | Date: JUNE, 23 |

| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-004 | T0 |

# LAYOUT PLANS & PIPE FITTINGS


## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-016
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

EASTLEIGH, PANGANI, NGARA EAST-WEST REHABILITATION PIPELINES - LAYOUT
Sheet 16

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


Drawing Number: 6000023-HH-GL-DR-W-016
Revision: T0

## DETAIL - TEE (300X110)
## JUNCTIONS: 16A





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300mm DIA. COUPLING | 2 |
| 2 | OD315x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - 90° H.BEND
## JUNCTIONS: 16B,16D





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA COUPLING | 2 |
| 2 | OD110mm HDPE PLAIN ENDED 90° BEND | 1 |

## DETAIL - TEE (400X300)
## JUNCTIONS: 16C





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN400mm DIA. COUPLING | 2 |
| 2 | DN400mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN400x300mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN300mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN300mm DIA. FERROUS FLANGED SPIGOT PIPE 1.0m LONG | 1 |
| 6 | DN300mm DIA. FLANGED Y-STRAINER | 1 |
| 7 | DN300mm DIA. WATER METER | 1 |
| 8 | DN300mm DIA. FLANGE ADAPTOR | 1 |
| 9 | DN300mm DIA. FERROUS PLAIN ENDED SPIGOT PIPE 1.2m LONG | 1 |
| 10 | DN300/300 DIA STEPPED COUPLING | 1 |

## DETAIL - 60° H.BEND
## JUNCTIONS: 16E





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300mm DIA COUPLING | 2 |
| 2 | OD315mm HDPE PLAIN ENDED 60° BEND | 1 |

## DETAIL - TEE (300X300)
## JUNCTIONS: 16F





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300/300mm DIA. STEPPED COUPLING | 2 |
| 2 | DN300mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN300x300mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN300mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 7 | DN300x200mm FERROUS ALL FLANGED REDUCER | 1 |
| 8 | DN200mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 9 | DN200/200mm DIA. STEPPED COUPLING | 1 |

## DETAIL - TEE (200X160)
## JUNCTIONS: 16H,16K





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X160)
## JUNCTIONS: 16J




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - 30° H.BEND
## JUNCTIONS: 16L




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA COUPLING | 2 |
| 2 | OD110mm HDPE PLAIN ENDED 30° BEND | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-016

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT


Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
Eastleigh/ Pangani /Ngara E/W
REHABILITATION PIPELINES - FITTINGS
Sheet 16A

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |


Drawing Number: 6000023-HH-FT-DR-W-016A
Revision: T0

## DETAIL - 45° H.BEND
## JUNCTIONS: 16M,16AB,16AC,16AG





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA COUPLING | 2 |
| 2 | OD110mm HDPE PLAIN ENDED 45° BEND | 1 |

## DETAIL - TEE (110X110)
## JUNCTIONS: 16N,16P,16AF,16AP, 16AQ,16AR





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA. COUPLING | 2 |
| 2 | OD110x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - TEE (110X110)
## JUNCTIONS: 16Q,16R,16AE





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA. COUPLING | 2 |
| 2 | OD110x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160x110mm DIA. PLAIN ENDED HDPE REDUCER | 1 |
| 4 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 5 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 6 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X110)
## JUNCTIONS: 16S,16W





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X75)
## JUNCTIONS: 16T,16X





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x75mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN80mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X160)
## JUNCTIONS: 16U





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - TEE (110X110)
## JUNCTIONS: 16Z





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA. COUPLING | 1 |
| 2 | OD110x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160x110mm DIA. PLAIN ENDED HDPE REDUCER | 1 |
| 4 | OD160mm DIA. HDPE PLAIN ENDED PIPE 1.2m LONG | 1 |
| 5 | DN150mm DIA. COUPLING | 1 |

## DETAIL - 30° H.BEND
## JUNCTIONS:16V,16Y





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA COUPLING | 2 |
| 2 | OD160mm HDPE PLAIN ENDED 30° BEND | 1 |

## DETAIL - TEE (110X110)
## JUNCTIONS: 16AD,16AK,16AL





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA. COUPLING | 3 |
| 2 | OD110x110mm DIA. PLAIN ENDED HDPE TEE | 1 |

## DETAIL - 90° H.BEND
## JUNCTIONS: 16AA





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA COUPLING | 2 |
| 2 | OD110mm HDPE PLAIN ENDED 90° BEND | 1 |

## DETAIL - 60° H.BEND
## JUNCTIONS: 16AH,16AJ,16AM




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA COUPLING | 2 |
| 2 | OD110mm HDPE PLAIN ENDED 60° BEND | 1 |

## DETAIL - 110mm END CAP
## JUNCTIONS: 16AN




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD110mm DIA. END CAP | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-016

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR
REHABILITATION OF CENTRAL NAIROBI
AREA WATER NETWORK PROJECT

Drawing Title


Eastleigh/ Pangani /Ngara E/W
REHABILITATION PIPELINES - FITTINGS
Sheet 16B

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-016B


Revision: T0

## DETAIL - TEE (200X110)
## JUNCTIONS: 16AS





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X160)
## JUNCTIONS: 16AT





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - TEE (600X200)
## JUNCTIONS: 16AU





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN600mm DIA. COUPLING | 2 |
| 2 | DN600mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN600x200mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN200mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN200mm DIA. FERROUS FLANGED SPIGOT PIPE 1.0m LONG | 1 |
| 6 | DN200mm DIA. FLANGED Y-STRAINER | 1 |
| 7 | DN200mm DIA. WATER METER | 1 |
| 8 | DN200mm DIA. FLANGE ADAPTOR | 1 |
| 9 | DN200mm DIA. FERROUS SPIGOT PIPE 1.2m LONG | 1 |
| 10 | DN200/200 DIA STEPPED COUPLING | 1 |

## DETAIL - 60° H.BEND
## JUNCTIONS: 16AV,16AX





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA COUPLING | 2 |
| 2 | OD200mm HDPE PLAIN ENDED 60° BEND | 1 |

## DETAIL - 90° H.BEND
## JUNCTIONS: 16AW





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA COUPLING | 2 |
| 2 | OD200mm HDPE PLAIN ENDED 90° BEND | 1 |

## DETAIL - 30° H.BEND
## JUNCTIONS:16AY




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA COUPLING | 2 |
| 2 | OD200mm HDPE PLAIN ENDED 30° BEND | 1 |

## DETAIL - 90° H.BEND
## JUNCTIONS: 16AZ




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA COUPLING | 2 |
| 2 | OD110mm HDPE PLAIN ENDED 90° BEND | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-016

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.


Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
Eastleigh/ Pangani /Ngara E/W
REHABILITATION PIPELINES - FITTINGS
Sheet 16C

| | | | |
|---|---|---|---|
| Designed by: | LMN | Drawn by: | LMN |
| Checked by: | PN | Approved by: | OBO |
| Scale: | AS SHOWN | Date: | JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-016C
Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-017
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP Inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

EASTLEIGH, PANGANI
REHABILITATION PIPELINES - LAYOUT
Sheet 17

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-017 | T0 |

## DETAIL - 160mm END CAP
**JUNCTIONS: 17A**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160mm DIA. END CAP | 1 |

## DETAIL - SPECIAL TEE (160X110)
**JUNCTIONS: 17B**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD125/150mm DIA. STEPPED COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - 30° H.BEND
**JUNCTIONS: 17C,17F,17J**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA COUPLING | 2 |
| 2 | OD110mm HDPE PLAIN ENDED 30° BEND | 1 |

## DETAIL - TEE (110X110)
**JUNCTIONS: 17D,17E**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA. COUPLING | 3 |
| 2 | OD110x110mm DIA. PLAIN ENDED HDPE TEE | 1 |

## DETAIL - SPECIAL TEE (315X110)
**JUNCTIONS: 17G**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300/300mm DIA. COUPLING | 2 |
| 2 | OD315x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X110)
**JUNCTIONS: 17H**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - TEE (400X200)
**JUNCTIONS:17K**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN125/150mm DIA. STEPPED COUPLING | 2 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. STUB END WITH FLANGE | 2 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | OD200x160mm DIA. PLAIN ENDED HDPE REDUCER | 1 |
| 6 | OD200mm DIA. HDPE PLAIN ENDED PIPE 1.2m LONG | 1 |
| 7 | DN200mm DIA. COUPLING | 1 |

## DETAIL - 30° H.BEND
**JUNCTIONS: 17L,17Y**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA COUPLING | 2 |
| 2 | OD200mm HDPE PLAIN ENDED 30° BEND | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-017

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT


Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
Eastleigh/ Pangani
REHABILITATION PIPELINES - FITTINGS
Sheet 17A

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |


Drawing Number: 6000023-HH-FT-DR-W-017A
Revision: T0

## DETAIL - TEE (200X160)
## JUNCTIONS: 17M





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - TEE (600X200)
## JUNCTIONS: 17N,17P





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN600mm DIA. COUPLING | 2 |
| 2 | DN600mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN600x200mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN200mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN200mm DIA. FERROUS ALL FLANGED PIPE 1.2m LONG | 1 |
| 6 | DN200mm DIA. FLANGED Y-STRAINER | 1 |
| 7 | DN200mm DIA. WATER METER | 1 |
| 8 | DN200mm DIA. FLANGE ADAPTOR | 1 |
| 9 | DN200mm DIA. FERROUS PLAIN ENDED PIPE 1.2m LONG | 1 |
| 10 | DN200/200 DIA STEPPED COUPLING | 1 |

## DETAIL - TEE (200X110)
## JUNCTIONS: 17Q





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | DN100mm DIA. COUPLING | 1 |

## DETAIL - TEE (160X110)
## JUNCTIONS: 17R,17AM,17AN





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X110)
## JUNCTIONS: 17S,17AL





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | DN100mm DIA. COUPLING | 1 |

## DETAIL - TEE (200X110)
## JUNCTIONS: 17T,17U,17X,17AB





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - TEE (110X110)
## JUNCTIONS: 17V,17AA




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA. COUPLING | 3 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |

## DETAIL - SPECIAL TEE (110X110)
## JUNCTIONS: 17W




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100/100mm DIA. COUPLING | 2 |
| 2 | OD110x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |

## NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-017

Client:

ATHI WATER WORKS

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP
inventing for tomorrow

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys
Consulting Engineers

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR
REHABILITATION OF CENTRAL NAIROBI
AREA WATER NETWORK PROJECT

Drawing Title


Eastleigh/ Pangani
REHABILITATION PIPELINES - FITTINGS
Sheet 17B

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-017B


Revision: T0

## DETAIL - 110mm END CAP
**JUNCTIONS: 17Z,17AC,17AD**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD110mm DIA. END CAP | 1 |

## DETAIL - 90° H.BEND
**JUNCTIONS: 17AE**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA COUPLING | 2 |
| 2 | OD110mm HDPE PLAIN ENDED 90° BEND | 1 |

## DETAIL - 60° H.BEND
**JUNCTIONS: 17AF,17AH**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA COUPLING | 2 |
| 2 | OD110mm HDPE PLAIN ENDED 60° BEND | 1 |

## DETAIL - TEE (63X63)
**JUNCTIONS: 17AG**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN65mm DIA. COUPLING | 2 |
| 2 | OD63x63mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110x63mm DIA. PLAIN ENDED HDPE REDUCER | 1 |
| 4 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 5 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 6 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - 90° H.BEND
**JUNCTIONS: 17AJ**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA COUPLING | 2 |
| 2 | OD160mm HDPE PLAIN ENDED 90° BEND | 1 |

## DETAIL - PE SADDLE CLAMP (160X50)
**JUNCTIONS:17AK**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150/50mm DIA. SADDLE CLAMP | 1 |
| 2 | DN50mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN50mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN50mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - 60° H.BEND
**JUNCTIONS: 17AP**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA COUPLING | 2 |
| 2 | OD160mm HDPE PLAIN ENDED 60° BEND | 1 |

## DETAIL - 45° H.BEND
**JUNCTIONS: 17AQ**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA COUPLING | 2 |
| 2 | OD160mm HDPE PLAIN ENDED 45° BEND | 1 |

## DETAIL - TEE (160X110)
**JUNCTIONS:17AR**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X200)
**JUNCTIONS: 17AS**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/200mm DIA STEPPED COUPLING | 2 |
| 2 | DN200mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN200mm DIA. FLANGED Y-STRAINER | 1 |
| 4 | DN200mm DIA. WATER METER | 1 |
| 5 | DN200mm DIA. FLANGE ADAPTOR | 1 |
| 6 | DN200mm DIA. FERROUS PLAIN ENDED PIPE 1.2m LONG | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-017

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR
REHABILITATION OF CENTRAL NAIROBI
AREA WATER NETWORK PROJECT


Drawing Title

Eastleigh/ Pangani
REHABILITATION PIPELINES - FITTINGS
Sheet 17C

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-017C

Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-018
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

EASTLEIGH
REHABILITATION PIPELINES - LAYOUT
Sheet 18

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


Drawing Number: 6000023-HH-GL-DR-W-018
Revision: T0

## DETAIL - TEE (200X200)
## JUNCTIONS: 18A, 18S





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/200mm DIA. STEPPED COUPLING | 3 |
| 2 | DN200mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 3 |
| 3 | DN200x200mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN200mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |

## DETAIL - TEE (200X160)
## JUNCTIONS: 18R





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X110)
## JUNCTIONS: 18C,18F,18V





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - PE SADDLE CLAMP (200X50)
## JUNCTIONS: 18G





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/50mm DIA. SADDLE CLAMP | 1 |
| 2 | DN50mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN50mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN50mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - PE SADDLE CLAMP (200X90)
## JUNCTIONS: 18E,18T,18H,18J,18K,18L, 18P,18Q,18D,18U,18W,18X,18Y,18Z,18AA





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/80mm DIA. SADDLE CLAMP | 1 |
| 2 | DN80mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN80mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - PE SADDLE CLAMP (200X90)
## JUNCTIONS: 18M,18P





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/80mm DIA. SADDLE CLAMP | 2 |
| 2 | DN80mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 2 |
| 4 | DN80mm DIA. FLANGE ADAPTOR | 2 |

## DETAIL - AIR VALVE
## JUNCTIONS: 18AB




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/200mm DIA. STEPPED COUPLING | 1 |
| 2 | DN200mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN200X50mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN50mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN50mm DIA. SINGLE ORIFICE AIR VALVE | 1 |

## DETAIL - TEE (200X160)
## JUNCTIONS: 18AC,18AN,




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA FLANGE ADAPTOR | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-018

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT


Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
Eastleigh
REHABILITATION PIPELINES - FITTINGS
Sheet 18A

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |


Drawing Number: 6000023-HH-FT-DR-W-018A
Revision: T0

## DETAIL - PE SADDLE CLAMP (160X90)
## JUNCTIONS: 18AD,18AH,18AL





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150/80mm DIA. SADDLE CLAMP | 2 |
| 2 | DN80mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 2 |
| 4 | DN80mm DIA. FLANGE ADAPTOR | 2 |

## DETAIL - SPECIAL TEE (160X110)
## JUNCTIONS:18AF,18AQ





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | DN100/125mm DIA. STEPPED COUPLING | 1 |

## DETAIL - TEE (110X110)
## JUNCTIONS: 18AG,18AK





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100/100mm DIA. STEPPED COUPLING | 2 |
| 2 | OD110x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160x110mm DIA. PLAIN ENDED HDPE REDUCER | 1 |
| 4 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 5 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 6 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - PE SADDLE CLAMP (160X90)
## JUNCTIONS: 18AP




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150/80mm DIA. SADDLE CLAMP | 1 |
| 2 | DN80mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN80mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X160)
## JUNCTIONS: 18AB




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA FLANGE ADAPTOR | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-018

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT


Drawing Title

Eastleigh
REHABILITATION PIPELINES - FITTINGS
Sheet 18B

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-018B

Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-019
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

EASTLEIGH
REHABILITATION PIPELINES - LAYOUT
Sheet 19

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-019 | T0 |

**DETAIL - PE SADDLE CLAMP (200X90)**
**JUNCTIONS: 19A,19B, 19F**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/80mm DIA. SADDLE CLAMP | 1 |
| 2 | DN80mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN80mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - TEE (200X160)**
**JUNCTIONS: 19C,19D,19E**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA FLANGE ADAPTOR | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-019

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
Eastleigh
REHABILITATION PIPELINES - FITTINGS
Sheet 19A

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-019A
Revision: T0


## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-025
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

NGARA EAST-WEST
REHABILITATION PIPELINES - LAYOUT
Sheet 25

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-025 | T0 |

## DETAIL - TEE (110X110)
## JUNCTIONS: 25A





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA. COUPLING | 2 |
| 2 | OD110x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (110X110)
## JUNCTIONS: 23B,23C





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN65mm DIA. COUPLING | 2 |
| 2 | OD63x63mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110x63mm DIA. PLAIN ENDED HDPE REDUCER | 1 |
| 4 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 5 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 6 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - SPECIAL TEE (110X110)
## JUNCTIONS: 25D





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100/100mm DIA. STEPPED COUPLING | 2 |
| 2 | OD110x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - TEE (300X100)
## JUNCTIONS: 25E





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300/300mm DIA. STEPPED COUPLING | 2 |
| 2 | DN300mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN300x100mm DIA. FERROUS FLANGED TEE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN100mm DIA. COUPLING | 1 |

## DETAIL - TEE (160x160)
## JUNCTIONS: 25H





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (315X160)
## JUNCTIONS: 25G




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300mm DIA. COUPLING | 2 |
| 2 | OD315x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - 90° H.BEND
## JUNCTIONS: 25F




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA COUPLING | 2 |
| 2 | OD160mm HDPE PLAIN ENDED 90° BEND | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-025

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.


Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR
REHABILITATION OF CENTRAL NAIROBI
AREA WATER NETWORK PROJECT

Drawing Title
Ngara E/W
REHABILITATION PIPELINES - FITTINGS
Sheet 25A

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-025A
Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-026
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

NGARA EAST-WEST, PANGANI
REHABILITATION PIPELINES - LAYOUT
Sheet 26

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


Drawing Number: 6000023-HH-GL-DR-W-026
Revision: T0

## DETAIL - PE SADDLE CLAMP (160X63)
## JUNCTIONS:26A





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150/65mm DIA. SADDLE CLAMP | 1 |
| 2 | OD65mm DIA. HDPE SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN65mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN65mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - 60° H.BEND
## JUNCTIONS: 26B





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA. COUPLING | 2 |
| 2 | OD110mm HDPE PLAIN ENDED 60° LONG BEND | 1 |

## DETAIL - TEE (160X160)
## JUNCTIONS: 26C





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X110)
## JUNCTIONS: 26D





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X110)
## JUNCTIONS: 26F





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300mm DIA. COUPLING | 2 |
| 2 | OD315x200mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | DN200/200mm DIA. STEPPED COUPLING | 1 |

## DETAIL - TEE (315X110)
## JUNCTIONS: 26G





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300mm DIA. COUPLING | 2 |
| 2 | OD315x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X110)
## JUNCTIONS: 26D





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - 30° H.BEND
## JUNCTIONS: 26M,26N,26Q,26R,26V





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA COUPLING | 2 |
| 2 | OD200mm HDPE PLAIN ENDED 30° BEND | 1 |

## DETAIL - PE SADDLE CLAMP (200X75)
## JUNCTIONS: 26K,26L





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/80mm DIA. SADDLE CLAMP | 1 |
| 2 | DN80mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN80mm DIA. FLANGE ADAPTOR | 1 |
| 5 | DN200mm DIA COUPLING | 2 |
| 6 | OD200mm HDPE PLAIN ENDED 45° BEND | 1 |

## DETAIL - PE SADDLE CLAMP (200X75)
## JUNCTIONS: 26E,26W,26U





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/80mm DIA. SADDLE CLAMP | 1 |
| 2 | DN80mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN80mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X110)
## JUNCTIONS: 26O




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - 45° H.BEND
## JUNCTIONS: 26P




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA COUPLING | 2 |
| 2 | OD200mm HDPE PLAIN ENDED 45° BEND | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-026

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT


Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
Ngara E/W,Pangani
REHABILITATION PIPELINES - FITTINGS
Sheet 26A

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |


Drawing Number: 6000023-HH-FT-DR-W-026A
Revision: T0

## DETAIL - TEE (160X160)
## JUNCTIONS: 26S





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 4 |
| 2 | OD200x200mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD200mm DIA. HDPE PLAIN ENDED PIPE 10m LONG | 1 |
| 4 | OD200mm DIA. END CAP | 1 |

## DETAIL - TEE (160X160)
## JUNCTIONS: 26X





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - TEE (150X150)
## JUNCTIONS: 26W





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN125/150mm DIA STEPPED COUPLING | 2 |
| 2 | DN150mm DIA. FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN150x150mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN150mm DIA. ALL FLANGED GATE VALVE | 1 |
| 5 | DN200x150mm FERROUS ALL FLANGED REDUCER | 1 |
| 6 | DN200mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 7 | DN200/200mm DIA. STEPPED COUPLING | 1 |

## DETAIL - TEE (350X200)
## JUNCTIONS: 26I





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN350mm DIA. COUPLING | 2 |
| 2 | DN350mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN350x200mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN200mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN200mm DIA. FERROUS FLANGED SPIGOT PIPE 1.0m LONG | 1 |
| 6 | DN200mm DIA. FLANGED Y-STRAINER | 1 |
| 7 | DN200mm DIA. WATER METER | 1 |
| 8 | DN200mm DIA. FLANGE ADAPTOR | 1 |
| 9 | DN200mm DIA. FERROUS SPIGOT PIPE 1.2m LONG | 1 |
| 10 | DN200/200 DIA STEPPED COUPLING | 1 |

## DETAIL - TEE (160X110)
## JUNCTIONS: 26Y





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X160)
## JUNCTIONS: 26Z





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X75)
## JUNCTIONS: 26AA




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x75mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN80mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - AIR VALVE
## JUNCTIONS: 26AB




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300/300mm DIA. STEPPED COUPLING | 1 |
| 2 | DN300mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN300X50mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN50mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN50mm DIA. SINGLE ORIFICE AIR VALVE | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-026

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.


Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
Ngara E/W,Pangani
REHABILITATION PIPELINES - FITTINGS
Sheet 26B

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-026B
Revision: T0





NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-027
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

NGARA EAST-WEST, EASTLEIGH
REHABILITATION PIPELINES - LAYOUT
Sheet 27

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-027 | T0 |

## DETAIL - TEE (200X110)
## JUNCTIONS: 27A,27B





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - TEE (150X150)
## JUNCTIONS: 27C





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN125/150mm DIA STEPPED COUPLING | 2 |
| 2 | DN150mm DIA. FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN150x150mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN150mm DIA. ALL FLANGED GATE VALVE | 1 |
| 5 | DN200x150mm FERROUS ALL FLANGED REDUCER | 1 |
| 6 | DN200mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 7 | DN200/200mm DIA. STEPPED COUPLING | 1 |

## DETAIL - 30° H.BEND
## JUNCTIONS: 27D





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA COUPLING | 2 |
| 2 | OD200mm HDPE PLAIN ENDED 30° BEND | 1 |

## DETAIL - 45° H.BEND
## JUNCTIONS: 27E





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA COUPLING | 2 |
| 2 | OD200mm HDPE PLAIN ENDED 45° BEND | 1 |

## DETAIL - COUPLING
## JUNCTIONS: 27F





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150/150mm DIA. STEPPED COUPLING | 1 |

## DETAIL - TEE (160X75)
## JUNCTIONS: 27G




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x75mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN80mm DIA. FLANGE ADAPTOR | 1 |
| 6 | OD160x110mm DIA. PLAIN ENDED HDPE REDUCER | 1 |
| 7 | OD110mm DIA. HDPE PLAIN ENDED PIPE 1.2m LONG | 1 |
| 8 | DN100/100mm DIA. STEPPED COUPLING | 1 |

## DETAIL - 160mm END CAP
## JUNCTIONS: 27J




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160mm DIA. END CAP | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-027

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title

Ngara E/W,Eastleigh
REHABILITATION PIPELINES - FITTINGS
Sheet 27A

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-027A

Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-029
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

EASTLEIGH, PANGANI
REHABILITATION PIPELINES - LAYOUT
Sheet 29

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-029 | T0 |

## DETAIL - PE SADDLE CLAMP (200X90)
## JUNCTIONS: 29A,29C,29E





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/80mm DIA. SADDLE CLAMP | 2 |
| 2 | DN80mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 2 |
| 4 | DN80mm DIA. FLANGE ADAPTOR | 2 |

## DETAIL - PE SADDLE CLAMP (200X90)
## JUNCTIONS: 29H,29J,29K,29L,29M, 29Q,29R





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/80mm DIA. SADDLE CLAMP | 1 |
| 2 | DN80mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN80mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X160)
## JUNCTIONS: 29N





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA FLANGE ADAPTOR | 1 |
| 6 | DN200/80mm DIA. SADDLE CLAMP | 1 |
| 7 | DN80mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 8 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 9 | DN80mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - DN200mm GATE VALVE
## JUNCTIONS: 29G,29T





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. FLANGE ADAPTOR | 1 |
| 2 | DN200mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 3 | DN200mm DIA. FERROUS PLAIN ENDED PIPE 1.2m LONG | 1 |
| 4 | DN200/200mm DIA STEPPED COUPLING | 2 |
| 5 | DN200mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |

## DETAIL - TEE (200X110)
## JUNCTIONS: 29S





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X75)
## JUNCTIONS: 29U




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x75mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN80mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - SPECIAL TEE (110X160)
## JUNCTIONS: ,29X




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100/100mm DIA. STEPPED COUPLING | 2 |
| 2 | OD110x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | DN150mm DIA COUPLING | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-029

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT


Drawing Title

Eastleigh, Pangani
REHABILITATION PIPELINES - FITTINGS
Sheet 29A

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |


Drawing Number: 6000023-HH-FT-DR-W-029A
Revision: T0

## DETAIL - TEE (110X110)
## JUNCTIONS: 29W





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100/100mm DIA. STEPPED COUPLING | 2 |
| 2 | OD110x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160x110mm DIA. PLAIN ENDED HDPE REDUCER | 1 |
| 4 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 5 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 6 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X110)
## JUNCTIONS: 29Y





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 4 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 2 |
| 3 | DN100/100 DIA STEPPED COUPLING | 2 |
| 4 | OD160mm DIA. HDPE PLAIN ENDED PIPE 1m LONG. | 1 |

## DETAIL - DN150mm GATE VALVE
## JUNCTIONS: 29AA





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. FLANGE ADAPTOR | 1 |
| 2 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 3 | DN150mm DIA. FERROUS SPIGOT PIPE 1.2m LONG | 2 |
| 4 | DN125/150mm DIA STEPPED COUPLING | 2 |

## DETAIL - TEE (75X75)
## JUNCTIONS: 29AB





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN65/80mm DIA. STEPPED COUPLING | 2 |
| 2 | OD75x75mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160x75mm DIA. PLAIN ENDED HDPE REDUCER | 1 |
| 4 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 5 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 6 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X160)
## JUNCTIONS: 29AC





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 6 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 2 |
| 3 | OD160mm DIA. HDPE PLAIN ENDED PIPE 1m LONG. | 1 |

## DETAIL - TEE (200X200)
## JUNCTIONS: 29V




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 6 |
| 2 | OD200x110mm DIA. PLAIN ENDED HDPE TEE | 2 |
| 3 | OD200mm DIA. HDPE PLAIN ENDED PIPE 1m LONG. | 1 |

## DETAIL - TEE (200X200)
## JUNCTIONS:29AD




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA COUPLING | 1 |
| 2 | OD200x200mm DIA. PLAIN ENDED HDPE CROSS TEE | 1 |
| 3 | DN100mm DIA COUPLING | 2 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-029

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title


Eastleigh, Pangani
REHABILITATION PIPELINES - FITTINGS
Sheet 29B

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-029B


Revision: T0

## DETAIL - TEE (200X150)
## JUNCTIONS: 29AE





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/200mm DIA. STEPPED COUPLING | 2 |
| 2 | DN200mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN200x150mm DIA. FERROUS FLANGED TEE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA FLANGE ADAPTOR | 1 |
| 6 | DN150mm DIA. FERROUS PLAIN ENDED PIPE 1.2m LONG | 1 |
| 7 | DN125/150mm DIA. STEPPED COUPLING | 1 |

## DETAIL - TEE (160X90)
## JUNCTIONS:29AF





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x90mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD90mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN80mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - PE SADDLE CLAMP (200X90)
## JUNCTIONS: 29AG





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/80mm DIA. SADDLE CLAMP | 1 |
| 2 | DN80mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN80mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - 90° H-BEND
## H-BEND : 29AH




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA. COUPLING | 2 |
| 2 | OD110mm HDPE PLAIN ENDED 90° BEND | 1 |

## DETAIL - TEE (100X110)
## JUNCTIONS: 29AJ




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA. COUPLING | 2 |
| 2 | OD110x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-029

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title

Eastleigh, Pangani
REHABILITATION PIPELINES - FITTINGS
Sheet 29C

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-029C
Revision: T0





NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-030
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

EASTLEIGH
REHABILITATION PIPELINES - LAYOUT
Sheet 30

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |

| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-030 | T0 |

**DETAIL - PE SADDLE CLAMP (200X90)**
**JUNCTIONS: 30A,30C,30E,**
**30K**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/90mm DIA. SADDLE CLAMP | 2 |
| 2 | DN80mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 2 |
| 4 | DN80mm DIA. FLANGE ADAPTOR | 2 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-030

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.


Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
Eastleigh
REHABILITATION PIPELINES - FITTINGS
Sheet 30A

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-030A
Revision: T0





NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-031
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

NGARA EAST-WEST
REHABILITATION PIPELINES - LAYOUT
Sheet 31

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


Drawing Number: 6000023-HH-GL-DR-W-031
Revision: T0

## DETAIL - TEE (400X150)
## JUNCTIONS: 31A





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN400mm DIA. COUPLING | 2 |
| 2 | DN400mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN400x150mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN125/150mm DIA. STEPPED COUPLING | 1 |
| 7 | DN150mm DIA. COUPLING | 2 |
| 8 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 9 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 10 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 11 | DN150mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X160)
## JUNCTIONS: 31C




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X110)
## JUNCTIONS: 31D,31E




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-031

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT


Drawing Title

Ngara E/W
REHABILITATION PIPELINES - FITTINGS
Sheet 31A

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-031A

Revision: T0





NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-034
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

ATHI WATER WORKS

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP Inventing for tomorrow

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers

The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

EASTLEIGH, PANGANI
REHABILITATION PIPELINES - LAYOUT
Sheet 34

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


Drawing Number: 6000023-HH-GL-DR-W-034
Revision: T0

## DETAIL - PE SADDLE CLAMP (200X90)
## JUNCTIONS: 34A,34C,34D,34F,34G,34H





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/80mm DIA. SADDLE CLAMP | 1 |
| 2 | DN80mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN80mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X160)
## JUNCTIONS: 34B





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X110)
## JUNCTIONS: 34E





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - PE SADDLE CLAMP (200X65)
## JUNCTIONS:34J





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/65mm DIA. SADDLE CLAMP | 1 |
| 2 | DN65mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN65mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN65mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - PE SADDLE CLAMP (200X65)
## JUNCTIONS:34K





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/65mm DIA. SADDLE CLAMP | 2 |
| 2 | DN65mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN65mm DIA. FERROUS ALL FLANGED GATE VALVE | 2 |
| 4 | DN65mm DIA. FLANGE ADAPTOR | 2 |

## DETAIL - DN200mm GATE VALVE
## JUNCTIONS:34M





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. FLANGE ADAPTOR | 1 |
| 2 | DN200mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 3 | DN200mm DIA. FERROUS PLAIN ENDED PIPE 1.2m LONG | 1 |
| 4 | DN200/200mm DIA STEPPED COUPLING | 2 |
| 5 | DN200mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |

## DETAIL - TEE (160X110)
## JUNCTIONS: 34N




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - TEE (110X110)
## JUNCTIONS:34U




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN110/100mm DIA. STEPPED COUPLING | 2 |
| 2 | OD110x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160x110mm DIA. PLAIN ENDED HDPE REDUCER | 1 |
| 4 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 5 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 6 | DN150mm DIA. FLANGE ADAPTOR | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-034

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR
REHABILITATION OF CENTRAL NAIROBI
AREA WATER NETWORK PROJECT

Drawing Title


Eastleigh, Pangani
REHABILITATION PIPELINES - FITTINGS
Sheet 34A

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-034A


Revision: T0

## DETAIL - TEE (160X75)
## JUNCTIONS: 34Q,34S





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x75mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN80mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X110)
## JUNCTIONS: 34R





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X110)
## JUNCTIONS: 34X





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - PE SADDLE CLAMP (200X90)
## JUNCTIONS: 34V,34W,34Z





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/80mm DIA. SADDLE CLAMP | 1 |
| 2 | DN80mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN80mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X110)
## JUNCTIONS: 34Y





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |
| 6 | DN200/80mm DIA. SADDLE CLAMP | 1 |
| 7 | DN80mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 8 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 9 | DN80mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - 200mm END CAP
## JUNCTIONS: 34AA,34P





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD200mm DIA. END CAP | 1 |

## DETAIL - TEE (200X110)
## JUNCTIONS:34AB





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X110)
## JUNCTIONS: 34AC





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - TEE (110X110)
## JUNCTIONS: 34AD




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN65mm DIA. COUPLING | 2 |
| 2 | OD63x63mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160x63mm DIA. PLAIN ENDED HDPE REDUCER | 1 |
| 4 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 5 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 6 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (110X110)
## JUNCTIONS: 34T




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN65mm DIA. COUPLING | 2 |
| 2 | OD63x63mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160x63mm DIA. PLAIN ENDED HDPE REDUCER | 1 |
| 4 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 5 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 6 | DN150mm DIA. FLANGE ADAPTOR | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-034

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title

Eastleigh, Pangani
REHABILITATION PIPELINES - FITTINGS
Sheet 34B

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-034B

Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-035
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

EASTLEIGH
REHABILITATION PIPELINES - LAYOUT
Sheet 35

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


Drawing Number: 6000023-HH-GL-DR-W-035
Revision: T0

## DETAIL - TEE (200X160)
## JUNCTIONS: 35A





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - PE SADDLE CLAMP (200X90)
## JUNCTIONS: 35B,





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/90mm DIA. SADDLE CLAMP | 1 |
| 2 | DN80mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN80mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - PE SADDLE CLAMP (200X65)
## JUNCTIONS: 35C





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/65mm DIA. SADDLE CLAMP | 1 |
| 2 | DN65mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN65mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN65mm DIA. FLANGE ADAPTOR | 1 |
| 5 | DN200/90mm DIA. SADDLE CLAMP | 1 |
| 6 | DN80mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 7 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 8 | DN80mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - DN200mm GATE VALVE
## JUNCTIONS: 35Q




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. FLANGE ADAPTOR | 1 |
| 2 | DN200mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 3 | DN200mm DIA. FERROUS PLAIN ENDED PIPE 1.2m LONG | 1 |
| 4 | DN200/200mm DIA STEPPED COUPLING | 2 |
| 5 | DN200mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |

## DETAIL - PE SADDLE CLAMP (200X90)
## JUNCTIONS: 35G,35J,35L,35N




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/90mm DIA. SADDLE CLAMP | 2 |
| 2 | DN80mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 2 |
| 4 | DN80mm DIA. FLANGE ADAPTOR | 2 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-035

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT


Drawing Title

Eastleigh
REHABILITATION PIPELINES - FITTINGS
Sheet 35A

| | | | |
|---|---|---|---|
| Designed by: | LMN | Drawn by: | LMN |
| Checked by: | PN | Approved by: | OBO |
| Scale: | AS SHOWN | Date: | JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-035A

Revision: T0





NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-036
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

NGARA EAST-WEST
REHABILITATION PIPELINES - LAYOUT
Sheet 36

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


Drawing Number: 6000023-HH-GL-DR-W-036
Revision: T0

**DETAIL - AIR VALVE**
**JUNCTIONS: 36A**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN125/150mm DIA. STEPPED COUPLING | 1 |
| 2 | DN150mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN150X50mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN50mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN50mm DIA. SINGLE ORIFICE AIR VALVE | 1 |

**DETAIL - 45° H.BEND**
**JUNCTIONS: 36B**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA COUPLING | 2 |
| 2 | OD160mm HDPE PLAIN ENDED 45° BEND | 1 |

**DETAIL - TEE (110X110)**
**JUNCTIONS: 36C**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100/100mm DIA. STEPPED COUPLING | 2 |
| 2 | OD110x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160x110mm DIA. PLAIN ENDED HDPE REDUCER | 1 |
| 4 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 5 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 6 | DN150mm DIA. FLANGE ADAPTOR | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-036

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
Ngara E/W
REHABILITATION PIPELINES - FITTINGS
Sheet 36A

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-036A
Revision: T0


## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-037
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

NGARA EAST-WEST
REHABILITATION PIPELINES - LAYOUT
Sheet 37

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-037 | T0 |

## DETAIL - TEE (160X160)
## JUNCTIONS: 37A





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 4 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 2 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 2 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 2 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 2 |
| 6 | OD160mm DIA. HDPE PLAIN ENDED PIPE 1.2m LONG | 1 |

## DETAIL - TEE (160X110)
## JUNCTIONS: 37B





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |

## DETAIL - DN160x63mm REDUCER
## JUNCTIONS: 37C





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 1 |
| 2 | OD160mm DIA. PLAIN ENDED HDPE PIPE 1.2m LONG | 2 |
| 3 | OD160x63mm DIA. HDPE REDUCER | 1 |
| 4 | DN65/65mm DIA. STEPPED COUPLING | 1 |

## DETAIL - TEE (160X110)
## JUNCTIONS: 37D





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | DN100mm DIA. COUPLING | 1 |

## DETAIL - AIR VALVE
## JUNCTIONS: 37E





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN125/150mm DIA. STEPPED COUPLING | 1 |
| 2 | DN150mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN150X50mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN50mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN50mm DIA. SINGLE ORIFICE AIR VALVE | 1 |

## DETAIL - TEE (160X75)
## JUNCTIONS: 37F





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x75mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN80mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - PE SADDLE CLAMP (160X63)
## JUNCTIONS: 37G




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150/65mm DIA. SADDLE CLAMP | 1 |
| 2 | DN65mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN65mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN65mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - 45° H.BEND
## JUNCTIONS: 37H




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA COUPLING | 2 |
| 2 | OD160mm HDPE PLAIN ENDED 45° BEND | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-037

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT


Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
Ngara E/W
REHABILITATION PIPELINES - FITTINGS
Sheet 37A

| | | | |
|---|---|---|---|
| Designed by: | LMN | Drawn by: | LMN |
| Checked by: | PN | Approved by: | OBO |
| Scale: | AS SHOWN | Date: | JUNE, 2023 |


Drawing Number: 6000023-HH-FT-DR-W-037A
Revision: T0

## DETAIL - TEE (160X160)
## JUNCTIONS: 37J,37Q





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 3 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |

## DETAIL - TEE (200X150)
## JUNCTIONS: 37U,37T





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | DN200mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN200x150mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN125/150mm DIA. STEPPED COUPLING | 1 |

## DETAIL - 30° H.BEND
## JUNCTIONS: 37M





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160mm HDPE PLAIN ENDED 30° LONG BEND | 1 |

## DETAIL - PE SADDLE CLAMP (160X75)
## JUNCTIONS: 37N,37P




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150/80mm DIA. SADDLE CLAMP | 1 |
| 2 | DN80mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN80mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - PE SADDLE CLAMP (160X50)
## JUNCTIONS: 37I




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150/50mm DIA. SADDLE CLAMP | 1 |
| 2 | DN50mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN50mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN50mm DIA. FLANGE ADAPTOR | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-037

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title

Ngara E/W
REHABILITATION PIPELINES - FITTINGS
Sheet 37B

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-037B

Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-038
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

NGARA EAST-WEST
REHABILITATION PIPELINES - LAYOUT
Sheet 38

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-038 | T0 |

## DETAIL - TEE (160X110)
## JUNCTIONS: 38A





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD125/150mm DIA. STEPPED COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |

## DETAIL - 90° H-BEND
## H-BEND : 38B,38D





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA. COUPLING | 2 |
| 2 | OD110mm HDPE PLAIN ENDED 90° BEND | 1 |

## DETAIL - TEE (110X110)
## JUNCTIONS: 38C





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA. COUPLING | 2 |
| 2 | OD110x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X110)
## JUNCTIONS: 38E





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN125/150mm DIA. STEPPED COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | DN100mm COUPLING | 1 |

## DETAIL -TEE (160X160)
## JUNCTIONS: 38F





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN125/150mm DIA. COUPLING | 1 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA FLANGE ADAPTOR | 1 |
| 6 | OD160m DIA. END CAP | 1 |

## DETAIL - TEE (315X110)
## JUNCTIONS: 38I,38J




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300mm DIA. COUPLING | 2 |
| 2 | OD315x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - PE SADDLE CLAMP (315X50)
## JUNCTIONS: 38H




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300/50mm DIA. SADDLE CLAMP | 1 |
| 2 | DN50mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN50mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN50mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - 150 SLUICE VALVE
## JUNCTIONS: 39F




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. FLANGED ADAPTOR | 2 |
| 2 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-038

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.


Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
Ngara E/W
REHABILITATION PIPELINES - FITTINGS
Sheet 38A

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-038A
Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-039
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

NGARA EAST-WEST
REHABILITATION PIPELINES - LAYOUT
Sheet 39

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-039 | T0 |

## DETAIL - 60° H.BEND
## JUNCTIONS: 39A





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160mm HDPE PLAIN ENDED 60° BEND | 1 |
| 3 | OD160mm DIA. PLAIN ENDED HDPE PIPE 1.2m LONG | 1 |
| 4 | DN150mm DIA. FLANGE ADAPTOR | 1 |
| 5 | DN150x100mm DIA. FERROUS ALL FLANGED REDUCER | 1 |
| 6 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 7 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - 45° H.BEND
## JUNCTIONS: 39B,39D,39E





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160mm HDPE PLAIN ENDED 45° BEND | 1 |

## DETAIL - TEE (1000X400)
## JUNCTIONS: 39C




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN1000mm DIA. COUPLING | 2 |
| 2 | DN1000mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN1000x400 DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN400mm DIA. FERROUS ALL FLANGED PIPE 1.2m LONG | 1 |
| 5 | DN400mm DIA. FLANGED Y-STRAINER | 1 |
| 6 | DN400mm DIA. WATER METER | 1 |
| 7 | DN400mm DIA. FLANGE ADAPTOR | 1 |
| 8 | DN400mm DIA. FERROUS SPIGOT PIPE 1.2m LONG | 1 |
| 9 | DN400/400mm DIA. STEPPED COUPLING | 1 |

## DETAIL - SLUICE VALVE (DN150)
## JUNCTIONS: 39C2




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. FLANGE ADAPTOR | 1 |
| 2 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 2 | DN150x100mm DIA. FERROUS ALL FLANGED REDUCER | 1 |
| 4 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-039

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT


Drawing Title

CBD
REHABILITATION PIPELINES - FITTINGS
Sheet 1

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-039A

Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-040
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

NGARA EAST-WEST
REHABILITATION PIPELINES - LAYOUT
Sheet 40

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


Drawing Number: 6000023-HH-GL-DR-W-040
Revision: T0

## DETAIL - TEE (315X160)
## JUNCTIONS: 40A





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 1 |
| 2 | DN200mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN200x150mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN300x200mm DIA. FERROUS ALL FLANGED REDUCER | 1 |
| 5 | DN300mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 6 | DN300mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 7 | DN300/300mm DIA. STEPPED COUPLING | 1 |
| 8 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 9 | DN150mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 10 | DN150mm DIA. COUPLING | 1 |

## DETAIL - TEE (110x75)
## JUNCTIONS: 40B





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA. COUPLING | 1 |
| 2 | OD110x75mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN65mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN65mm DIA. FLANGE ADAPTOR | 1 |
| 6 | OD110mm DIA. END CAP | 1 |

## DETAIL - TEE (160X110)
## JUNCTIONS: 40E





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN125/150mm DIA STEPPED COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - 90° H-BEND
## H-BEND : 40D




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA. COUPLING | 2 |
| 2 | OD110mm HDPE PLAIN ENDED 90° BEND | 1 |

## DETAIL - TEE (110X110)
## JUNCTIONS: 40F




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100/100mm DIA. STEPPED COUPLING | 2 |
| 2 | OD110x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160x110mm DIA. PLAIN ENDED HDPE REDUCER | 1 |
| 4 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 5 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 6 | DN150mm DIA. FLANGE ADAPTOR | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-040

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title

Ngara E/W
REHABILITATION PIPELINES - FITTINGS
Sheet 40A

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-040A

Revision: T0


## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-041
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- Proposed Washout
- Proposed Water Meters
- Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

NAIROBI CENTRAL BUSINESS DISTRICT
REHABILITATION PIPELINES - LAYOUT
Sheet 41

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-041 | T0 |

## DETAIL - TEE (200X160)
## JUNCTIONS: 41A





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |
| 6 | OD200mm DIA. HDPE PLAIN ENDED PIPE, 1.2m CUT TO SUIT | 1 |
| 7 | OD200x110mm DIA. HDPE REDUCER | 1 |

## DETAIL - TEE (160X160)
## JUNCTIONS: 41B





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X110)
## JUNCTIONS: 41C





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160x110)
## JUNCTIONS: 41D,41E, 41Q, 41V





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X110)
## JUNCTIONS: 41F





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. FLANGE ADAPTOR | 1 |
| 2 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 5 | DN150mm DIA COUPLING | 1 |
| 6 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 7 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 8 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X160)
## JUNCTIONS: 41G





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X160)
## JUNCTIONS: 41H





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X63)
## JUNCTIONS: 41I





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x63mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD63mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN65mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN65mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - SLUICE VALVE (DN100)
## JUNCTIONS: 41J





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA. FLANGE ADAPTOR | 2 |
| 2 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |

## DETAIL - SLUICE VALVE (DN150)
## JUNCTIONS: 41K





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. FLANGE ADAPTOR | 2 |
| 2 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |

## DETAIL - 200x110 REDUCER
## Junctions: 41K2




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD200x110mm DIA. PLAIN ENDED HDPE REDUCER | 1 |
| 2 | OD110mm DIA. HDPE PLAIN ENDED PIPE 1.2m CUT TO SUIT | 1 |
| 3 | OD200mm DIA. HDPE PLAIN ENDED PIPE 1.2m CUT TO SUIT | 1 |
| 4 | DN100mm DIA COUPLING | 1 |
| 5 | DN200mm DIA COUPLING | 1 |

## DETAIL - STAGGERED TEES (160x110)
## JUNCTIONS: 41L




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA. FLANGE ADAPTOR | 1 |
| 2 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 2 |
| 5 | DN150mm DIA COUPLING | 1 |
| 6 | OD160mm DIA. HDPE PLAIN ENDED PIPE 1.2m CUT TO SUIT | 1 |
| 7 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 8 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 9 | DN150mm DIA. FLANGE ADAPTOR | 1 |
| 10 | DN100/100mm DIA STEPPED COUPLING | 1 |
| 11 | OD110mm DIA. HDPE PLAIN ENDED PIPE 1.2m CUT TO SUIT | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-041

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR
REHABILITATION OF CENTRAL NAIROBI
AREA WATER NETWORK PROJECT

Drawing Title


CBD
REHABILITATION PIPELINES - FITTINGS
Sheet 1 of 2

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-041A


Revision: T0

## DETAIL - TEE (110x110)
## JUNCTIONS:41N





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. FLANGE ADAPTOR | 1 |
| 2 | DN150x100mm FERROUS ALL FLANGED REDUCER | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 2 |
| 4 | OD110x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 5 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 6 | DN100mm DIA. FLANGE ADAPTOR | 1 |
| 7 | OD110mm DIA. END CAP | 1 |

## DETAIL - 160x110 REDUCER
## Junctions: 41O





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160x110mm DIA. PLAIN ENDED HDPE REDUCER | 1 |
| 2 | OD110mm DIA. HDPE PLAIN ENDED PIPE 1.2m CUT TO SUIT | 1 |
| 3 | OD160mm DIA. HDPE PLAIN ENDED PIPE 1.2m CUT TO SUIT | 1 |
| 4 | DN100mm DIA COUPLING | 1 |
| 5 | DN150mm DIA COUPLING | 1 |

## DETAIL - TEE (160X75)
## JUNCTIONS: 41P





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x75mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN80mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X110)
## JUNCTIONS: 41R





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. FLANGE ADAPTOR | 1 |
| 2 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 5 | DN150mm DIA COUPLING | 1 |
| 6 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 7 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 8 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (110X110)
## JUNCTION: 41S





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA. COUPLING | 1 |
| 2 | OD110x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | DN100/100mm DIA. STEPPED COUPLING | 2 |

## DETAIL - TEE (400X100)
## JUNCTIONS: 41T





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN400mm DIA. STEPPED COUPLING | 2 |
| 2 | DN400mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN400mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN400x100mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 5 | DN100mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN100/100mm DIA. STEPPED COUPLING | 1 |

## DETAIL - SADDLE CLAMP (400/63)
## JUNCTIONS: 41U





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN400/65mm DIA. SADDLE CLAMP | 1 |
| 2 | DN65mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m CUT TO SUIT | 1 |
| 3 | DN65mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN65mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (400X250)
## JUNCTIONS: 41W





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN400mm DIA. STEPPED COUPLING | 2 |
| 2 | DN400mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN400x200mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN200mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN200mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN200/200mm DIA. STEPPED COUPLING | 1 |

## DETAIL - 45° H.BEND
## JUNCTIONS: 41X, 41Y




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN400mm DIA. COUPLING | 2 |
| 2 | OD400mm HDPE PLAIN ENDED 45° BEND | 1 |

## DETAIL - TEE (400X200)
## JUNCTIONS: 41Z




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN400mm DIA. STEPPED COUPLING | 2 |
| 2 | DN400mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN400x200mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN200mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN200mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN200/200mm DIA. STEPPED COUPLING | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-041

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR
REHABILITATION OF CENTRAL NAIROBI
AREA WATER NETWORK PROJECT

Drawing Title

CBD
REHABILITATION PIPELINES - FITTINGS
Sheet 2 of 2

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-041B

Revision: T0


## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-042
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

NAIROBI CENTRAL BUSINESS DISTRICT
REHABILITATION PIPELINES - LAYOUT
Sheet 42

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


Drawing Number: 6000023-HH-GL-DR-W-042
Revision: T0

## DETAIL - TEE (300X200)
## JUNCTIONS: 42A





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN400/400mm DIA. STEPPED COUPLING | 2 |
| 2 | DN400mm DIA FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN400x200mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN200mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN200mm DIA FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN200/200mm DIA. STEPPED COUPLING | 1 |

## DETAIL - TEE (300X200)
## JUNCTIONS: 42B





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN400/400mm DIA. STEPPED COUPLING | 2 |
| 2 | DN400mm DIA FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN400x200mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN200mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN200mm DIA FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN200/200mm DIA. STEPPED COUPLING | 1 |
| 7 | DN400/65mm DIA. SADDLE CLAMP | 1 |
| 8 | OD63mm DIA. HDPE PLAIN ENDED PIPE 1.2m CUT TO SUIT | 1 |
| 9 | OD63mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 10 | DN65mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 11 | DN65mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (315X160)
## JUNCTIONS: 42C





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300mm DIA COUPLING | 3 |
| 2 | OD315x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |
| 6 | OD315mm HDPE PLAIN ENDED 45° LONG BEND | 1 |

## DETAIL - TEE (315X160)
## JUNCTIONS: 42D,42P





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300mm DIA. COUPLING | 2 |
| 2 | OD315x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (400X300)
## JUNCTIONS: 42E





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN400/400mm DIA. STEPPED COUPLING | 1 |
| 2 | DN400mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN400mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN400x300mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 5 | DN400x300mm FERROUS ALL FLANGED REDUCER | 1 |
| 6 | DN300mm DIA. FERROUS ALL FLANGED GATE VALVE | 2 |
| 7 | DN300mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 8 | DN300/300mm DIA. STEPPED COUPLING | 2 |

## DETAIL - TEE (160X160)
## JUNCTIONS: 42F





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 3 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |

## DETAIL - TEE (400X160)
## JUNCTIONS: 42L





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN400mm DIA. COUPLING | 2 |
| 2 | OD400x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - 160mm END CAP
## JUNCTIONS: 42G





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160mm DIA. END CAP | 1 |

## DETAIL - 90° BEND
## JUNCTIONS:42H,42I,42Z





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160mm HDPE PLAIN ENDED 90° BEND | 1 |

## DETAIL - 60° H.BEND
## JUNCTIONS: 42J,42AB




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160mm HDPE PLAIN ENDED 60° BEND | 1 |

## DETAIL - 30° H.BEND
## JUNCTIONS: 42K,42Y




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160mm HDPE PLAIN ENDED 30° BEND | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-042

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title


CBD
REHABILITATION PIPELINES - FITTINGS
Sheet 1 of 3

| | | | |
|---|---|---|---|
| Designed by: | LMN | Drawn by: | LMN |
| Checked by: | PN | Approved by: | OBO |
| Scale: | AS SHOWN | Date: | JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-042A


Revision: T0

## DETAIL - STAGGERED TEES
## JUNCTIONS: 42M





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA. FLANGE ADAPTOR | 1 |
| 2 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | OD400x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 5 | DN400mm DIA COUPLING | 2 |
| 6 | OD400mm DIA. HDPE PLAIN ENDED PIPE 1.2m CUT TO SUIT | 1 |
| 7 | OD400x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 8 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 9 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 10 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - PE SADDLE CLAMP (315X75)
## JUNCTIONS: 42R





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300/80mm DIA. SADDLE CLAMP | 1 |
| 2 | OD75mm DIA. HDPE PLAIN ENDED PIPE 1.2m CUT TO SUIT | 1 |
| 3 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN80mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (400X200)
## JUNCTIONS: 42N





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN400/400mm DIA. STEPPED COUPLING | 2 |
| 2 | DN400mm DIA FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN400x200mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN200mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN200mm DIA FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN200/200mm DIA. STEPPED COUPLING | 1 |

## DETAIL - 30° H.BEND
## JUNCTIONS: 42U





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | DN200mm HDPE PLAIN ENDED 30° BEND | 1 |

## DETAIL - TEE (300X200)
## JUNCTIONS: 42O





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300/300mm DIA. STEPPED COUPLING | 2 |
| 2 | DN300mm DIA FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN300x200mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN200mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN200mm DIA FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN200/200mm DIA. STEPPED COUPLING | 1 |

## DETAIL - TEE (200X160)
## JUNCTIONS: 42V





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - 90° BEND
## JUNCTIONS:42S




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300mm DIA. COUPLING | 2 |
| 2 | OD315mm HDPE PLAIN ENDED 90° BEND | 1 |

## DETAIL - TEE (160X110)
## JUNCTIONS: 42AA, 42AF




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-042

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys
Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT


Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
CBD
REHABILITATION PIPELINES - FITTINGS
Sheet 42B

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: APRIL,2023 |


Drawing Number: 6000023-HH-FT-DR-W-042B
Revision: T0

## DETAIL - TEE (160X160)
## JUNCTIONS: 42AC





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA COUPLING | 1 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | DN160x75mm DIA. PLAIN ENDED HDPE REDUCER | 1 |
| 4 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 5 | DN65mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 6 | DN65mm DIA. FLANGE ADAPTOR | 1 |
| 7 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 8 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 9 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X75)
## JUNCTIONS: 42AI,42AJ,42AK,





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x75mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN65mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN65mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X63)
## JUNCTIONS: 42AD





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x63mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD63mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN65mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN65mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X160)
## JUNCTIONS: 42AL





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X160)
## JUNCTIONS: 42AE,42AH





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - 60° H.BEND
## JUNCTIONS: 42AM




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | DN200mm HDPE PLAIN ENDED 60° LONG BEND | 1 |

## DETAIL - TEE (160X110)
## JUNCTIONS: 42AG




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-042

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR
REHABILITATION OF CENTRAL NAIROBI
AREA WATER NETWORK PROJECT


Drawing Title

CBD
REHABILITATION PIPELINES - FITTINGS
Sheet 3 of 3

| | | | |
|---|---|---|---|
| Designed by: | LMN | Drawn by: | LMN |
| Checked by: | PN | Approved by: | OBO |
| Scale: | AS SHOWN | Date: | JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-042C

Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-043
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

NAIROBI CENTRAL BUSINESS DISTRICT
REHABILITATION PIPELINES - LAYOUT
Sheet 43

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-043 | T0 |

## DETAIL - 30° H.BEND
## JUNCTIONS: 43C





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | DN160mm HDPE PLAIN ENDED 30° LONG BEND | 1 |

## DETAIL - TEE (110X110)
## JUNCTIONS: 43D





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN110/100mm DIA. STEPPED COUPLING | 2 |
| 2 | OD110x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160x110mm DIA. PLAIN ENDED HDPE REDUCER | 1 |
| 4 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 5 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 6 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X75)
## JUNCTIONS: 43E





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 4 |
| 2 | OD160x75mm DIA. PLAIN ENDED HDPE TEE | 2 |
| 3 | OD75mm DIA. HDPE STUB END WITH FLANGE | 2 |
| 4 | DN65mm DIA. FERROUS ALL FLANGED GATE VALVE | 2 |
| 5 | DN65mm DIA. FLANGE ADAPTOR | 2 |
| 6 | OD160mm DIA. HDPE PLAIN ENDED PIPE 1.2m CUT TO SUIT | 1 |

## DETAIL - TEE (160X110)
## JUNCTIONS: 43F





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. FLANGE ADAPTOR | 1 |
| 2 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 5 | OD160mm DIA COUPLING | 1 |
| 6 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 7 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 8 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X110)
## JUNCTIONS: 43G





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X110)
## JUNCTIONS: 43H, 43I





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA. FLANGE ADAPTOR | 1 |
| 2 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 5 | OD160mm DIA COUPLING | 2 |

## DETAIL - TEE (160X160)
## JUNCTIONS: 43J




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD200x160mm DIA. PLAIN ENDED HDPE REDUCER | 1 |
| 4 | OD200mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 5 | DN200mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 6 | DN200mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - 90° BEND
## JUNCTIONS:43K




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300mm DIA. COUPLING | 2 |
| 2 | DN315mm HDPE PLAIN ENDED 90° LONG BEND | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-043

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR
REHABILITATION OF CENTRAL NAIROBI
AREA WATER NETWORK PROJECT

Drawing Title

CBD
REHABILITATION PIPELINES - FITTINGS
Sheet 1

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-043A
Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-044
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

EASTLEIGH
REHABILITATION PIPELINES - LAYOUT
Sheet 44

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


Drawing Number: 6000023-HH-GL-DR-W-044
Revision: T0

**DETAIL - TEE (315X160)**
**JUNCTIONS: 44A**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300mm DIA. COUPLING | 2 |
| 2 | OD315x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA FLANGE ADAPTOR | 1 |

**DETAIL - TEE (315X110)**
**JUNCTIONS: 44B**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300mm DIA. COUPLING | 2 |
| 2 | OD315x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-044

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
Eastleigh
REHABILITATION PIPELINES - FITTINGS
Sheet 44A

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-044A
Revision: T0

## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-045
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- Proposed Washout (WO)
- Proposed Water Meters (M)
- Proposed Air Valves (AV)
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated

| | | |
|---|---|---|
| 33 | 34 | 35 |
| 44 | 45 | 46 |
| 51 | 52 | 53 |

Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

EASTLEIGH, PANGANI
REHABILITATION PIPELINES - LAYOUT
Sheet 45

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-045 | T0 |

## DETAIL - DN200mm GATE VALVE
**JUNCTIONS: 45A**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. FLANGE ADAPTOR | 1 |
| 2 | DN200mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 3 | DN200mm DIA. FERROUS PLAIN ENDED PIPE 1.2m LONG | 1 |
| 4 | DN200/200mm DIA STEPPED COUPLING | 2 |
| 5 | DN200mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |

## DETAIL - TEE (200X160)
**JUNCTIONS: 45B**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - PE SADDLE CLAMP (160X50)
**JUNCTIONS:45C,45AD,45AF**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150/50mm DIA. SADDLE CLAMP | 2 |
| 2 | DN50mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN50mm DIA. FERROUS ALL FLANGED GATE VALVE | 2 |
| 4 | DN50mm DIA. FLANGE ADAPTOR | 2 |

## DETAIL - TEE (315X160)
**JUNCTIONS: 45G,45Z,45AH**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300mm DIA. COUPLING | 2 |
| 2 | OD315x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X160)
**JUNCTIONS: 45J,45BC**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 4 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 2 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 2 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 2 |
| 5 | DN150mm DIA FLANGE ADAPTOR | 2 |

## DETAIL - PE SADDLE CLAMP (160X90)
**JUNCTIONS:45L**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150/80mm DIA. SADDLE CLAMP | 1 |
| 2 | DN80mm DIA. FERROUS PLAIN ENDED PIPE 1.2m LONG | 1 |
| 3 | DN80mm DIA. COUPLING | 1 |

## DETAIL - PE SADDLE CLAMP (160X50)
**JUNCTIONS:45M**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150/50mm DIA. SADDLE CLAMP | 2 |
| 2 | DN50mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN50mm DIA. FERROUS ALL FLANGED GATE VALVE | 2 |
| 4 | DN50mm DIA. FLANGE ADAPTOR | 2 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-045

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT


Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
Eastleigh, Pangani
REHABILITATION PIPELINES - FITTINGS
Sheet 45A

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |


Drawing Number: 6000023-HH-FT-DR-W-045A
Revision: T0

## DETAIL - TEE (200X160)
## JUNCTIONS: 45P





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 4 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 2 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 2 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 2 |
| 5 | DN150mm DIA FLANGE ADAPTOR | 2 |
| 6 | DN200mm DIA. HDPE PLAIN ENDED PIPE 1.2m LONG | 1 |

## DETAIL - PE SADDLE CLAMP (160X50)
## JUNCTIONS:45R,45V,45W,45X





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150/50mm DIA. SADDLE CLAMP | 1 |
| 2 | DN50mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN50mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN50mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - PE SADDLE CLAMP (160X50)
## JUNCTIONS:45S,45U,45AU





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150/50mm DIA. SADDLE CLAMP | 1 |
| 2 | DN50mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN50mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN50mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - PE SADDLE CLAMP (160X90)
## JUNCTIONS:45T





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150/80mm DIA. SADDLE CLAMP | 1 |
| 2 | DN80mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN80mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X160)
## JUNCTIONS: 45AA





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - PE SADDLE CLAMP (160X90)
## JUNCTIONS:45AB





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150/80mm DIA. SADDLE CLAMP | 2 |
| 2 | DN80mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 2 |
| 4 | DN80mm DIA. FLANGE ADAPTOR | 2 |

## DETAIL - 200mm END CAP
## JUNCTIONS: 45AK




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160mm DIA. END CAP | 1 |

## DETAIL - PE SADDLE CLAMP (200X90)
## JUNCTIONS:45AL,45AM,45AP,45AQ,45BN, 45BP,45BR




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/80mm DIA. SADDLE CLAMP | 1 |
| 2 | DN80mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN80mm DIA. FLANGE ADAPTOR | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-045

Client:

ATHI WATER WORKS

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP inventing for tomorrow

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title


Eastleigh, Pangani
REHABILITATION PIPELINES - FITTINGS
Sheet 45B

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-045B


Revision: T0

## DETAIL - PE SADDLE CLAMP (200X50)
## JUNCTIONS:45AN,45BB,45BK,45BQ





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/50mm DIA. SADDLE CLAMP | 1 |
| 2 | DN50mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN50mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN50mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X110)
## JUNCTIONS: 45AR,45BH





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X200)
## JUNCTION: 45AS





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/200mm DIA. STEPPED COUPLING | 3 |
| 2 | DN200mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN200x200mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN200mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN200mm DIA. FLANGE ADAPTOR | 1 |
| 6 | DN200mm DIA FERROUS PLAIN ENDED SPIGOT PIPE 1.2m LONG | 1 |

## DETAIL - TEE (200X160)
## JUNCTIONS: 45AT





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - REDUCER
## JUNCTIONS: 45AV,45BE





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 1 |
| 2 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 3 | DN150x80mm DIA. FERROUS ALL FLANGED REDUCER | 1 |
| 4 | DN80mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X200)
## JUNCTION: 45BF





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/200mm DIA. STEPPED COUPLING | 3 |
| 2 | DN200mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN200x200mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN200mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN200mm DIA. FLANGE ADAPTOR | 1 |
| 6 | DN200mm DIA FERROUS PLAIN ENDED SPIGOT PIPE 1.2m LONG | 1 |

## DETAIL - PE SADDLE CLAMP (200X50)
## JUNCTIONS:45BG





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/50mm DIA. SADDLE CLAMP | 1 |
| 2 | DN50mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN50mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN50mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - PE SADDLE CLAMP (200X90)
## JUNCTIONS:45BL




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/80mm DIA. SADDLE CLAMP | 2 |
| 2 | DN80mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 2 |
| 4 | DN80mm DIA. FLANGE ADAPTOR | 2 |

## DETAIL - 90° BEND
## BENDS: 45BS,45BT,45BV,45BW




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200mm DIA. HDPE PLAIN ENDED 90° BEND | 1 |

## NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-045

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR
REHABILITATION OF CENTRAL NAIROBI
AREA WATER NETWORK PROJECT

Drawing Title

Eastleigh, Pangani
REHABILITATION PIPELINES - FITTINGS
Sheet 45C

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-045C

Revision: T0





NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-046
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

EASTLEIGH
REHABILITATION PIPELINES - LAYOUT
Sheet 46

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


Drawing Number: 6000023-HH-GL-DR-W-046
Revision: T0

## DETAIL - 90° BEND
## BENDS: 46A,46D,46E,46F





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200mm DIA. HDPE PLAIN ENDED 90° BEND | 1 |

## DETAIL - TEE (350X200)
## JUNCTIONS: 46B





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN350mm DIA. COUPLING | 2 |
| 2 | DN350mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN350x200mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN200mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN200mm DIA. FERROUS ALL FLANGED PIPE 1.2m LONG | 1 |
| 6 | DN200mm DIA. FLANGED Y-STRAINER | 1 |
| 7 | DN200mm DIA. WATER METER | 1 |
| 8 | DN200mm DIA. FLANGE ADAPTOR | 1 |
| 9 | DN200mm DIA. FERROUS PLAIN ENDED PIPE 1.2m LONG | 1 |
| 10 | DN200/200 DIA STEPPED COUPLING | 1 |

## DETAIL - TEE (200X200)
## JUNCTIONS: 46C, 46T, 46U





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/200mm DIA. STEPPED COUPLING | 3 |
| 2 | DN200mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN200x200mm DIA. FERROUS FLANGED TEE | 1 |
| 4 | DN200mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN200mm DIA FLANGE ADAPTOR | 1 |
| 6 | DN200mm DIA. FERROUS PLAIN ENDED PIPE 1.2m LONG | 1 |

## DETAIL - PE SADDLE CLAMP (200X75)
## JUNCTIONS: 46K,46L





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/90mm DIA. SADDLE CLAMP | 1 |
| 2 | DN80mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN80mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - PE SADDLE CLAMP (200X65)
## JUNCTIONS:46N





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/65mm DIA. SADDLE CLAMP | 2 |
| 2 | DN65mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN65mm DIA. FERROUS ALL FLANGED GATE VALVE | 2 |
| 4 | DN65mm DIA. FLANGE ADAPTOR | 2 |

## DETAIL - PE SADDLE CLAMP (200X50)
## JUNCTIONS:46P





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/50mm DIA. SADDLE CLAMP | 2 |
| 2 | DN50mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN50mm DIA. FERROUS ALL FLANGED GATE VALVE | 2 |
| 4 | DN50mm DIA. FLANGE ADAPTOR | 2 |

## DETAIL - TEE (200X200)
## JUNCTIONS: 46R




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/200mm DIA. STEPPED COUPLING | 3 |
| 2 | DN200mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 3 |
| 3 | DN200x200mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN200mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |

## DETAIL - TEE (200X200)
## JUNCTIONS: 46G




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/200mm DIA. STEPPED COUPLING | 3 |
| 2 | DN200mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 3 |
| 3 | DN200x200mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN200mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-046

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title


Eastleigh
REHABILITATION PIPELINES - FITTINGS
Sheet 46A

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-046A

Revision: T0

**DETAIL - SLUICE VALVE**
**JUNCTIONS: 46H**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300/315mm DIA. STEPPED COUPLING | 1 |
| 2 | DN300mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN300mm DIA. FLANGE ADAPTOR | 2 |
| 4 | DN300mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN300mm DIA. COUPLING | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-046

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys
Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT


Drawing Title

Eastleigh
REHABILITATION PIPELINES - FITTINGS
Sheet 46B

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-046B

Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-047
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

NAIROBI CENTRAL BUSINESS DISTRICT
REHABILITATION PIPELINES - LAYOUT
Sheet 47

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-047 | T0 |

## DETAIL - TEE (315X160),(315X110)
## JUNCTIONS: 47A, 47C





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300mm DIA. COUPLING | 4 |
| 2 | OD315x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |
| 6 | OD315mm DIA. HDPE PLAIN ENDED PIPE 1.2m CUT TO SUIT | 1 |
| 7 | OD315x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 8 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 9 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 10 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (315X160)
## JUNCTIONS: 47H





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300mm DIA. COUPLING | 2 |
| 2 | OD315x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (315X110)
## JUNCTIONS: 47B





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300mm DIA. COUPLING | 2 |
| 2 | OD315x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160x110)
## JUNCTIONS: 47D, 47E





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160x110)
## JUNCTIONS: 47G




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (1000X300)
## JUNCTIONS: 47F




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN1000mm DIA. COUPLING | 2 |
| 2 | DN1000mm DIA. SINGLE FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN1000x300mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN300mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN300mm DIA. FERROUS ALL FLANGED SPIGOT PIPE 0.5m LONG | 1 |
| 6 | DN300mm DIA. FLANGED Y-STRAINER | 1 |
| 7 | DN300mm DIA. WATER METER | 1 |
| 8 | DN300mm DIA. FLANGE ADAPTOR | 1 |
| 9 | DN300mm DIA. PLAIN ENDED FERROUS SPIGOT PIPE 1.2m LONG | 1 |
| 10 | DN300/315mm DIA. STEPPED COUPLING | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-047

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
CBD
REHABILITATION PIPELINES - FITTINGS
Sheet 1

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-047A
Revision: T0


## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-048
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

NAIROBI CENTRAL BUSINESS DISTRICT
REHABILITATION PIPELINES - LAYOUT
Sheet 48

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


Drawing Number: 6000023-HH-GL-DR-W-048
Revision: T0

## DETAIL - TEE (200X75)
## JUNCTIONS: 48A,48B





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x75mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN80mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X110),(200X75)
## JUNCTIONS: 48C





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 4 |
| 2 | OD200x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |
| 6 | OD200mm DIA. HDPE PLAIN ENDED PIPE 1.2m CUT TO SUIT | 1 |
| 7 | OD200x75mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 8 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 9 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 10 | DN80mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X160)
## JUNCTIONS: 48D





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X160)
## JUNCTIONS: 48E,48F





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X200)
## JUNCTIONS: 48G





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/200mm DIA. STEPPED COUPLING | 2 |
| 2 | DN200mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN200x200mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN200x100mm DIA. FERROUS ALL FLANGED REDUCER | 1 |
| 5 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 6 | DN100mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 7 | DN100mm DIA. COUPLING | 1 |

## DETAIL - TEE (200X200)
## JUNCTIONS: 48H





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/200mm DIA. STEPPED COUPLING | 2 |
| 2 | DN200mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN200x200mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN200x150mm DIA. FERROUS ALL FLANGED REDUCER | 1 |
| 5 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 6 | DN150mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 7 | DN150mm DIA. STEPPED COUPLING | 1 |
| 8 | DN200mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |

## DETAIL - 90° H.BEND
## JUNCTIONS: 48I, 48J, 48M, 48N





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | DN200mm HDPE PLAIN ENDED 90° LONG BEND | 1 |

## DETAIL - TEE (200X160)
## JUNCTIONS: 48K, 48W





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X150)
## JUNCTIONS: 48L





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/200mm DIA. STEPPED COUPLING | 2 |
| 2 | DN200mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN200x150 DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN200mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN150 DIA. COUPLING | 1 |
| 7 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |

## DETAIL - TEE (200X150)
## JUNCTIONS: 48O




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/200mm DIA. STEPPED COUPLING | 2 |
| 2 | DN200mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN200x150 DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN200mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN125/150 DIA. STEPPED COUPLING | 1 |
| 7 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |

## DETAIL - TEE (200X160)
## JUNCTIONS: 48P




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-048

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR
REHABILITATION OF CENTRAL NAIROBI
AREA WATER NETWORK PROJECT

Drawing Title


CBD
REHABILITATION PIPELINES - FITTINGS
Sheet 1 of 3

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-048A


Revision: T0

## DETAIL - TEE (200X160)
## JUNCTIONS: 48R





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X150)
## JUNCTIONS: 48X





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/200mm DIA. STEPPED COUPLING | 2 |
| 2 | DN200mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN200x150 DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN200mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN125/150mm DIA. STEPPED COUPLING | 1 |

## DETAIL - TEE (160X110)
## JUNCTIONS: 48Q





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X75)
## JUNCTIONS: 48S, 48T, 48U





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x75mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN80mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - 160mm END CAP
## JUNCTIONS: 48V





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160mm DIA. HDPE END CAP | 1 |

## DETAIL - 200mm END CAP
## JUNCTIONS: 48Y





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD200mm DIA. END CAP | 1 |

## DETAIL - 90° H.BEND
## JUNCTIONS: 48Z





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160mm HDPE PLAIN ENDED 90° BEND | 1 |

## DETAIL - TEE (160X160)
## JUNCTIONS: 48AB





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA. FLANGE ADAPTOR | 1 |
| 2 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 5 | DN150mm DIA COUPLING | 1 |
| 6 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 7 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 8 | DN150mm DIA. FLANGE ADAPTOR | 1 |
| 9 | OD160x110mm DIA. PLAIN ENDED HDPE REDUCER | 1 |

## DETAIL - TEE (300X200)
## JUNCTIONS: 48AC,48AD





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300/300mm DIA. STEPPED COUPLING | 2 |
| 2 | DN300mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN300x200mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN200mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN200mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN200/200mm DIA. STEPPED COUPLING | 1 |

## DETAIL - TEE (300X200)
## JUNCTIONS: 48AG





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300/300mm DIA. STEPPED COUPLING | 2 |
| 2 | DN300mm DIA. FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN300x200 DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN200mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN200mm DIA. FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN200/200mm DIA. STEPPED COUPLING | 1 |

## DETAIL - TEE (300X200)
## JUNCTIONS: 48AH





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300/300mm DIA. STEPPED COUPLING | 2 |
| 2 | DN300mm DIA. FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN300x200 DIA. FERROUS ALL FLANGED CROSS TEE | 1 |
| 4 | DN200mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN200mm DIA. FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN200/200mm DIA. STEPPED COUPLING | 1 |

## DETAIL - TEE (200X110)
## JUNCTIONS: 48AI




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - 110mm END CAP
## JUNCTIONS: 48AJ




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD110mm DIA. END CAP | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-048

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT


Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
CBD
REHABILITATION PIPELINES - FITTINGS
Sheet 2 of 3

| | | | |
|---|---|---|---|
| Designed by: | LMN | Drawn by: | LMN |
| Checked by: | PN | Approved by: | OBO |
| Scale: | AS SHOWN | Date: | JUNE, 2023 |


Drawing Number: 6000023-HH-FT-DR-W-048B
Revision: T0

**DETAIL - TEE (160X160)**
**JUNCTIONS: 48AK**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. FLANGE ADAPTOR | 1 |
| 2 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 5 | DN125/150mm DIA. STEPPED COUPLING | 1 |
| 6 | DN150mm DIA. COUPLING | 1 |

**DETAIL - SLUICE VALVE (DN150)**
**JUNCTIONS: 48AL**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. FLANGE ADAPTOR | 2 |
| 2 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |

**DETAIL - TEE (160X110)**
**JUNCTIONS: 48AM,48AO**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - TEE (160X160)**
**JUNCTIONS: 48AP**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - TEE (160X110)**
**JUNCTIONS: 48AN**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 4 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 2 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 2 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 2 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 2 |
| 6 | OD160mm DIA. HDPE PLAIN ENDED PIPE 1.2m CUT TO SUIT | 1 |

**DETAIL - TEE (300X150)**
**JUNCTIONS: 48AQ**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300/300mm DIA. STEPPED COUPLING | 2 |
| 2 | DN300mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN300x150 DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN300mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN150/150mm DIA. STEPPED COUPLING | 1 |

**DETAIL - TEE (160X160)**
**JUNCTIONS: 48AB2**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - TEE (160X160)**
**JUNCTIONS: 42AR**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | DN150mm DIA. COUPLING | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-048

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.


Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
CBD
REHABILITATION PIPELINES - FITTINGS
Sheet 3 of 3

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-048C
Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-049
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

NAIROBI CENTRAL BUSINESS DISTRICT, EASTLEIGH
REHABILITATION PIPELINES - LAYOUT
Sheet 49

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-049 | T0 |

## DETAIL - TEE (250X110)
**JUNCTIONS: 49B,49L,49N,49O**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN250mm DIA. COUPLING | 2 |
| 2 | OD250x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - SADDLE CLAMP (250X25)
**JUNCTIONS: 49D**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN250/25mm DIA. SADDLE CLAMP | 1 |
| 2 | OD25mm DIA. HDPE PLAIN ENDED PIPE 1.2m CUT TO SUIT | 2 |
| 3 | DN25mm DIA. THREADED GATE VALVE | 1 |
| 4 | DN25mm DIA. COUPLING | 1 |

## DETAIL - TEE (250X250)
**JUNCTIONS: 49E**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN250/250mm DIA STEPPED COUPLING | 2 |
| 2 | OD250mm DIA. FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN250x250mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN250mm DIA. ALL FLANGED GATE VALVE | 1 |
| 5 | DN300x250mm DIA. FERROUS ALL FLANGED REDUCER | 1 |
| 6 | DN300mm DIA. FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 1 |
| 7 | DN300/315mm DIA STEPPED COUPLING | 1 |

## DETAIL - TEE (250X80)
**JUNCTIONS: 49F**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN250/250mm DIA. STEPPED COUPLING | 2 |
| 2 | DN250mm DIA. FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN250x80 DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN250mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN80mm DIA. FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN75/80 DIA. STEPPED COUPLING | 1 |
| 7 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |

## DETAIL - TEE (250X200)
**JUNCTIONS: 49G**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN250mm DIA COUPLING | 2 |
| 2 | OD250mm DIA. FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN250x200mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN200mm DIA. ALL FLANGED GATE VALVE | 1 |
| 5 | DN200mm DIA. FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN200/225mm DIA. STEPPED COUPLING | 1 |

## DETAIL - PE SADDLE CLAMP (250X90)
**JUNCTIONS: 49H,49J**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN250/75mm DIA. SADDLE CLAMP | 1 |
| 2 | OD75mm DIA. HDPE PLAIN ENDED PIPE 1.2m CUT TO SUIT | 1 |
| 3 | OD75mm DIA. HDPE STUB END WITH FLANGE | 2 |
| 4 | DN65mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN75mm DIA. COUPLING | 1 |

## DETAIL - PE SADDLE CLAMP (250X63)
**JUNCTIONS: 49I**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN250/63mm DIA. SADDLE CLAMP | 1 |
| 2 | OD63mm DIA. HDPE PLAIN ENDED PIPE 1.2m CUT TO SUIT | 1 |
| 3 | OD63mm DIA. HDPE STUB END WITH FLANGE | 2 |
| 4 | DN65mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN65mm DIA. COUPLING | 1 |

## DETAIL - 30° H.BEND
**JUNCTIONS: 49K**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN250mm DIA. COUPLING | 2 |
| 2 | DN250mm HDPE PLAIN ENDED 30° LONG BEND | 1 |

## DETAIL - TEE (250X160)
**JUNCTIONS: 49M**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN250mm DIA. COUPLING | 2 |
| 2 | OD250x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X150)
**JUNCTIONS: 49P**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN250/250mm DIA. STEPPED COUPLING | 2 |
| 2 | DN250mm DIA. FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN250x150 DIA. FERROUS ALL FLANGED CROSS TEE | 1 |
| 4 | DN250mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN150/160mm DIA. STEPPED COUPLING | 1 |
| 7 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |

## NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-049

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title


CBD
REHABILITATION PIPELINES - FITTINGS
Sheet 1 of 2

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-049A


Revision: T0

## DETAIL - TEE (315X110)
## JUNCTIONS: 49R





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300mm DIA. COUPLING | 2 |
| 2 | OD315x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X110)
## JUNCTIONS: 49U





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (250X150) & METER
## JUNCTIONS: 49Q





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN250/250mm DIA. STEPPED COUPLING | 1 |
| 2 | DN250mm DIA. FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN250x150 DIA. FERROUS ALL FLANGED CROSS TEE | 1 |
| 4 | DN250x150mm FERROUS ALL FLANGED REDUCER | 1 |
| 5 | DN150mm DIA. FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN150mm DIA. COUPLING | 1 |
| 7 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 8 | DN150mm DIA. FERROUS ALL FLANGED SPIGOT PIPE 0.5m LONG | 1 |
| 9 | DN150mm DIA. FLANGED Y-STRAINER | 1 |
| 10 | DN150mm DIA. WATER METER | 1 |
| 11 | DN150mm DIA. FLANGE ADAPTOR | 1 |
| 12 | DN150mm DIA. FERROUS SPIGOT PIPE 1.2m LONG | 1 |
| 13 | DN125/150mm DIA. STEPPED COUPLING | 1 |

## DETAIL - TEE (300X200)
## JUNCTIONS: 49S





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300/300mm DIA. STEPPED COUPLING | 2 |
| 2 | DN300mm DIA. FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN300x200 DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN200mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN200mm DIA. FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN200/200mm DIA. STEPPED COUPLING | 1 |

## DETAIL - TEE (160X160)
## JUNCTIONS: 49W





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 3 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |
| 6 | OD160mm HDPE PLAIN ENDED 60° LONG BEND | 1 |

## DETAIL - TEE (160X160)
## JUNCTIONS: 49V




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. FLANGE ADAPTOR | 1 |
| 2 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 5 | DN150mm DIA. COUPLING | 2 |

## DETAIL - 60° H.BEND
## JUNCTIONS: 49X




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160mm HDPE PLAIN ENDED 60° LONG BEND | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-049

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.


Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR
REHABILITATION OF CENTRAL NAIROBI
AREA WATER NETWORK PROJECT

Drawing Title
CBD
REHABILITATION PIPELINES - FITTINGS
Sheet 2 of 2

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-049B
Revision: T0





NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-050
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

EASTLEIGH
REHABILITATION PIPELINES - LAYOUT
Sheet 50

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


Drawing Number: 6000023-HH-GL-DR-W-050
Revision: T0

## DETAIL - TEE (160X75)
## JUNCTIONS: 50A





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160x75mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 2 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 3 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN80mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - 90° H-BEND
## H-BEND : 50B





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm HDPE PLAIN ENDED 90° LONG BEND | 1 |

## DETAIL - TEE (160x110)
## JUNCTIONS: 50C





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 2 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 3 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN100mm DIA. FLANGE ADAPTOR | 1 |
| 5 | OD110mm DIA. HDPE PLAIN ENDED PIPE 1.2m CUT TO SUIT | 1 |
| 6 | OD110mm HDPE PLAIN ENDED 45° LONG BEND | 1 |
| 7 | DN100/110mm DIA. STEPPED COUPLING | 1 |

## DETAIL - TEE (160x110)
## JUNCTIONS: 50D,50E





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 2 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 3 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160x110)
## JUNCTIONS: 50F





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160x63)
## JUNCTIONS: 50G




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160x63mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 2 | OD63mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 3 | DN65mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN65mm DIA. FLANGE ADAPTOR | 1 |
| 5 | OD63mm DIA. HDPE PLAIN ENDED PIPE 1.2m CUT TO SUIT | 1 |
| 6 | OD63mm HDPE PLAIN ENDED 45° LONG BEND | 1 |
| 7 | DN63/63mm DIA. STEPPED COUPLING | 1 |
| 8 | DN150mm DIA. COUPLING | 2 |

## DETAIL - REDUCER (150X100)
## JUNCTIONS: 50H




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. FLANGE ADAPTOR | 1 |
| 2 | DN150x100mm DIA. FERROUS ALL FLANGED REDUCER | 1 |
| 3 | DN100mm DIA. FLANGE ADAPTOR | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-050

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR
REHABILITATION OF CENTRAL NAIROBI
AREA WATER NETWORK PROJECT

Drawing Title

CBD
REHABILITATION PIPELINES - FITTINGS
Sheet 1 of 1

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-050A

Revision: T0




## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-051
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated

| | | |
|---|---|---|
| | 44 | 45 |
| 50 | 51 | 52 |
| 59 | 60 | 61 |

Client

ATHI WATER WORKS

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

EASTLEIGH
REHABILITATION PIPELINES - LAYOUT
Sheet 51

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |

| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-051 | T0 |

**DETAIL - TEE (300X300)**
**JUNCTIONS: 51A**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300mm DIA. COUPLING | 2 |
| 2 | DN300mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN300x300mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN300mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN300mm DIA. FERROUS FLANGED SPIGOT PIPE 1.0m LONG | 1 |
| 6 | DN300mm DIA. FLANGED Y-STRAINER | 1 |
| 7 | DN300mm DIA. WATER METER | 1 |
| 8 | DN300mm DIA. FLANGE ADAPTOR | 1 |
| 9 | DN300mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 10 | DN300/300 DIA STEPPED COUPLING | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-051

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title

Eastleigh
REHABILITATION PIPELINES - FITTINGS
Sheet 51A

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-051A

Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-052
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

ATHI WATER WORKS

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers

The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

EASTLEIGH
REHABILITATION PIPELINES - LAYOUT
Sheet 52

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-052 | T0 |

## DETAIL - PE SADDLE CLAMP (315X90)
## JUNCTIONS:52A,52E





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD315/90mm DIA. SADDLE CLAMP | 1 |
| 2 | DN80mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN80mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - PE SADDLE CLAMP (315X90)
## JUNCTIONS:52B





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300mm DIA. COUPLING | 2 |
| 2 | OD315x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |
| 6 | OD315/90mm DIA. SADDLE CLAMP | 1 |
| 7 | DN80mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 8 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 9 | DN80mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (315X110)
## JUNCTIONS: 52D




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300mm DIA. COUPLING | 2 |
| 2 | OD315x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA FLANGE ADAPTOR | 1 |

## DETAIL - 30° H.BEND
## JUNCTIONS: 52F




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300mm DIA. COUPLING | 2 |
| 2 | DN315mm HDPE PLAIN ENDED 30° LONG BEND | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-052

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title

Eastleigh
REHABILITATION PIPELINES - FITTINGS
Sheet 52A

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-052A

Revision: T0





NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-053
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

EASTLEIGH, JOGOO ROAD
REHABILITATION PIPELINES - LAYOUT
Sheet 53

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |

Drawing Number: 6000023-HH-GL-DR-W-053
Revision: T0

**DETAIL - 90° H-BEND**
**H-BEND : 53F,53G**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160mm HDPE PLAIN ENDED 90° BEND | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-053

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 53A

| | |
|---|---|
| Designed by: LMN | Drawn by: HG |
| Checked by: PN | Approved by: PN |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-053A
Revision: T0

Ole Sinoni Street

19th Street

Eldoret Road

Chebuyusi Crescent

Ruvuma Road

Natron Road

Bahati Crescent

Kahawa Lane

Mbali Road

Kajiado Lane

Yakuli Road

Bahati Primary School

Bahati Primary Playground

Mbakasi Crescent

Heshima Avenue

Shinyanga Avenue

54A 54B 54C 54D 54E 54F 54G 54H 54J 55B

E-100 P-160

P-160 E-100

P-160 E-75

## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-054
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated

| | | |
|---|---|---|
| | 46 | |
| 53 | 54 | 55 |
| 62 | 63 | 64 |

Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

JOGOO ROAD
REHABILITATION PIPELINES - LAYOUT
Sheet 54

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


Drawing Number: 6000023-HH-GL-DR-W-054
Revision: T0

**DETAIL - TEE (160X160)**
**JUNCTIONS: 54A**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. FLANGE ADAPTOR | 1 |
| 2 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 5 | DN150mm DIA COUPLING | 2 |

**DETAIL - 60° H.BEND**
**JUNCTIONS: 54B,54C**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA COUPLING | 2 |
| 2 | OD160mm HDPE PLAIN ENDED 60° BEND | 1 |

**DETAIL - TEE (160X160)**
**JUNCTIONS: 54D,54G,54H**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 3 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |

**DETAIL - 90° BEND**
**JUNCTIONS:54E,54F,54J**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160mm HDPE PLAIN ENDED 90° BEND | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-054

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.


Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 54A

| | |
|---|---|
| Designed by: LMN | Drawn by: HG |
| Checked by: PN | Approved by: PN |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-054A
Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-055
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

JOGOO ROAD
REHABILITATION PIPELINES - LAYOUT
Sheet 55

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


Drawing Number: 6000023-HH-GL-DR-W-055
Revision: T0

## DETAIL - 90° BEND
## JUNCTIONS:55A





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160mm HDPE PLAIN ENDED 90° BEND | 1 |

## DETAIL - TEE (225X160)
## JUNCTIONS: 55B




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/225mm DIA. STEPPED COUPLING | 2 |
| 2 | OD225x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |
| 6 | DN200/80mm DIA. TAPPING SADDLE CLAMP | 1 |
| 7 | DN80mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m CUT TO SUIT | 1 |
| 8 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 9 | DN80mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X200)
## JUNCTIONS: 55C




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | DN200mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 3 |
| 3 | DN200x200mm DIA. FERROUS FLANGED TEE | 1 |
| 4 | DN200mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN200/200mm DIA. STEPPED COUPLING | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-055

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title

SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 55A

| | |
|---|---|
| Designed by: LMN | Drawn by: HG |
| Checked by: PN | Approved by: PN |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-055A

Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-056
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

NAIROBI CENTRAL BUSINESS DISTRICT
REHABILITATION PIPELINES - LAYOUT
Sheet 56

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-056 | T0 |

**DETAIL - 45° H.BEND**
**JUNCTIONS: 56B,56C**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300mm DIA. COUPLING | 2 |
| 2 | OD315mm HDPE PLAIN ENDED 45° LONG BEND | 1 |

**DETAIL - TEE (315X160)**
**JUNCTIONS: 56D**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300mm DIA COUPLING | 2 |
| 2 | OD315x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - TEE (1000X300)**
**JUNCTIONS: 56A**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN1000mm DIA. COUPLING | 2 |
| 2 | DN1000mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN1000x300mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN300mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN300mm DIA. FERROUS ALL FLANGED SPIGOT PIPE 0.5m LONG | 1 |
| 6 | DN300mm DIA. FLANGED Y-STRAINER | 1 |
| 7 | DN300mm DIA. WATER METER | 1 |
| 8 | DN300mm DIA. FLANGE ADAPTOR | 1 |
| 9 | DN300mm DIA. PLAIN ENDED FERROUS SPIGOT PIPE 1.2m LONG | 1 |
| 10 | DN300/315mm DIA. STEPPED COUPLING | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-056

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title

CBD
REHABILITATION PIPELINES - FITTINGS
Sheet 1 of 1

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-056A
Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-057
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

NAIROBI CENTRAL BUSINESS DISTRICT
REHABILITATION PIPELINES - LAYOUT
Sheet 57

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


Drawing Number: 6000023-HH-GL-DR-W-057
Revision: T0

## DETAIL - TEE (315X110)
## JUNCTIONS: 57A,57E





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300mm DIA COUPLING | 2 |
| 2 | OD315x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (315X160)
## JUNCTIONS: 57C,57F





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300mm DIA COUPLING | 2 |
| 2 | OD315x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (300X200)
## JUNCTIONS: 57D





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300/315mm DIA STEPPED COUPLING | 2 |
| 2 | DN300mm DIA. FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN300x200mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN200mm DIA. ALL FLANGED GATE VALVE | 1 |
| 5 | DN200mm DIA. FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN200/200mm DIA. STEPPED COUPLING | 1 |

## DETAIL - TEE (300X150)
## JUNCTIONS: 57G





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300/315mm DIA. STEPPED COUPLING | 1 |
| 2 | DN300mm DIA. FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN300x150 DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN150mm DIA. COUPLING | 1 |
| 7 | DN300x250mm FERROUS ALL FLANGED REDUCER | 1 |
| 8 | DN250mm DIA. FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 1 |
| 9 | DN250/250mm DIA. STEPPED COUPLING | 1 |

## DETAIL - TEE (250X110)
## JUNCTIONS: 57H





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN250mm DIA COUPLING | 2 |
| 2 | OD250x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (250X160)
## JUNCTIONS: 57I




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN250mm DIA COUPLING | 2 |
| 2 | OD250x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - PE SADDLE CLAMP (315X75)
## JUNCTIONS: 57B




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN315/75mm DIA. SADDLE CLAMP | 1 |
| 2 | DN80mm DIA. SINGLE FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN80mm DIA. FLANGE ADAPTOR | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-057

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT


Drawing Title

CBD
REHABILITATION PIPELINES - FITTINGS
Sheet 57A

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE,2023 |

Drawing Number: 6000023-HH-FT-DR-W-057A

Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-058
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title


CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK

Drawing Title

NAIROBI CENTRAL BUSINESS DISTRICT
REHABILITATION PIPELINES - LAYOUT
Sheet 58

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |

| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-058 | T0 |




## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-059
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated

| | | |
|---|---|---|
| 49 | 50 | 51 |
| 58 | 59 | 60 |
| 65 | 66 | 67 |

Client

ATHI WATER WORKS

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers

The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

CENTRAL INDUSTRIAL AREA
REHABILITATION PIPELINES - LAYOUT
Sheet 59

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |

| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-059 | T0 |

**DETAIL - SADDLE CLAMP (160X50)**
**JUNCTIONS: 59A**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150/50mm DIA. TAPPING SADDLE | 1 |
| 2 | OD50mm DIA. HDPE PLAIN ENDED PIPE 1.2m CUT TO SUIT | 1 |
| 3 | OD50mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN50mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN50mm DIA. FLANGE ADAPTOR | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-059

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.


Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 59A

| | |
|---|---|
| Designed by: LMN | Drawn by: HG |
| Checked by: PN | Approved by: PN |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-059A
Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-060
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

CENTRAL INDUSTRIAL AREA, JOGOO ROAD
REHABILITATION PIPELINES - LAYOUT
Sheet 60

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-060 | T0 |

## DETAIL - 90° BEND
## JUNCTIONS: 60A





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD250X160mm DIA. PLAIN ENDED HDPE REDUCER | 1 |
| 2 | OD160mm HDPE PLAIN ENDED 90° BEND | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - SADDLE CLAMP (160X50)
## JUNCTIONS: 60B,60S





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160/50mm DIA. TAPPING SADDLE | 1 |
| 2 | OD50mm DIA. HDPE PLAIN ENDED PIPE 12m CUT TO SUIT | 1 |
| 3 | OD50mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN50mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN50mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - 90° BEND
## BENDS: 60C, 60F




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm HDPE PLAIN ENDED 90° BEND | 1 |

## DETAIL - TEE (250X250)
## JUNCTIONS: 60D





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN250mm DIA. COUPLING | 1 |
| 2 | DN250mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN250mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 4 | DN250x250mm DIA. ALL FLANGED FERROUS TEE | 1 |
| 5 | DN250mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 6 | DN250mm DIA. COUPLING | 2 |

NOTES:


1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-060

## DETAIL - 250x225 STEPPED COUPLING
## Junctions: 60E





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN250x225mm DIA. STEPPED COUPLING | 1 |

## DETAIL - TEE (160X160)
## JUNCTIONS: 60G





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. FLANGE ADAPTOR | 2 |
| 2 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 2 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 2 |
| 4 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |

## DETAIL - TEE (160X160)
## JUNCTIONS: 60H





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. FLANGE ADAPTOR | 1 |
| 2 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |

## DETAIL - END CAP
## JUNCTIONS: 60I, 60L





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160mm DIA. END CAP | 1 |

## DETAIL - 90° BEND & 45° TEE (160x160)
## BENDS: 60J




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 3 |
| 2 | OD160mm HDPE PLAIN ENDED 90° BEND | 1 |
| 3 | OD160x160mm DIA. PLAIN ENDED 45° HDPE TEE | 1 |
| 4 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 5 | DN150mm DIA. ALL FLANGED GATE VALVE | 1 |
| 6 | DN150mm DIA. FLANGE ADAPTOR | 1 |
| 7 | OD160mm DIA. HDPE PLAIN ENDED PIPE 12m CUT TO SUIT | 1 |

## DETAIL - TEE (160X110)
## JUNCTIONS: 60K




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100/110mm DIA. STEPPED COUPLING | 2 |
| 2 | OD110x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160X110mm DIA. PLAIN ENDED HDPE REDUCER | 1 |

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys
Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT


Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 60A

| | |
|---|---|
| Designed by: LMN | Drawn by: HG |
| Checked by: PN | Approved by: PN |
| Scale: AS SHOWN | Date: JUNE, 2023 |


Drawing Number: 6000023-HH-FT-DR-W-060A
Revision: T0

**DETAIL - TEE (225X160)**
**JUNCTIONS: 60N**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN225/225 DIA. STEPPED COUPLING | 2 |
| 2 | OD225x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - TEE (400X160)**
**JUNCTIONS: 60O**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN400/400mm DIA. STEPPED COUPLING | 2 |
| 2 | OD400x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - 90° BEND**
**BENDS: 60P**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 1 |
| 2 | DN160mm HDPE PLAIN ENDED 90° BEND | 1 |
| 3 | DN150/100mm DIA STEPPED COUPLING | 1 |

**DETAIL - TEE (315X160)**
**JUNCTIONS: 60Q**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300/315 DIA. STEPPED COUPLING | 2 |
| 2 | OD315x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - TEE (160X160)**
**JUNCTIONS: 60R**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 1 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |
| 6 | DN160/150mm DIA. STEPPED COUPLING | |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-060

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR
REHABILITATION OF CENTRAL NAIROBI
AREA WATER NETWORK PROJECT


Drawing Title

SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 60B

| | | | |
|---|---|---|---|
| Designed by: | LMN | Drawn by: | HG |
| Checked by: | PN | Approved by: | PN |
| Scale: | AS SHOWN | Date: | JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-060B

Revision: T0





NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-061
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

ATHI WATER WORKS

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

CENTRAL INDUSTRIAL AREA, JOGOO ROAD
REHABILITATION PIPELINES - LAYOUT
Sheet 61

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-061 | T0 |

## DETAIL - TEE (225X160)
## JUNCTIONS: 61A





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN225/225mm DIA. STEPPED COUPLING | 2 |
| 2 | OD225x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X160)
## JUNCTIONS: 61B





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |

## DETAIL - 90° BEND
## JUNCTIONS:61C,61D





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm HDPE PLAIN ENDED 90° BEND | 1 |

## DETAIL - 30° H.BEND
## JUNCTIONS: 61E,61F,61G





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160mm HDPE PLAIN ENDED 30° BEND | 1 |

## DETAIL - 60° H.BEND
## JUNCTIONS: 61H





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160mm HDPE PLAIN ENDED 60° BEND | 1 |

## DETAIL - TEE (225X160)
## JUNCTIONS: 61J




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN225/225mm DIA. STEPPED COUPLING | 2 |
| 2 | OD225x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - 60° H.BEND
## JUNCTIONS: 61K,61L




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA COUPLING | 2 |
| 2 | OD160mm HDPE PLAIN ENDED 60° BEND | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-061

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR
REHABILITATION OF CENTRAL NAIROBI
AREA WATER NETWORK PROJECT

Drawing Title

SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 61

| | | | |
|---|---|---|---|
| Designed by: | LMN | Drawn by: | HG |
| Checked by: | PN | Approved by: | PN |
| Scale: | AS SHOWN | Date: | JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-061A

Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-062
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

ATHI WATER WORKS

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

EASTLEIGH, JOGOO ROAD
REHABILITATION PIPELINES - LAYOUT
Sheet 62

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


Drawing Number: 6000023-HH-GL-DR-W-062
Revision: T0

**DETAIL - TEE (160X110)**
**JUNCTIONS: 62A**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - TEE (200X160)**
**JUNCTIONS: 62B,62C**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - 30° H.BEND**
**JUNCTIONS: 62D**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | DN200mm HDPE PLAIN ENDED 30° BEND | 1 |

**DETAIL - 30° H.BEND**
**JUNCTIONS: 62E,62F**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160mm HDPE PLAIN ENDED 30° BEND | 1 |

**DETAIL - TEE (160X75)**
**JUNCTIONS: 62H**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x75mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN80mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN80mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - 45° TEE (160x160)**
**BENDS: 62G**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x160mm DIA. PLAIN ENDED 45° HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-062

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.


Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR
REHABILITATION OF CENTRAL NAIROBI
AREA WATER NETWORK PROJECT

Drawing Title
SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 62A

| | |
|---|---|
| Designed by: LMN | Drawn by: HG |
| Checked by: PN | Approved by: PN |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-062A
Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-063
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

JOGOO ROAD
REHABILITATION PIPELINES - LAYOUT
Sheet 63

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-063 | T0 |

**DETAIL - 90° H.BEND**
**JUNCTIONS: 63A**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160mm HDPE PLAIN ENDED 30° BEND | 1 |

**DETAIL - TEE (160X75)**
**JUNCTIONS: 63B**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x75mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN80mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - END CAP (160)**
**JUNCTIONS: 63C**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160mm DIA. END CAP | 1 |

**DETAIL - TEE (225X160)**
**JUNCTIONS: 63D**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/225mm DIA. STEPPED COUPLING | 2 |
| 2 | OD225x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |
| 6 | DN200/80mm DIA. TAPPING SADDLE CLAMP | 1 |
| 7 | DN80mm DIA. FERROUS FLANGED SPIGOT PIPE, 1.2m CUT TO SUIT | 1 |
| 8 | DN80mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 9 | DN80mm DIA. FLANGE ADAPTOR | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-063

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 63A

| | |
|---|---|
| Designed by: LMN | Drawn by: HG |
| Checked by: PN | Approved by: PN |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-063A
Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-064
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

JOGOO ROAD
REHABILITATION PIPELINES - LAYOUT
Sheet 64

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


Drawing Number: 6000023-HH-GL-DR-W-064
Revision: T0

**DETAIL - TEE (160X160)**
**JUNCTIONS: 64A**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 1 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |
| 6 | OD200x160mm DIA. HDPE PLAIN ENDED REDUCER | 1 |
| 7 | OD200mm DIA. HDPE PLAIN ENDED PIPE 1.2m CUT TO SUIT | 1 |
| 8 | DN200mm DIA. COUPLING | 1 |

**DETAIL - TEE (160X75)**
**JUNCTIONS: 64B**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - TEE (160X75)**
**JUNCTIONS: 64C,64D,64E**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x75mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN80mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN80mm DIA. FLANGE ADAPTOR | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-064

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.


Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 64A

| | |
|---|---|
| Designed by: LMN | Drawn by: HG |
| Checked by: PN | Approved by: PN |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-064A
Revision: T0




## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-065
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated

| | | |
|---|---|---|
| 57 | 58 | 59 |
| | 65 | 66 |
| 74 | 75 | 76 |

Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP Inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

CENTRAL INDUSTRIAL AREA
REHABILITATION PIPELINES - LAYOUT
Sheet 65

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-065 | T0 |

**DETAIL - TEE (160X160)**
**JUNCTION: 65A**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160/150mm DIA. STEPPED COUPLING | 1 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |
| 6 | DN160mm DIA. END CAP | 1 |

**DETAIL - TEE (160X63)**
**JUNCTIONS: 65B**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | OD160x63mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD63mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN65mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN65mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - TEE (160X63)**
**JUNCTIONS: 65C**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | OD160x63mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD63mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN65mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN65mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - TEE (160X75)**
**JUNCTIONS: 65D**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | OD160x75mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN80mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN80mm DIA. FLANGE ADAPTOR | 1 |

NOTES:


1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-065

**DETAIL - TEE (160X160)**
**JUNCTIONS: 65E**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. FLANGE ADAPTOR | 1 |
| 2 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 5 | OD160mm DIA COUPLING | 2 |

**DETAIL - 90° BEND**
**JUNCTIONS: 65F**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | DN160mm HDPE PLAIN ENDED 90° BEND | 1 |

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR
REHABILITATION OF CENTRAL NAIROBI
AREA WATER NETWORK PROJECT

Drawing Title

SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 65

| | | | |
|---|---|---|---|
| Designed by: | LMN | Drawn by: | HG |
| Checked by: | PN | Approved by: | PN |
| Scale: | AS SHOWN | Date: | JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-065A

Revision: T0

Factory Street
Enterprise Road
Commercial Street
E-150
P-160
66A
66B
66E
66G
66I
66J
66K
66L
E-300
P-250
E-100
P-110
E-225
Machakos Road
Lusaka Road
Enterprise Road
National GeoData Center (NGDC)
Mines and Geological Department
DT Dobie
DT Dobie Company
Dt Dobie Parking
OLA Energy
Oilibya

## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-066
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated

| | | |
|---|---|---|
| 58 | 59 | 60 |
| 65 | 66 | 67 |
| 75 | 76 | 77 |

Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

CENTRAL INDUSTRIAL AREA
REHABILITATION PIPELINES - LAYOUT
Sheet 66

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


Drawing Number: 6000023-HH-GL-DR-W-066
Revision: T0

**DETAIL - TEE (160X100)**
**JUNCTIONS: 66A**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - TEE (160X100)**
**JUNCTIONS: 66B**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - TEE (150X150)**
**JUNCTIONS: 66E**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150/160mm DIA STEPPED COUPLING | 2 |
| 2 | DN150mm DIA. FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN150x150mm DIA. ALL FLANGED FERROUS TEE | 1 |
| 4 | DN200X150mm DIA. ALL FLANGED FERROUS REDUCER | 1 |
| 5 | DN200mm DIA. FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN200/200mm DIA. STEPPED COUPLING | 1 |

**DETAIL - TEE (250X250)**
**JUNCTION: 66G**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN250mm DIA. COUPLING | 3 |
| 2 | OD250mm DIA. FLANGED SPIGOT PIPE 1.2m LONG | 3 |
| 3 | DN250x250mm DIA. ALL FLANGED FERROUS TEE | 1 |
| 4 | DN250mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN250mm DIA. END CAP | 1 |

**DETAIL - TEE (250X100)**
**JUNCTIONS: 66I**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD100mm DIA. COUPLING | 1 |
| 2 | DN100mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 4 | DN250x100 DIA ALL FLANGED FERROUS TEE | 1 |
| 5 | OD250mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 6 | OD250mm DIA. COUPLING | 2 |

**DETAIL - TEE (160X100)**
**JUNCTIONS: 66J**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN110mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - TEE (160X100)**
**JUNCTIONS: 66K**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN110mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - TEE (160X110)**
**JUNCTIONS: 66L**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 1 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |
| 6 | OD160mm DIA. END CAP | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-066

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 66

| | |
|---|---|
| Designed by: LMN | Drawn by: HG |
| Checked by: PN | Approved by: PN |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-066A
Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-067
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

CENTRAL INDUSTRIAL AREA
REHABILITATION PIPELINES - LAYOUT
Sheet 67

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


Drawing Number: 6000023-HH-GL-DR-W-067
Revision: T0

## DETAIL - 45° H.BEND
## JUNCTIONS: 67A,67D





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160mm HDPE PLAIN ENDED 45° BEND | 1 |

## DETAIL - 30° H.BEND
## JUNCTIONS: 67B,67E,67O





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160mm HDPE PLAIN ENDED 30° BEND | 1 |

## DETAIL - 30° H.BEND
## JUNCTIONS:67AA




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN250mm DIA. COUPLING | 2 |
| 2 | OD250mm HDPE PLAIN ENDED 30° BEND | 1 |

## DETAIL - TEE (160X160)
## JUNCTIONS: 67C,67V,67W





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 2 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 3 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 4 | DN150mm DIA. FLANGE ADAPTOR | 1 |

NOTES:


1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-067

## DETAIL - 60° H.BEND
## JUNCTIONS: 67F





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160mm HDPE PLAIN ENDED 60° BEND | 1 |

## DETAIL - SADDLE CLAMP (160X50)
## JUNCTIONS: 67G,67H,67I,67L,67M,67N,67S,67AC





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150/50mm DIA. SADDLE CLAMP | 1 |
| 2 | DN50mm DIA. HDPE PLAIN ENDED PIPE 2m CUT TO SUIT | 1 |
| 4 | DN50mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN50mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - 90° BEND
## BENDS: 67J,67K




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160mm HDPE PLAIN ENDED 90° BEND | 1 |

## DETAIL - SADDLE CLAMP (160X50)
## JUNCTIONS: 67AC




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150/50mm DIA. TAPPING SADDLE | 1 |
| 2 | OD50mm DIA. HDPE PLAIN ENDED PIPE 12m CUT TO SUIT | 1 |
| 3 | OD50mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN50mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN50mm DIA. FLANGE ADAPTOR | 1 |

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR
REHABILITATION OF CENTRAL NAIROBI
AREA WATER NETWORK PROJECT

Drawing Title


SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 67A

| | |
|---|---|
| Designed by: LMN | Drawn by: HG |
| Checked by: PN | Approved by: PN |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-067A


Revision: T0

**DETAIL - TEE (160X110)**
**JUNCTIONS: 67P,67Q,67R,67U,67T**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 2 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 3 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 4 | DN100mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - TEE (250X100)**
**JUNCTIONS:67X**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN250mm DIA. COUPLING | 2 |
| 2 | OD250x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - SADDLE CLAMP (250X63)**
**JUNCTIONS:67Y**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN250/65mm DIA. TAPPING SADDLE | 1 |
| 2 | OD63mm DIA. HDPE PLAIN ENDED PIPE 12m CUT TO SUIT | 1 |
| 3 | OD63mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN65mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN65mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - TEE (160X160)**
**JUNCTIONS: 67AB**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 1 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. END CAP | 2 |

**DETAIL - TEE (250X160)**
**JUNCTIONS:67Z**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN250mm DIA. COUPLING | 2 |
| 2 | OD250x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-067

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.


Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 67B

| | |
|---|---|
| Designed by: LMN | Drawn by: HG |
| Checked by: PN | Approved by: PN |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-067B
Revision: T0





NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-068
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

CENTRAL INDUSTRIAL AREA
REHABILITATION PIPELINES - LAYOUT
Sheet 68

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-068 | T0 |

**DETAIL - STAGGERED TEES (160x160)**
**JUNCTIONS: 68A,68C**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |

**DETAIL - 30° H.BEND**
**JUNCTIONS: 68B,68F,68G,68H**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160mm HDPE PLAIN ENDED 30° BEND | 1 |

**DETAIL - 60° H.BEND**
**JUNCTIONS: 68D**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160mm HDPE PLAIN ENDED 60° BEND | 1 |

**DETAIL - 45° H.BEND**
**JUNCTIONS: 68E**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160mm HDPE PLAIN ENDED 45° BEND | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-068

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.


Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 68A

| | |
|---|---|
| Designed by: LMN | Drawn by: HG |
| Checked by: PN | Approved by: PN |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-068A
Revision: T0




## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-070
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated

| | | |
|---|---|---|
| 62 | 63 | 64 |
| 69 | 70 | 71 |
| 79 | | |

Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

EASTERN INDUSTRIAL AREA, JOGOO ROAD
REHABILITATION PIPELINES - LAYOUT
Sheet 70

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-070 | T0 |

## DETAIL - TEE (225X160)
## JUNCTIONS: 70A





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN225/225mm DIA. STEPPED COUPLING | 2 |
| 2 | OD225x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X160)
## JUNCTIONS: 70B





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 6 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 2 |
| 3 | OD160mm DIA. HDPE PLAIN ENDED PIPE 12m CUT TO SUIT | 1 |

## DETAIL - TEE (160X160)
## JUNCTIONS: 70C




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA. FLANGE ADAPTOR | 1 |
| 2 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 5 | OD160mm DIA COUPLING | 1 |
| 6 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 7 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 8 | DN150mm DIA. FLANGE ADAPTOR | 1 |
| 9 | DN160x110mm DIA. PLAIN ENDED REDUCER | 1 |

## DETAIL - 30° H.BEND
## JUNCTIONS: 70E,70F




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | DN160mm HDPE PLAIN ENDED 30° BEND | 1 |

## NOTES:


1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-070

## DETAIL - SADDLE CLAMP (160X50)
## JUNCTIONS: 70G,70H,70I,70K,70L





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160/50mm DIA. TAPPING SADDLE | 1 |
| 2 | OD50mm DIA. HDPE PLAIN ENDED PIPE 12m CUT TO SUIT | 1 |
| 3 | OD50mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN50mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN50mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X75)
## JUNCTIONS: 70M





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | OD160x75mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN65mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN60/65mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (225X160)
## JUNCTIONS: 70N




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN225/225mm DIA. STEPPED COUPLING | 2 |
| 2 | OD225x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - 90° H-BEND & SADDLE CLAMP (160X50)
## H-BEND : 70D





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm HDPE PLAIN ENDED 90° BEND | 1 |
| 2 | DN160/50mm DIA. TAPPING SADDLE | 2 |
| 3 | OD50mm DIA. HDPE PLAIN ENDED PIPE 12m CUT TO SUIT | 2 |
| 4 | OD50mm DIA. HDPE STUB END WITH FLANGE | 2 |
| 5 | DN50mm DIA. ALL FLANGED FERROUS GATE VALVE | 2 |
| 6 | DN50mm DIA. FLANGE ADAPTOR | 2 |

## DETAIL - END CAP (160)
## JUNCTIONS: 70Q





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160mm DIA. END CAP | 1 |

## DETAIL - TEE (160X75)
## JUNCTIONS: 70P,70R




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | OD160x75mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN65mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN60/65mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - 45° H.BEND
## JUNCTIONS: 70O,70S,70T,70U




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | DN160mm HDPE PLAIN ENDED 45° BEND | 1 |

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR
REHABILITATION OF CENTRAL NAIROBI
AREA WATER NETWORK PROJECT


Drawing Title

SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 70

| | | | |
|---|---|---|---|
| Designed by: | LMN | Drawn by: | HG |
| Checked by: | PN | Approved by: | PN |
| Scale: | AS SHOWN | Date: | JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-070A

Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-071
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

EASTERN INDUSTRIAL AREA, JOGOO ROAD
REHABILITATION PIPELINES - LAYOUT
Sheet 71

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-071 | T0 |

**DETAIL - TEE (200X110)**
**JUNCTIONS: 71A**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - TEE (200X160)**
**JUNCTIONS: 71B**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - TEE (160X75)**
**JUNCTIONS: 71C,71D,71F**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | OD160x75mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN65mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN60/65mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - END CAP (160)**
**JUNCTIONS: 71G**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160mm DIA. END CAP | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-071

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.


Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 71

| | |
|---|---|
| Designed by: LMN | Drawn by: HG |
| Checked by: PN | Approved by: PN |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-071A
Revision: T0




## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-072
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated

| | | |
|---|---|---|
| 64 | | |
| 71 | 72 | 73 |

Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

JOGOO ROAD
REHABILITATION PIPELINES - LAYOUT
Sheet 72

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


Drawing Number: 6000023-HH-GL-DR-W-072
Revision: T0

**DETAIL - TEE (200X110)**
**JUNCTIONS: 72B,72C**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - 30° H.BEND**
**JUNCTIONS: 72A**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | DN200mm HDPE PLAIN ENDED 30° BEND | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-072

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.


Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 72

| | | | |
|---|---|---|---|
| Designed by: | LMN | Drawn by: | HG |
| Checked by: | PN | Approved by: | PN |
| Scale: | AS SHOWN | Date: | JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-072A
Revision: T0




## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-073
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

JOGOO ROAD
REHABILITATION PIPELINES - LAYOUT
Sheet 73

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |

| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-073 | T0 |

**DETAIL - TEE (200X100)**
**JUNCTION: 73A**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/200mm DIA. STEPPED COUPLING | 1 |
| 2 | OD200mm DIA. FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN200x100mm DIA. ALL FLANGED FERROUS TEE | 1 |
| 4 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | OD100mm DIA. FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN100mm DIA. COUPLING | 1 |
| 7 | DN200mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 8 | DN200/225mm DIA. STEPPED COUPLING | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-073

Client:

ATHI WATER WORKS

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP
inventing for tomorrow

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys
Consulting Engineers

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title

SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 73

| | | | |
|---|---|---|---|
| Designed by: | LMN | Drawn by: | HG |
| Checked by: | PN | Approved by: | PN |
| Scale: | AS SHOWN | Date: | JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-073A

Revision: T0


## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-074
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

CENTRAL INDUSTRIAL AREA
REHABILITATION PIPELINES - LAYOUT
Sheet 74

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


Drawing Number: 6000023-HH-GL-DR-W-074
Revision: T0

**DETAIL - TEE (110X100)**
**JUNCTION: 74A**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN110/100mm DIA. STEPPED COUPLING | 2 |
| 2 | OD110x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - TEE (160X110)**
**JUNCTION: 74B, 74C**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150/160mm DIA. STEPPED COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - TEE (160X160)**
**JUNCTION: 74D**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160/150mm DIA. STEPPED COUPLING | 2 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - TEE (110X110)**
**JUNCTIONS: 74E**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD110x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 2 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 3 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 4 | DN100mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - TEE (110x75)**
**JUNCTIONS: 74F,74H**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN110mm DIA. COUPLING | 2 |
| 2 | OD110x75mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN65mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN65mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - END CAP (110)**
**JUNCTIONS: 74I**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD110mm DIA. END CAP | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-074

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 74

| | |
|---|---|
| Designed by: LMN | Drawn by: HG |
| Checked by: PN | Approved by: PN |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-074A
Revision: T0


## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-075
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- Proposed Washout
- Proposed Water Meters
- Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

CENTRAL INDUSTRIAL AREA
REHABILITATION PIPELINES - LAYOUT
Sheet 75

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


Drawing Number: 6000023-HH-GL-DR-W-075
Revision: T0

**DETAIL - TEE (110X110)**
**JUNCTIONS: 75E,75G**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA. FLANGE ADAPTOR | 2 |
| 2 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 3 | OD110mm DIA. HDPE PLAIN ENDED PIPE 12m CUT TO SUIT | 1 |
| 4 | OD110x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 5 | OD110mm DIA. END CAP | 2 |

**DETAIL - TEE (110X110)**
**JUNCTIONS: 75F**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN100mm DIA. FLANGE ADAPTOR | 2 |
| 2 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 3 | OD110mm DIA. HDPE PLAIN ENDED PIPE 12m CUT TO SUIT | 1 |
| 4 | OD110x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 5 | OD110mm DIA. END CAP | 2 |
| 6 | DN110mm DIA. COUPLING | 1 |

**DETAIL - TEE (160X160)**
**JUNCTIONS: 75H**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. FLANGE ADAPTOR | 2 |
| 2 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 3 | OD160mm DIA. HDPE PLAIN ENDED PIPE 12m CUT TO SUIT | 1 |
| 4 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 5 | OD160mm DIA. END CAP | 2 |

**DETAIL - TEE (160X110)**
**JUNCTION: 75J,75O,75P**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - TEE (160X160)**
**JUNCTIONS: 75K**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - 90° BEND**
**BENDS: 75L, 75M**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | DN160mm HDPE PLAIN ENDED 90° BEND | 1 |

**DETAIL - TEE (160X160)**
**JUNCTIONS: 75N**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 3 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |

**DETAIL - TEE (160X160)**
**JUNCTIONS: 75Q**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-075

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT


Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 75A

| | |
|---|---|
| Designed by: LMN | Drawn by: HG |
| Checked by: PN | Approved by: PN |
| Scale: AS SHOWN | Date: JUNE, 2023 |


Drawing Number: 6000023-HH-FT-DR-W-075A
Revision: T0

## DETAIL - TEE (160X160)
## JUNCTIONS: 75R





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (400X160)
## JUNCTIONS: 75S





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN400/400mm DIA. STEPPED COUPLING | 2 |
| 2 | OD400x160mm DIA. PLAIN ENDED HDPE TEE | 2 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 2 |
| 4 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 2 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 2 |
| 6 | OD400mm DIA. HDPE PLAIN ENDED PIPE 12m CUT TO SUIT | 1 |
| 7 | DN400mm DIA. COUPLING | 2 |

## DETAIL - CROSS TEE (300X200)
## JUNCTIONS: 75T




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300mm DIA. COUPLING | 1 |
| 2 | DN300mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN300x200 DIA. ALL FLANGED FERROUS CROSS TEE | 1 |
| 4 | DN300x250mm DIA. FLANGED REDUCER | 1 |
| 5 | DN250mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 6 | DN250mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 7 | DN250mm DIA COUPLING | 1 |
| 8 | DN200mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 9 | DN200mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 10 | DN200mm DIA COUPLING | 1 |
| 11 | DN200x150mm DIA. FLANGED REDUCER | 1 |
| 12 | DN150mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 13 | DN160/150mm DIA STEPPED COUPLING | 1 |

## DETAIL - TEE (200X110)
## JUNCTION: 75U,75V





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

NOTES:


1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-075

## DETAIL - TEE (160X75)
## JUNCTIONS: 75W





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | OD160x75mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN80mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN75mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X75)
## JUNCTIONS:75X




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | OD160x75mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN80mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN75mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - AIR VALVE
## JUNCTIONS: 75Y




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160/160mm DIA. STEPPED COUPLING | 1 |
| 2 | DN150mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN150X50mm DIA. ALLL FLANGED FERROUS TEE | 1 |
| 4 | DN50mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN50mm DIA. SINGLE ORIFICE AIR VALVE | 1 |

Client:

ATHI WATER WORKS

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys
Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR
REHABILITATION OF CENTRAL NAIROBI
AREA WATER NETWORK PROJECT

Drawing Title

SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 75B

| | |
|---|---|
| Designed by: LMN | Drawn by: HG |
| Checked by: PN | Approved by: PN |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-075B

Revision: T0


## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-076
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- Proposed Washout
- Proposed Water Meters
- Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

CENTRAL INDUSTRIAL AREA
REHABILITATION PIPELINES - LAYOUT
Sheet 76

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-076 | T0 |

## DETAIL - TEE (160X160)
## JUNCTIONS: 76A





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - END CAP (160)
## JUNCTIONS: 76B





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160mm DIA. END CAP | 1 |

## DETAIL - TEE (400X300)
## JUNCTIONS: 76C




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN400mm DIA. COUPLING | 2 |
| 2 | DN400mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN400x300mm DIA. ALL FLANGED FERROUS TEE | 1 |
| 4 | DN300mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN300mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN300/315mm DIA. STEPPED COUPLING | 1 |

## DETAIL - 60° H.BEND
## JUNCTIONS: 76D,76E





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN315mm DIA. COUPLING | 2 |
| 2 | DN315mm HDPE PLAIN ENDED 60° BEND | 1 |

## NOTES:


1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-076

## DETAIL - 30° H.BEND
## JUNCTIONS: 76L





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN315mm DIA. COUPLING | 2 |
| 2 | DN315mm HDPE PLAIN ENDED 30° BEND | 1 |

## DETAIL - 60° H.BEND
## JUNCTIONS: 76M





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN110mm DIA. COUPLING | 2 |
| 2 | DN110mm HDPE PLAIN ENDED 60° LONG BEND | 1 |

## DETAIL - TEE (300X300)
## JUNCTIONS: 76F





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN315/300mm DIA. STEPPED COUPLING | 2 |
| 2 | DN300mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN300x300mm DIA. ALL FLANGED FERROUS TEE | 1 |
| 4 | DN300mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN300mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X110)
## JUNCTION: 76G,76H





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X200)
## JUNCTION: 76I





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 4 |
| 2 | OD200mm HDPE PLAIN ENDED 60° BEND | 1 |
| 3 | OD200x200mm DIA. ALL FLANGED FERROUS TEE | 1 |
| 4 | DN200mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN200mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2M LONG | 3 |

## DETAIL - 60° H.BEND
## JUNCTIONS: 76J





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | DN200mm HDPE PLAIN ENDED 60° BEND | 1 |

## DETAIL - TEE (250X200)
## JUNCTIONS: 76K




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN250mm DIA. COUPLING | 2 |
| 2 | DN250mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN250x200mm DIA. ALL FLANGED FERROUS TEE | 1 |
| 4 | DN200mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN200mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN200mm DIA. COUPLING | 1 |

## DETAIL - 400X250 REDUCER
## Junctions: 76S




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN400x250mm DIA. ALL FLANGED FERROUS REDUCER | 1 |
| 2 | DN400mm DIA FERROUS FLANGED SPIGOT PIPE 1.2M LONG | 1 |
| 3 | DN250mm DIA FERROUS FLANGED SPIGOT PIPE 1.2M LONG | 1 |
| 4 | DN400mm DIA. COUPLING | 1 |
| 5 | DN250mm DIA. COUPLING | 1 |
| 6 | DN250mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR
REHABILITATION OF CENTRAL NAIROBI
AREA WATER NETWORK PROJECT

Drawing Title


SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 76A

| | | | |
|---|---|---|---|
| Designed by: | LMN | Drawn by: | HG |
| Checked by: | PN | Approved by: | PN |
| Scale: | AS SHOWN | Date: | JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-076A


Revision: T0

## DETAIL - 45° H.BEND
## JUNCTIONS: 76N





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN250mm DIA. COUPLING | 2 |
| 2 | OD250mm HDPE PLAIN ENDED 45° BEND | 1 |

## DETAIL - 30° H.BEND
## JUNCTIONS: 76O




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN250mm DIA. COUPLING | 2 |
| 2 | DN250mm HDPE PLAIN ENDED 30° BEND | 1 |

## DETAIL - AIR VALVE
## JUNCTIONS: 76R





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300/315mm DIA. STEPPED COUPLING | 1 |
| 2 | DN300mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN300X50mm DIA. ALLL FLANGED FERROUS TEE | 1 |
| 4 | DN50mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN50mm DIA. SINGLE ORIFICE AIR VALVE | 1 |

## DETAIL - END CAP (110)
## JUNCTIONS: 76P





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD110mm DIA. END CAP | 1 |

## DETAIL - AIR VALVE
## JUNCTIONS: 76Q




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/200mm DIA. STEPPED COUPLING | 1 |
| 2 | DN200mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN200X50mm DIA. ALLL FLANGED FERROUS TEE | 1 |
| 4 | DN50mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN50mm DIA. SINGLE ORIFICE AIR VALVE | 1 |

## DETAIL - 45° H.BEND
## JUNCTIONS: 76T, 75U




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | OD160mm HDPE PLAIN ENDED 45° LONG BEND | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-076

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title

SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 76

| | | | |
|---|---|---|---|
| Designed by: | LMN | Drawn by: | HG |
| Checked by: | PN | Approved by: | PN |
| Scale: | AS SHOWN | Date: | JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-076B

Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-077
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

CENTRAL INDUSTRIAL AREA
REHABILITATION PIPELINES - LAYOUT
Sheet 77

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-077 | T0 |

**DETAIL - TEE (200X110)**
**JUNCTIONS: 77A**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - TEE (160X160)**
**JUNCTIONS: 77B**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - 30° H.BEND**
**JUNCTIONS: 77D**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm HDPE PLAIN ENDED 30° BEND | 1 |

**DETAIL - END CAP (110)**
**JUNCTIONS: 77E,77F**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD110mm DIA. END CAP | 1 |

**DETAIL - END CAP (160)**
**JUNCTIONS: 77C**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160mm DIA. END CAP | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-077

Client:

ATHI WATER WORKS

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP inventing for tomorrow

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT


Drawing Title

SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 077

| | |
|---|---|
| Designed by: LMN | Drawn by: HG |
| Checked by: PN | Approved by: PN |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-077A

Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-078
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

CENTRAL INDUSTRIAL AREA
REHABILITATION PIPELINES - LAYOUT
Sheet 78

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-078 | T0 |

## DETAIL - 90° BEND
## BENDS: 78A,78C





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | DN160mm HDPE PLAIN ENDED 90° BEND | 1 |

## DETAIL - TEE (160X160)
## JUNCTIONS: 78B





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. FLANGE ADAPTOR | 1 |
| 2 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 5 | DN160mm DIA. COUPLING | 2 |

## DETAIL - SADDLE CLAMP (160X50) & END CAP (160)
## JUNCTIONS: 78D





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160mm DIA. END CAP | 1 |
| 2 | OD160/50mm DIA. TAPPING SADDLE | 1 |
| 3 | DN50mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 4 | DN50mm DIA. ALL FERROUS FLANGED GATE VALVE | 1 |
| 5 | DN50mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - END CAP (110)
## JUNCTIONS: 78E,78F




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD110mm DIA. END CAP | 1 |

## DETAIL - END CAP (160)
## JUNCTIONS: 78G




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160mm DIA. END CAP | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-078

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title

SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 078

| | | | |
|---|---|---|---|
| Designed by: | LMN | Drawn by: | HG |
| Checked by: | PN | Approved by: | PN |
| Scale: | AS SHOWN | Date: | JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-078A

Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-079
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

CENTRAL INDUSTRIAL AREA
REHABILITATION PIPELINES - LAYOUT
Sheet 79

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-079 | T0 |

## DETAIL - TEE (200X200)
## JUNCTION: 79A





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/200mm DIA. STEPPED COUPLING | 3 |
| 2 | DN200mm DIA. FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 3 |
| 3 | DN200x200 DIA. ALL FLANGED FERROUS CROSS TEE | 1 |
| 4 | DN200mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |

## DETAIL - 90° BEND
## BENDS: 79B




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200mm DIA. HDPE PLAIN ENDED 90° BEND | 1 |

## DETAIL - TEE (225X200)
## JUNCTIONS: 79C




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/200mm DIA. STEPPED COUPLING | 1 |
| 2 | DN200mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 3 |
| 3 | DN200x200mm DIA. ALL FLANGED FERROUS TEE | 1 |
| 4 | DN200mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN225/200mm DIA STEPPED COUPLING | 2 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-079

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys
Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT


Drawing Title

SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 079

| | | | |
|---|---|---|---|
| Designed by: | LMN | Drawn by: | HG |
| Checked by: | PN | Approved by: | PN |
| Scale: | AS SHOWN | Date: | JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-079A

Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-081
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

CENTRAL INDUSTRIAL AREA, SOUTH C
REHABILITATION PIPELINES - LAYOUT
Sheet 81

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-081 | T0 |

**DETAIL - TEE (200X110)**
**JUNCTIONS: 81A**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - TEE (160X50)**
**JUNCTIONS: 81B, 81D, 81E, 81F, 81G, 81H, 81K, 81O, 81P, 81Q, 81S, 81T, 81U**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160x50mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 2 | OD50mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 3 | DN50mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN50mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - TEE (200X160)**
**JUNCTIONS: 81C**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - TEE (160X110)**
**JUNCTIONS: 81I, 81J, 81L, 81R, 81W**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

NOTES:


1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-081

**DETAIL - TEE (160X160)**
**JUNCTIONS: 81M, 81V**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 2 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 3 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN150mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - TEE (150X150)**
**JUNCTIONS: 81N**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160/150mm DIA. STEPPED COUPLING | 2 |
| 2 | DN150mm DIA. SINGLE FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN150x150mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN200x150mm FERROUS ALL FLANGED REDUCER | 1 |
| 6 | DN200mm DIA. SINGLE FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 1 |
| 7 | DN200/200mm DIA. STEPPED COUPLING | 1 |

**DETAIL - 45° H.BEND**
**JUNCTIONS: 81AJ**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm HDPE PLAIN ENDED 45° BEND | 1 |

**DETAIL - 30° H-BEND**
**H-BEND:81Y,81Z,81AA,81AB,81AD, 81AF,81AP,81AR,81AS,81AT**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160mm HDPE PLAIN ENDED 30° BEND | 1 |

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT


Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
Central Industrial Area, South C
REHABILITATION PIPELINES - FITTINGS
Sheet 81A

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE,2023 |


Drawing Number: 6000023-HH-FT-DR-W-081A
Revision: T0

## DETAIL - 60° H-BEND
## H-BEND:81AE,81AG,81AI,81AK,81AL, 81AM,81AN,81AO,81AQ,81AU,81AW





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160mm HDPE PLAIN ENDED 60° BEND | 1 |

## DETAIL - 90° BEND
## JUNCTIONS:81AH





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm HDPE PLAIN ENDED 90° BEND | 1 |

## DETAIL - TEE (160X110)
## JUNCTIONS: 81AC





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 2 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 3 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 4 | DN100mm DIA. FLANGE ADAPTOR | 1 |
| 5 | DN160mm HDPE PLAIN ENDED 90° BEND | 1 |

## DETAIL - TEE (160X160),(200X75)
## JUNCTIONS: 81AV




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150/160mm DIA. STEPPED COUPLING | 1 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |
| 6 | OD160mm DIA. HDPE PLAIN ENDED PIPE 1m LONG | 1 |
| 7 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 8 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 9 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 10 | DN100mm DIA. FLANGE ADAPTOR | 1 |
| 11 | DN150mm DIA. COUPLING | 3 |

## DETAIL - TEE (160X110)
## JUNCTIONS: 81X




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |
| 6 | OD160mm HDPE PLAIN ENDED 45° BEND | 1 |
| 7 | DN150mm DIA. FLANGE ADAPTOR | 1 |
| 8 | DN300x150mm DIA. FERROUS ALL FLANGED REDUCER | 1 |
| 9 | DN300mm DIA. FLANGE ADAPTOR | 1 |

## NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-081

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT


Drawing Title

Central Industrial Area, South C
REHABILITATION PIPELINES - FITTINGS
Sheet 81B

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE,2023 |

Drawing Number: 6000023-HH-FT-DR-W-081B

Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-082
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

CENTRAL INDUSTRIAL AREA, SOUTH C
REHABILITATION PIPELINES - LAYOUT
Sheet 82

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-082 | T0 |

## DETAIL - TEE (200X150)
## JUNCTIONS: 82A





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160/150mm DIA. STEPPED COUPLING | 1 |
| 2 | DN150mm DIA. SINGLE FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 1 |
| 3 | DN150x150mm DIA. FERROUS ALL FLANGED TEE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN200x150mm FERROUS ALL FLANGED REDUCER | 1 |
| 6 | DN200mm DIA. SINGLE FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 1 |
| 7 | DN200/200mm DIA. STEPPED COUPLING | 1 |

## DETAIL - TEE (200X75)
## JUNCTIONS: 82B





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x75mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN80mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN75mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X150)
## JUNCTIONS: 82H




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x160mm DIA. PLAIN ENDED EQUAL HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - 90° H-BEND
## H-BEND : 82K, 82J





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm HDPE PLAIN ENDED 90° BEND | 1 |

NOTES:


1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-LP-DR-W-082

## DETAIL - TEE (160X110)
## JUNCTIONS: 82D, 82F, 82G, 82F1





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X160)
## JUNCTIONS: 82E




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150mm DIA. FLANGE ADAPTOR | 2 |
| 2 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 2 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 2 |
| 4 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 5 | DN150mm DIA. COUPLING | 1 |

## DETAIL - TEE (300X160)
## JUNCTIONS: 82C




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN315/300mm DIA. STEPPED COUPLING | 2 |
| 2 | OD315x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. FERROUS ALL FLANGED GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR
REHABILITATION OF CENTRAL NAIROBI
AREA WATER NETWORK PROJECT


Drawing Title

Central Industrial Area, South C
REHABILITATION PIPELINES - FITTINGS
Sheet 82A

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE,2023 |

Drawing Number: 6000023-HH-FT-DR-W-082A

Revision: T0





NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-083
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

CENTRAL INDUSTRIAL AREA
REHABILITATION PIPELINES - LAYOUT
Sheet 83

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


Drawing Number: 6000023-HH-GL-DR-W-083
Revision: T0

## DETAIL - TEE (800X100)
## JUNCTIONS: 83A





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN800mm DIA. COUPLING | 2 |
| 2 | DN800mm DIA. FERROUS FLANGED SPIGOT PIPE | 2 |
| 3 | DN800x100mm DIA. ALL FLANGED FERROUS REDUCING TEE | 1 |
| 4 | DN100mm DIA. FERROUS FLANGED SPIGOT PIPE | 1 |
| 5 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 6 | DN100mm DIA. COUPLING | 1 |

## DETAIL - 45°TEE (160X160)
## JUNCTIONS:83B





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN110mm DIA. COUPLING | 1 |
| 2 | OD110x110mm DIA. PLAIN ENDED 45o HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |
| 6 | OD160X110mm DIA. PLAIN ENDED HDPE REDUCER | 1 |
| 7 | OD160mm DIA. HDPE PLAIN ENDED PIPE 12m CUT TO SUIT | 1 |
| 8 | DN160mm DIA. COUPLING | 1 |

## DETAIL - END CAP (110)
## JUNCTIONS: 83C




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD110mm DIA. END CAP | 1 |

## DETAIL - TEE (160X110)
## JUNCTIONS:83D,83F





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

NOTES:


1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-083

## DETAIL - TEE (160X75)
## JUNCTIONS: 83E





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | OD160x75mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN65mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN65mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X160)
## JUNCTIONS: 83G





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X200)
## JUNCTIONS: 83H




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/200mm DIA. STEPPED COUPLING | 3 |
| 2 | OD200mm DIA. FLANGED SPIGOT PIPE 1.2m LONG | 3 |
| 3 | DN200x200mm DIA. ALL FLANGED FERROUS TEE | 1 |
| 4 | DN200mm DIA. ALL FLANGED FERROUS GATE VALVE | 2 |

## DETAIL - 45° TEE (200X200)
## JUNCTIONS: 83I





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 3 |
| 2 | OD200x200mm DIA. PLAIN ENDED 45o HDPE TEE | 1 |

## DETAIL - END CAP (200)
## JUNCTIONS: 83J





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD200mm DIA. END CAP | 1 |

## DETAIL - 45° H.BEND
## JUNCTIONS: 83B.1




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD110mm DIA. COUPLING | 2 |
| 2 | OD110mm HDPE PLAIN ENDED 45° BEND | 1 |

## DETAIL - 30° H.BEND
## JUNCTIONS: 83A.1




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD110mm DIA. COUPLING | 2 |
| 2 | OD110mm HDPE PLAIN ENDED 30° BEND | 1 |

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title

SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 83

| | |
|---|---|
| Designed by: LMN | Drawn by: HG |
| Checked by: PN | Approved by: PN |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-083A

Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-084
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

CENTRAL INDUSTRIAL AREA
REHABILITATION PIPELINES - LAYOUT
Sheet 84

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-084 | T0 |

## DETAIL - TEE (200X110)
## JUNCTIONS:84A





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x110mm DIA. PLAIN ENDED 45o HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X110)
## JUNCTION: 84B,84E





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X200)
## JUNCTION: 84C




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/200mm DIA. STEPPED COUPLING | 3 |
| 2 | DN200mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN200x200mm DIA. ALL FLANGED FERROUS TEE | 1 |
| 4 | DN200mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN200mm DIA. FLANGE ADAPTOR | 1 |
| 6 | DN200mm DIA FERROUS PLAIN ENDED SPIGOT PIPE 1.2m LONG | 1 |

## DETAIL - 30° H.BEND
## JUNCTIONS: 84D





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD200mm DIA. COUPLING | 2 |
| 2 | OD200mm HDPE PLAIN ENDED 30° BEND | 1 |

NOTES:


1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-084

## DETAIL - TEE (200X160)
## JUNCTIONS: 84F





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | DN160mm DIA. COUPLING | 1 |

## DETAIL - 30° H.BEND
## JUNCTIONS: 84G





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160mm DIA. COUPLING | 2 |
| 2 | OD160mm HDPE PLAIN ENDED 30° BEND | 1 |

## DETAIL - 60° H.BEND
## JUNCTIONS: 84H




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160mm DIA. COUPLING | 2 |
| 2 | OD160mm HDPE PLAIN ENDED 60° BEND | 1 |

## DETAIL - AIR VALVE
## JUNCTIONS: 84I




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/200mm DIA. STEPPED COUPLING | 1 |
| 2 | DN200mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN200X50mm DIA. ALLL FLANGED FERROUS TEE | 1 |
| 4 | DN50mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN50mm DIA. SINGLE ORIFICE AIR VALVE | 1 |

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT


Drawing Title

SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 84

| | |
|---|---|
| Designed by: LMN | Drawn by: HG |
| Checked by: PN | Approved by: PN |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-084A

Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-085
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

CENTRAL INDUSTRIAL AREA
REHABILITATION PIPELINES - LAYOUT
Sheet 85

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-085 | T0 |

## DETAIL - TEE (200X110)
## JUNCTIONS: 85A,85D,85G,85J





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - 90° BEND
## BENDS: 85B





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | DN200mm HDPE PLAIN ENDED 90° BEND | 1 |

## DETAIL - TEE (200X200)
## JUNCTIONS: 85C





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/200mm DIA. STEPPED COUPLING | 2 |
| 2 | DN200mm DIA. FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN200x200mm DIA. ALL FLANGED FERROUS TEE | 1 |
| 4 | DN200x100mm DIA. ALL FLANGED FERROUS REDUCER | 1 |
| 5 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 6 | DN100mm DIA. FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 7 | DN100/110mm DIA. STEPPED COUPLING | 1 |

## DETAIL - TEE (315X110)
## JUNCTIONS: 85L,85M





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN315mm DIA. COUPLING | 2 |
| 2 | OD315x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (315X110)
## JUNCTIONS: 85E





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN315mm DIA. COUPLING | 2 |
| 2 | OD315x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (315X110)
## JUNCTIONS: 85F





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN315mm DIA. COUPLING | 2 |
| 2 | OD315x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - 30° H.BEND
## JUNCTIONS: 85H





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN315mm DIA. COUPLING | 2 |
| 2 | OD315mm HDPE PLAIN ENDED 30° BEND | 1 |

## DETAIL - 30° H.BEND
## JUNCTIONS: 85I




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | DN200mm HDPE PLAIN ENDED 30° BEND | 1 |

## DETAIL - TEE (200X200)
## JUNCTION: 85K




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 3 |
| 2 | DN200mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN200x200mm DIA. ALL FLANGED FERROUS TEE | 1 |
| 4 | DN200mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN200mm DIA. FLANGE ADAPTOR | 1 |
| 6 | DN200mm DIA FERROUS PLAIN ENDED SPIGOT PIPE 1.2m LONG | 1 |

## NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-085

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR
REHABILITATION OF CENTRAL NAIROBI
AREA WATER NETWORK PROJECT


Drawing Title

SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 85

| | |
|---|---|
| Designed by: LMN | Drawn by: HG |
| Checked by: PN | Approved by: PN |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-085A

Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-086
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

ATHI WATER WORKS

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers

The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

CENTRAL INDUSTRIAL AREA
REHABILITATION PIPELINES - LAYOUT
Sheet 86

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-086 | T0 |

## DETAIL - END CAP (110)
## JUNCTIONS: 86A,86B,86F





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD110mm DIA. END CAP | 1 |

## DETAIL - TEE (160X160)
## JUNCTIONS: 86C





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 1 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. END CAP | 2 |

## DETAIL - 90° BEND
## BENDS: 86D,86E




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | DN160mm HDPE PLAIN ENDED 90° BEND | 1 |

## DETAIL - TEE (200X200)
## JUNCTIONS: 86G




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/200mm DIA. STEPPED COUPLING | 3 |
| 2 | DN200mm DIA. FLANGED SPIGOT PIPE 1.2m LONG | 3 |
| 3 | DN200x200mm DIA. ALL FLANGED FERROUS TEE | 1 |
| 4 | DN200mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-086

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys
Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT


Drawing Title

SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 086

| | |
|---|---|
| Designed by: LMN | Drawn by: HG |
| Checked by: PN | Approved by: PN |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-086A

Revision: T0





NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-087
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

CENTRAL INDUSTRIAL AREA
REHABILITATION PIPELINES - LAYOUT
Sheet 87

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


Drawing Number: 6000023-HH-GL-DR-W-087
Revision: T0

**DETAIL - TEE (200X110)**
**JUNCTIONS: 87A**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - 60° H.BEND**
**JUNCTIONS: 87B**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200mm HDPE PLAIN ENDED 60° BEND | 1 |

**DETAIL - TEE (200X200)**
**JUNCTIONS: 87C**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/200mm DIA. STEPPED COUPLING | 2 |
| 2 | DN200mm DIA. FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN200x200mm DIA. ALL FLANGED FERROUS TEE | 1 |
| 4 | DN200x150mm DIA. ALL FLANGED FERROUS REDUCER | 1 |
| 5 | DN150mm DIA. FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN150mm DIA. COUPLING | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-087

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR
REHABILITATION OF CENTRAL NAIROBI
AREA WATER NETWORK PROJECT


Drawing Title

SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 087

| | | | |
|---|---|---|---|
| Designed by: | LMN | Drawn by: | HG |
| Checked by: | PN | Approved by: | PN |
| Scale: | AS SHOWN | Date: | JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-087A

Revision: T0




## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-095
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated

| | | |
|---|---|---|
| 82 | 83 | 84 |
| 94 | 95 | 96 |
| 103 | 104 | 105 |

Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

CENTRAL INDUSTRIAL AREA, SOUTH C
REHABILITATION PIPELINES - LAYOUT
Sheet 95

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-095 | T0 |

**DETAIL - TEE (200X200)**
**JUNCTIONS: 95A**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/200mm DIA. STEPPED COUPLING | 1 |
| 2 | DN200mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2M LONG | 1 |
| 3 | DN200mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 4 | DN200x200mm DIA. ALL FLANGED FERROUS TEE | 1 |
| 5 | DN200x150mm DIA. ALL FLANGED FERROUS REDUCER | 1 |
| 6 | DN150mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2M LONG | 1 |
| 7 | DN150mm DIA. COUPLING | 1 |
| 8 | DN300x200mm DIA. ALL FLANGED FERROUS REDUCER | 1 |
| 9 | DN300mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2M LONG | 1 |
| 10 | DN300mm DIA. COUPLING | 1 |

**DETAIL - TEE (200X200)**
**JUNCTIONS: 95B**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 3 |
| 2 | OD200x200mm DIA. PLAIN ENDED HDPE TEE | 1 |

**DETAIL - TEE (200X200)**
**JUNCTIONS: 95D**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 1 |
| 2 | OD200x200mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD200mm DIA. END CAP | 2 |

**DETAIL - 90° BEND**
**BENDS: 95E,95F,95J**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | DN200mm HDPE PLAIN ENDED 90° BEND | 1 |

NOTES:


1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-095

**DETAIL - 45° H.BEND**
**JUNCTIONS: 95G**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD200mm DIA. COUPLING | 2 |
| 2 | OD200mm HDPE PLAIN ENDED 45° BEND | 1 |

**DETAIL - CROSS TEE (200X160)**
**JUNCTIONS: 95K**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 3 |
| 2 | DN200mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 3 |
| 3 | DN200 DIA. ALL FLANGED FERROUS CROSS TEE | 1 |
| 4 | DN200x150mm DIA. ALL FLANGED FERROUS REDUCER | 1 |
| 5 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 6 | DN150mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 7 | DN160/150mm DIA. STEPPED COUPLING | 1 |

**DETAIL - TEE (200X160)**
**JUNCTIONS: 95H**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

**DETAIL - TEE (160X110)**
**JUNCTIONS: 95I**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 2 | DN110/100mm DIA. STEPPED COUPLING | 1 |

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT


Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 095A

| | |
|---|---|
| Designed by: LMN | Drawn by: HG |
| Checked by: PN | Approved by: PN |
| Scale: AS SHOWN | Date: JUNE, 2023 |


Drawing Number: 6000023-HH-FT-DR-W-095A
Revision: T0

## DETAIL - END CAP (160)
## JUNCTIONS: 95Q,95O,95R





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160mm DIA. END CAP | 1 |

## DETAIL - CROSS TEE (200X150)
## JUNCTIONS: 95L





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160/150mm DIA. STEPPED COUPLING | 2 |
| 2 | DN150mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 2 |
| 4 | DN200X150mm DIA. ALL FLANGED FERROUS CROSS TEE | 1 |
| 5 | DN200mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 6 | DN200mm DIA. COUPLING | 2 |

## DETAIL - CROSS TEE (200X160)
## JUNCTIONS: 95M





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160/150mm DIA. STEPPED COUPLING | 2 |
| 2 | DN150mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 2 |
| 4 | DN200X150mm DIA. ALL FLANGED FERROUS CROSS TEE | 1 |
| 5 | DN200mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 6 | DN200mm DIA. COUPLING | 2 |

## DETAIL - 45° H.BEND
## JUNCTIONS: 95N





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160mm DIA. COUPLING | 2 |
| 2 | OD160mm HDPE PLAIN ENDED 45° BEND | 1 |

## DETAIL - 45° H.BEND
## JUNCTIONS: 95P




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm HDPE PLAIN ENDED 45° BEND | 1 |

## DETAIL - TEE (200X63)
## JUNCTIONS: 95S




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/63mm DIA. TAPPING SADDLE | 1 |
| 2 | OD63mm DIA. HDPE PLAIN ENDED PIPE 12m CUT TO SUIT | 1 |
| 3 | OD63mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN65mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN65mm DIA. FLANGE ADAPTOR | 1 |

## NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-095

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys
Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT


Drawing Title

SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 095B

| | | | |
|---|---|---|---|
| Designed by: | LMN | Drawn by: | HG |
| Checked by: | PN | Approved by: | PN |
| Scale: | AS SHOWN | Date: | JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-095B

Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-096
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

CENTRAL INDUSTRIAL AREA
REHABILITATION PIPELINES - LAYOUT
Sheet 96

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


Drawing Number: 6000023-HH-GL-DR-W-096
Revision: T0

## DETAIL - TEE (160X110)
## JUNCTIONS: 96A





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 1 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | DN110/100mm DIA. STEPPED COUPLING | 1 |
| 4 | OD160mm DIA. END CAP | 1 |

## DETAIL - TEE (110X110)
## JUNCTIONS:96B,96F





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN110/100mm DIA. STEPPED COUPLING | 2 |
| 2 | OD110x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X110)
## JUNCTIONS:96C,96J





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - 90° BEND
## BENDS: 96D,96E





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | DN200mm HDPE PLAIN ENDED 90° BEND | 1 |

## DETAIL - TEE (160X160)
## JUNCTIONS: 96G





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | OD160x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (160X75)
## JUNCTIONS:96H,96I





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | OD160x75mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN80mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN75mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X200)
## JUNCTIONS: 96K




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/200mm DIA. STEPPED COUPLING | 2 |
| 2 | DN200mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2M LONG | 2 |
| 3 | DN200mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 4 | DN200x200mm DIA. ALL FLANGED FERROUS TEE | 1 |
| 5 | DN200x150mm DIA. ALL FLANGED FERROUS REDUCER | 1 |
| 6 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 7 | DN150mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2M LONG | 1 |
| 8 | DN160/150mm DIA. STEPPED COUPLING | 1 |

## DETAIL - TEE (200X160) AND 45° BEND
## JUNCTIONS: 96L




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 4 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |
| 6 | DN200mm DIA. PLAIN ENDED HDPE PIPE 12m CUT TO SUIT | 1 |
| 7 | OD200mm HDPE PLAIN ENDED 45° BEND | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-096

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys
Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title


SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 096A

| | |
|---|---|
| Designed by: LMN | Drawn by: HG |
| Checked by: PN | Approved by: PN |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-096A


Revision: T0

## DETAIL - SADDLE CLAMP (200X50)
## JUNCTIONS: 96M





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200/50mm DIA. TAPPING SADDLE | 1 |
| 2 | OD50mm DIA. HDPE PLAIN ENDED PIPE 12m CUT TO SUIT | 1 |
| 3 | OD50mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN50mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN50mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - 45° H.BEND
## JUNCTIONS: 96N





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD200mm DIA. COUPLING | 2 |
| 2 | OD200mm HDPE PLAIN ENDED 45° BEND | 1 |

## DETAIL - TEE (200X160)
## JUNCTIONS: 96O




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 4 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X200)
## JUNCTIONS: 96P





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | DN200mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2M LONG | 2 |
| 3 | DN200mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 4 | DN200x200mm DIA. ALL FLANGED FERROUS TEE | 1 |
| 5 | DN200x100mm DIA. ALL FLANGED FERROUS REDUCER | 1 |
| 6 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 7 | DN100mm DIA. FERROUS FLANGED SPIGOT PIPE 1.2M LONG | 1 |
| 8 | DN100mm DIA. COUPLING | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-096

## DETAIL - TEE (200X160)
## JUNCTIONS: 96Q




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 4 |
| 2 | OD200x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - END CAP (160)
## JUNCTIONS: 96T,96S,96R





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160mm DIA. END CAP | 1 |

## DETAIL - END CAP (200)
## JUNCTIONS: 96U




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD200mm DIA. END CAP | 1 |

## DETAIL - WASHOUT
## JUNCTIONS: 96V




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD200mm DIA. HDPE STUB END AND FLANGE | 2 |
| 2 | DN200x100mm DIA. ALL FLANGED FERROUS TEE | 1 |
| 3 | DN100mm DIA. ALL FLANGED GATE VALVE | 1 |
| 4 | DN100mm DIA. FLANGE ADAPTOR | 1 |
| 5 | DN100mm DIA. PLAIN ENDED FERROUS PIPE 1.2m LONG | 1 |
| 6 | DN100/110mm DIA. STEPPED COUPLING | 1 |
| 7 | DN200mm DIA. COUPLING | 2 |

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT


Drawing Title

SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 096B

| | |
|---|---|
| Designed by: LMN | Drawn by: HG |
| Checked by: PN | Approved by: PN |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-096B

Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-097
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

CENTRAL INDUSTRIAL AREA
REHABILITATION PIPELINES - LAYOUT
Sheet 97

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-097 | T0 |

## DETAIL - TEE (200X110)
## JUNCTION: 97A,97C





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X75)
## JUNCTIONS: 97B





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x75mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN80mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN80mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X100)
## JUNCTION: 97D,97E




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X200)
## JUNCTIONS: 97F




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 1 |
| 2 | OD200x200mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | DN200/150mm DIA. STEPPED COUPLING | 1 |
| 4 | OD200mm DIA. END CAP | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-097

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys
Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR
REHABILITATION OF CENTRAL NAIROBI
AREA WATER NETWORK PROJECT


Drawing Title

SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 097

| | | | |
|---|---|---|---|
| Designed by: | LMN | Drawn by: | HG |
| Checked by: | PN | Approved by: | PN |
| Scale: | AS SHOWN | Date: | JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-097A

Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-098
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

CENTRAL INDUSTRIAL AREA
REHABILITATION PIPELINES - LAYOUT
Sheet 98

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-098 | T0 |

## DETAIL - 45° BEND
## BENDS: 98A,98B





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | DN160mm HDPE PLAIN ENDED 45° LONG BEND | 1 |

## DETAIL - 60° H.BEND
## JUNCTIONS: 98G,98H





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD200mm DIA. COUPLING | 2 |
| 2 | OD200mm HDPE PLAIN ENDED 60° BEND | 1 |

## DETAIL - 45° H.BEND
## JUNCTIONS: 98P,98Q





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD315mm DIA. COUPLING | 2 |
| 2 | OD315mm HDPE PLAIN ENDED 45° BEND | 1 |

## DETAIL - TEE (315X110)
## JUNCTIONS: 98D.1





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN315mm DIA. COUPLING | 2 |
| 2 | OD315x75mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN80mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN80mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (315X160)
## JUNCTIONS: 98C,98T





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN315mm DIA. COUPLING | 2 |
| 2 | OD315x160mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD160mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X200)
## JUNCTION: 98I





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 3 |
| 2 | DN200mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN200x200mm DIA. ALL FLANGED FERROUS TEE | 1 |
| 4 | DN200mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN200mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |

## DETAIL - TEE (160X110)
## JUNCTION: 98W





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - 30° H.BEND
## JUNCTIONS: 98D





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN315mm DIA. COUPLING | 2 |
| 2 | OD315mm HDPE PLAIN ENDED 30° BEND | 1 |

## DETAIL - TEE (200X200)
## JUNCTIONS: 98J





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 3 |
| 2 | OD200x200mm DIA. PLAIN ENDED HDPE TEE | 1 |

## DETAIL - TEE (200X110)
## JUNCTIONS: 98X





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X110)
## JUNCTIONS: 98E





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (315X200)
## JUNCTIONS: 98O




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN315/300mm DIA. STEPPED COUPLING | 2 |
| 2 | DN300mm DIA FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN300x200mm DIA. ALL FLANGED FERROUS TEE | 1 |
| 4 | DN200mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN200mm DIA FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN200mm DIA. COUPLING | 1 |

## DETAIL - 45° H.BEND
## JUNCTIONS: 98U,98V




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160mm DIA. COUPLING | 2 |
| 2 | OD160mm HDPE PLAIN ENDED 45° BEND | 1 |

NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-098

Client:

ATHI WATER WORKS

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP
inventing for tomorrow

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys
Consulting Engineers

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title

SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 98

| | |
|---|---|
| Designed by: LMN | Drawn by: HG |
| Checked by: PN | Approved by: PN |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-098A

Revision: T0





## NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-099
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

## LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

CENTRAL INDUSTRIAL AREA
REHABILITATION PIPELINES - LAYOUT
Sheet 99

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-GL-DR-W-099 | T0 |

## DETAIL - TEE (200X200)
## JUNCTION: 99A





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 3 |
| 2 | DN200mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN200x200mm DIA. ALL FLANGED FERROUS TEE | 1 |
| 4 | DN200mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN200mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |

## DETAIL - TEE (200X75)
## JUNCTIONS: 99B





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x75mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN80mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN80mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (200X200)
## JUNCTION: 99C




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 4 |
| 2 | DN200mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN200x200mm DIA. ALL FLANGED FERROUS TEE | 1 |
| 4 | DN200mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN200mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 6 | OD200mm HDPE PLAIN ENDED 45° BEND | 1 |

## DETAIL - TEE (200X100)
## JUNCTION: 99I





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | OD200x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-099

## DETAIL - 90° BEND
## BENDS: 99D




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN200mm DIA. COUPLING | 2 |
| 2 | DN200mm HDPE PLAIN ENDED 90° BEND | 1 |

## DETAIL - REDUCER (300x200)
## JUNCTIONS: 99E




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN300/315mm DIA. STEPPED COUPLING | 1 |
| 2 | DN300mm DIA FERROUS FLANGED SPIGOT PIPE 1.2M LONG | 1 |
| 3 | DN300X200mm DIA. ALL FLANGED FERROUS REDUCER | 1 |
| 4 | DN200mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN200mm DIA. FERROUS ALL FLANGED SPIGOT PIPE 0.5m LONG | 1 |
| 6 | DN200mm DIA. FLANGED Y-STRAINER | 1 |
| 7 | DN200mm DIA. WATER METER | 1 |
| 8 | DN200mm DIA. FLANGE ADAPTOR | 1 |
| 9 | DN200mm DIA. PLAIN ENDED FERROUS SPIGOT PIPE 1.2m LONG | 1 |
| 10 | DN200/225mm DIA. STEPPED COUPLING | 1 |

## DETAIL - TEE (315X225)
## JUNCTIONS: 99F





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN315/300mm DIA. STEPPED COUPLING | 2 |
| 2 | DN300mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN300x200mm DIA. ALL FLANGED FERROUS TEE | 1 |
| 4 | DN200mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN200mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN225/200mm DIA. STEPPED COUPLING | 1 |

## DETAIL - TEE (400X315)
## JUNCTION: 99G




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN315/300mm DIA. STEPPED COUPLING | 2 |
| 2 | DN300mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN300x300mm DIA. ALL FLANGED FERROUS TEE | 1 |
| 4 | DN300mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN400mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN400mm DIA. COUPLING | 1 |
| 7 | DN400X300mm DIA. ALL FLANGED FERROUS REDUCER | 1 |

## DETAIL - TEE (315X110)
## JUNCTIONS: 99H




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN315mm DIA. COUPLING | 2 |
| 2 | OD315x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys
Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR
REHABILITATION OF CENTRAL NAIROBI
AREA WATER NETWORK PROJECT


Drawing Title

SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 99

| | |
|---|---|
| Designed by: LMN | Drawn by: HG |
| Checked by: PN | Approved by: PN |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-FT-DR-W-099A

Revision: T0





NOTES

1. POSITIONS OF EXISTING PIPELINES ARE AS PROVIDED BY NCWSC RECORDS. PRECISE LOCATIONS TO BE DETERMINED ON SITE.
2. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS
3. PIPELINE DIAMETERS ARE SHOWN IN MILLIMETERS
4. PIPE FITTINGS DETAILS ARE GIVEN ON DRAWING NUMBER 6000023-HH-FT-DR-W-100
5. P-200 PROPOSED PIPE DIAMETER
6. E-200 EXISTING PIPE DIAMETER

LEGEND

- Pipelines to be Rehabilitated
- Proposed Realignment of Pipelines
- Existing NCWSC Network
- Existing Sluice Valve to be Replaced
- Proposed Sluice Valve
- WO Proposed Washout
- M Proposed Water Meters
- AV Proposed Air Valves
- Existing Hydrant to be Replaced
- Proposed Hydrant

Sheet Index Showing Adjacent Sheets and Lines to Be Rehabilitated




Client

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 - 00100
Nairobi - Kenya.

Design and Supervision Consultant

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 - 00606 Nairobi.

The Address, Muthangari Drive,
off Waiyaki Way.
P.O Box 30156 - 00100 Nairobi.

Project Name

CKE1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title

CENTRAL INDUSTRIAL AREA, EASTERN INDUSTRIAL AREA REHABILITATION PIPELINES - LAYOUT
Sheet 100

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: 1:2,000 | Date: JUNE, 23 |


| Drawing Number | Revision |
|---|---|
| 6000023-HH-LP-DR-W-100 | T0 |

## DETAIL - TEE (150X150)
## JUNCTION: 100A





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150/160mm DIA. STEPPED COUPLING | 2 |
| 2 | DN150mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN150x150mm DIA. ALL FLANGED FERROUS TEE | 1 |
| 4 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN200mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 1 |
| 6 | DN200/200mm DIA. STEPPED COUPLING | 1 |
| 7 | DN200X150mm DIA. ALL FLANGED FERROUS REDUCER | 1 |

## DETAIL - 90° BEND & WATER METER
## JUNCTIONS: 100B





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 1 |
| 2 | DN160mm HDPE PLAIN ENDED 90° BEND | 1 |
| 3 | DN150/160mm DIA. STEPPED COUPLING | 1 |
| 4 | DN150mm DIA FERROUS FLANGED SPIGOT PIPE 1.2m LONG | 2 |
| 5 | DN150mm DIA. FLANGE ADAPTOR | 1 |
| 6 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 7 | DN150mm DIA. FERROUS ALL FLANGED SPIGOT PIPE 0.5m LONG | 1 |
| 8 | DN150mm DIA. FLANGED Y-STRAINER | 1 |
| 9 | DN150mm DIA. WATER METER | 1 |

## DETAIL - TEE (160X75)
## JUNCTIONS: 100C




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | OD160x75mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN80mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN75mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - TEE (150X150)
## JUNCTIONS: 100D





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN150/160mm DIA. STEPPED COUPLING | 2 |
| 2 | DN150mm DIA. SINGLE FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 2 |
| 3 | DN150x150mm DIA. ALL FLANGED FERROUS TEE | 1 |
| 4 | DN150mm DIA. ALL FLANGED FERROUS GATE VALVE | 2 |
| 5 | DN200x150mm ALL FLANGED FERROUS REDUCER | 1 |
| 6 | DN200mm DIA. SINGLE FLANGED FERROUS SPIGOT PIPE 1.2m LONG | 1 |
| 7 | DN200/225mm DIA. STEPPED COUPLING | 1 |

NOTES:


1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING 6000023-HH-GL-DR-W-100

## DETAIL - TEE (160X110)
## JUNCTIONS:100E




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | DN160mm DIA. COUPLING | 2 |
| 2 | OD160x110mm DIA. PLAIN ENDED HDPE TEE | 1 |
| 3 | OD110mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 4 | DN100mm DIA. ALL FLANGED FERROUS GATE VALVE | 1 |
| 5 | DN100mm DIA. FLANGE ADAPTOR | 1 |

## DETAIL - WASHOUT
## JUNCTIONS: 100F




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | OD160mm DIA. HDPE STUB END AND FLANGE | 2 |
| 2 | DN150x80mm DIA. FERROUS ALL FLANGED LEVEL INVERT TEE | 1 |
| 3 | DN80mm DIA. ALL FLANGED GATE VALVE | 1 |
| 4 | DN80mm DIA. FLANGE ADAPTOR | 1 |
| 5 | DN80mm DIA. FLANGED FERROUS PIPE 1.2m LONG | 1 |
| 6 | DN160mm DIA. COUPLING | 2 |

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR
REHABILITATION OF CENTRAL NAIROBI
AREA WATER NETWORK PROJECT

Drawing Title

SOUTH B, INDUSTRIAL AREA & JOGOO RD
REHABILITATION PIPELINES - FITTINGS
Sheet 100

| | | | |
|---|---|---|---|
| Designed by: | LMN | Drawn by: | HG |
| Checked by: | PN | Approved by: | PN |
| Scale: | AS SHOWN | Date: | JUNE, 2023 |


Drawing Number: 6000023-HH-FT-DR-W-100A

Revision: T0

# PLAN AND PROFILE DRAWINGS




PLAN
SCALE 1:2000





DATUM 1630.00 (Masl)

| CHAINAGES (M) | 0+000 | 0+020 | 0+040 | 0+060 | 0+080 | 0+100 | 0+120 | 0+140 | 0+160 | 0+180 | 0+200 | 0+220 | 0+240 | 0+260 | 0+280 | 0+300 | 0+320 | 0+340 | 0+360 | 0+380 | 0+400 | 0+420 | 0+440 | 0+460 | 0+480 | 0+500 | 0+520 | 0+540 | 0+560 | 0+580 | 0+600 | 0+620 | 0+640 | 0+660 | 0+680 | 0+700 | 0+720 | 0+740 | 0+760 | 0+780 | 0+800 | 0+820 | 0+840 | 0+860 | 0+880 | 0+900 | 0+920 | 0+940 | 0+960 | 0+980 | 1+000 | 1+020 | 1+040 | 1+060 | 1+080 | 1+100 | 1+120 | 1+140 | 1+160 | 1+180 | 1+200 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GROUND LEVELS (Masl) | 1649.40 | 1649.16 | 1648.91 | 1648.69 | 1648.47 | 1648.25 | 1648.03 | 1647.82 | 1647.60 | 1647.51 | 1647.46 | 1647.41 | 1647.36 | 1647.30 | 1647.25 | 1647.20 | 1647.15 | 1647.10 | 1647.04 | 1646.94 | 1646.79 | 1646.58 | 1646.45 | 1645.81 | 1645.52 | 1645.18 | 1644.90 | 1644.60 | 1644.40 | 1644.38 | 1644.03 | 1643.82 | 1643.77 | 1643.57 | 1643.32 | 1642.94 | 1642.55 | 1642.10 | 1641.65 | 1641.26 | 1640.92 | 1640.85 | 1640.30 | 1639.78 | 1639.58 | 1639.30 | 1639.07 | 1638.79 | 1638.58 | 1638.24 | 1638.02 | 1637.75 | 1637.54 | 1637.31 | 1637.27 | 1637.07 | 1636.99 | 1636.76 | 1636.78 | 1636.75 | 1636.65 |
| INVERT LEVELS (Masl) | 1648.10 | 1647.90 | 1647.69 | 1647.49 | 1647.29 | 1647.08 | 1646.88 | 1646.67 | 1646.47 | 1646.27 | 1646.17 | 1646.13 | 1646.09 | 1646.05 | 1646.02 | 1645.98 | 1645.94 | 1645.90 | 1645.87 | 1645.83 | 1645.66 | 1645.24 | 1644.82 | 1644.40 | 1643.98 | 1643.72 | 1643.50 | 1643.27 | 1643.04 | 1642.82 | 1642.59 | 1642.36 | 1642.13 | 1641.91 | 1641.67 | 1641.31 | 1640.95 | 1640.59 | 1640.23 | 1639.88 | 1639.52 | 1639.16 | 1638.80 | 1638.48 | 1638.23 | 1637.98 | 1637.72 | 1637.47 | 1637.22 | 1636.97 | 1636.72 | 1636.47 | 1636.22 | 1635.96 | 1635.71 | 1635.46 | 1635.21 | 1634.96 | 1634.71 | 1634.54 | 1634.38 |
| TRENCH DEPTH (M) | 1.30 | 1.26 | 1.22 | 1.20 | 1.18 | 1.17 | 1.16 | 1.14 | 1.13 | 1.24 | 1.29 | 1.28 | 1.26 | 1.25 | 1.24 | 1.22 | 1.21 | 1.19 | 1.17 | 1.12 | 1.13 | 1.34 | 1.62 | 1.41 | 1.54 | 1.45 | 1.40 | 1.33 | 1.36 | 1.56 | 1.44 | 1.46 | 1.64 | 1.66 | 1.66 | 1.63 | 1.60 | 1.51 | 1.42 | 1.38 | 1.40 | 1.69 | 1.50 | 1.30 | 1.35 | 1.33 | 1.34 | 1.32 | 1.36 | 1.27 | 1.30 | 1.28 | 1.33 | 1.34 | 1.55 | 1.61 | 1.78 | 1.81 | 2.07 | 2.21 | 2.28 |
| SIZE/TYPE OF PIPE & HGL | OD200mm PN16 HDPE PIPE | | |




PLAN
SCALE 1:2000





DATUM 1615.00 (Masl)

| CHAINAGES (M) | 1+200 | 1+220 | 1+240 | 1+260 | 1+280 | 1+300 | 1+320 | 1+340 | 1+360 | 1+380 | 1+400 | 1+420 | 1+440 | 1+460 | 1+480 | 1+500 | 1+520 | 1+540 | 1+560 | 1+580 | 1+600 | 1+620 | 1+640 | 1+660 | 1+680 | 1+700 | 1+720 | 1+740 | 1+760 | 1+780 | 1+800 | 1+820 | 1+840 | 1+860 | 1+880 | 1+900 | 1+920 | 1+940 | 1+960 | 1+980 | 2+000 | 2+020 | 2+040 | 2+060 | 2+080 | 2+100 | 2+120 | 2+140 | 2+160 | 2+180 | 2+200 | 2+220 | 2+240 | 2+260 | 2+280 | 2+300 | 2+320 | 2+340 | 2+360 | 2+380 | 2+400 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GROUND LEVELS (Masl) | 1636.65 | 1636.60 | 1636.31 | 1635.99 | 1635.68 | 1635.32 | 1635.02 | 1634.83 | 1634.36 | 1634.05 | 1634.18 | 1633.84 | 1633.46 | 1633.34 | 1633.24 | 1633.21 | 1633.20 | 1633.06 | 1632.86 | 1632.69 | 1632.62 | 1632.46 | 1632.13 | 1632.11 | 1631.90 | 1631.61 | 1630.93 | 1630.68 | 1630.33 | 1629.58 | 1628.94 | 1628.37 | 1627.50 | 1626.58 | 1626.09 | 1625.86 | 1625.55 | 1625.36 | 1625.42 | 1625.25 | 1625.54 | 1625.51 | 1625.87 | 1626.13 | 1626.53 | 1626.66 | 1626.89 | 1627.21 | 1627.34 | 1627.72 | 1627.64 | 1627.65 | 1627.68 | 1627.71 | 1627.30 | 1627.11 | 1626.82 | 1626.87 | 1626.42 | 1625.95 | 1625.75 |
| INVERT LEVELS (Masl) | 1634.38 | 1634.21 | 1634.05 | 1633.88 | 1633.72 | 1633.55 | 1633.39 | 1633.22 | 1633.06 | 1632.89 | 1632.73 | 1632.56 | 1632.39 | 1632.23 | 1632.06 | 1631.90 | 1631.74 | 1631.60 | 1631.47 | 1631.33 | 1631.20 | 1631.06 | 1630.92 | 1630.79 | 1630.36 | 1629.80 | 1629.25 | 1628.69 | 1628.14 | 1627.58 | 1627.02 | 1626.47 | 1625.91 | 1625.36 | 1624.80 | 1624.37 | 1623.95 | 1623.53 | 1623.37 | 1623.57 | 1623.78 | 1623.99 | 1624.19 | 1624.40 | 1624.61 | 1624.82 | 1625.02 | 1625.23 | 1625.44 | 1625.64 | 1625.85 | 1626.06 | 1626.27 | 1626.47 | 1626.20 | 1625.94 | 1625.67 | 1625.40 | 1625.13 | 1624.86 | 1624.60 |
| TRENCH DEPTH (M) | 2.28 | 2.39 | 2.27 | 2.11 | 1.96 | 1.77 | 1.63 | 1.61 | 1.30 | 1.16 | 1.46 | 1.28 | 1.07 | 1.11 | 1.17 | 1.31 | 1.46 | 1.46 | 1.39 | 1.36 | 1.42 | 1.40 | 1.21 | 1.32 | 1.54 | 1.81 | 1.68 | 1.99 | 2.19 | 2.00 | 1.92 | 1.90 | 1.59 | 1.23 | 1.29 | 1.48 | 1.60 | 1.83 | 2.06 | 1.67 | 1.76 | 1.52 | 1.67 | 1.73 | 1.92 | 1.84 | 1.86 | 1.98 | 1.90 | 2.07 | 1.78 | 1.59 | 1.41 | 1.24 | 1.10 | 1.17 | 1.15 | 1.47 | 1.29 | 1.09 | 1.15 |
| SIZE/TYPE OF PIPE & HGL | OD200mm PN16 HDPE PIPE | | |




PLAN
SCALE 1:2000





DATUM 1605.00 (Masl)

| | | |




PLAN
SCALE 1:2000




DATUM 1605.00 (Masl)

| CHAINAGES (M) | 3+600 | 3+620 | 3+640 | 3+660 | 3+680 | 3+700 | 3+720 | 3+740 | 3+760 | 3+780 | 3+800 | 3+820 | 3+840 | 3+860 | 3+880 | 3+900 | 3+920 | 3+940 | 3+960 | 3+970 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GROUND LEVELS (Masl) | 1616.21 | 1615.98 | 1615.75 | 1615.52 | 1615.29 | 1615.06 | 1614.83 | 1614.55 | 1614.34 | 1613.96 | 1613.83 | 1613.73 | 1613.65 | 1613.50 | 1613.30 | 1613.11 | 1612.90 | 1612.79 | 1612.52 | 1612.42 |
| INVERT LEVELS (Masl) | 1614.64 | 1614.43 | 1614.23 | 1614.03 | 1613.83 | 1613.63 | 1613.43 | 1613.23 | 1613.05 | 1612.88 | 1612.71 | 1612.53 | 1612.36 | 1612.18 | 1612.00 | 1611.80 | 1611.60 | 1611.41 | 1611.21 | 1611.11 |
| TRENCH DEPTH (M) | 1.57 | 1.55 | 1.52 | 1.49 | 1.46 | 1.43 | 1.41 | 1.33 | 1.28 | 1.08 | 1.12 | 1.19 | 1.29 | 1.32 | 1.31 | 1.31 | 1.30 | 1.38 | 1.31 | 1.31 |
| SIZE/TYPE OF PIPE & HGL | OD200mm PN16 HDPE PIPE | | | | | | | | | | | | | | | | | | | |
| PIPE FITTINGS | | | | | | | | | | | | | | | | | | | | |
| SLOPE (%) | -1.01% | | | | | | | | | | -0.87% | | | | | | | -0.98% | | |

PROFILE
SCALES HOR 1:2000 AND VERT 1:200

N

## NOTES

1. ALL LEVELS ARE IN METERS ABOVE ORDINARY DATUM.
2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE GENERAL LAYOUT AND PLAN – FITTING DETAILS DRAWINGS.
3. THIS DRAWING SHOWS THE INDICATIVE ALIGNMENTS AND INVERT LEVELS OF EXISTING PIPELINES. FINAL LOCATIONS TO BE DETERMINED BY THE CONTRACTOR ON SITE. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS.
4. THIS DRAWING PROVIDES PLAN AND PROFILE DETAILS OF THE PIPELINE. ADDITIONAL DETAILS OF FIRE HYDRANTS, BRANCH PIPELINES AND DETAILED FITTINGS ARE GIVEN IN DRAWING No. 6000023-HH-FT-DR-W-017, 017A, 018, 018A, 019, 019A, 020, 020A, 021, 021A, 022, 022A, 023, 023A, 024 AND 024A.

## LEGEND:

- – – – – – – – – – EXISTING GROUND PROFILE
- ■ ■ ■ ■ ■ ■ ■ ■ PROPOSED PIPELINE
- ——————— PIPE INVERT PROFILE
- ■ ■ ■ ■ ■ ■ ■ ■ BRANCH WATER LINE
- AV — AIR VALVE
- WO — WASHOUT

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.


Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title
EASTLEIGH
REHABILITATION PIPELINES - PLAN AND PROFILE
JUJA ROAD - Sheet 4 Of 4

| | |
|---|---|
| Designed by: BAO | Drawn by: BAO |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-PP-DR-W-004
Revision: T0





PLAN
SCALE 1:2000





DATUM 1630.00 (Masl)

| CHAINAGES (M) | 0+000 | 0+020 | 0+040 | 0+060 | 0+080 | 0+100 | 0+120 | 0+140 | 0+160 | 0+180 | 0+200 | 0+220 | 0+240 | 0+260 | 0+280 | 0+300 | 0+320 | 0+340 | 0+360 | 0+380 | 0+400 | 0+420 | 0+440 | 0+460 | 0+480 | 0+500 | 0+520 | 0+540 | 0+560 | 0+580 | 0+600 | 0+620 | 0+640 | 0+660 | 0+680 | 0+700 | 0+720 | 0+740 | 0+760 | 0+780 | 0+800 | 0+820 | 0+840 | 0+860 | 0+880 | 0+900 | 0+920 | 0+940 | 0+960 | 0+980 | 1+000 | 1+020 | 1+040 | 1+060 | 1+080 | 1+100 | 1+120 | 1+140 | 1+160 | 1+180 | 1+200 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GROUND LEVELS (Masl) | 1643.97 | 1644.57 | 1644.32 | 1644.30 | 1644.16 | 1643.75 | 1644.10 | 1643.61 | 1643.28 | 1643.26 | 1642.78 | 1642.98 | 1643.06 | 1642.99 | 1642.80 | 1642.39 | 1641.71 | 1641.48 | 1641.25 | 1641.39 | 1641.68 | 1642.10 | 1642.51 | 1642.93 | 1643.16 | 1643.40 | 1643.38 | 1643.36 | 1643.34 | 1643.68 | 1644.13 | 1644.56 | 1644.97 | 1645.07 | 1645.17 | 1644.49 | 1643.81 | 1643.75 | 1643.68 | 1643.64 | 1643.62 | 1643.60 | 1643.57 | 1643.53 | 1643.50 | 1643.47 | 1643.43 | 1643.40 | 1643.29 | 1643.10 | 1643.13 | 1643.43 | 1643.73 | 1644.03 | 1644.21 | 1644.21 | 1644.21 | 1644.02 | 1643.63 | 1643.25 | 1642.96 |
| INVERT LEVELS (Masl) | 1642.95 | 1642.91 | 1642.87 | 1642.79 | 1642.63 | 1642.46 | 1642.29 | 1642.12 | 1641.95 | 1641.78 | 1641.61 | 1641.55 | 1641.55 | 1641.55 | 1641.34 | 1641.03 | 1640.73 | 1640.42 | 1640.11 | 1640.27 | 1640.58 | 1640.89 | 1641.20 | 1641.51 | 1641.82 | 1641.98 | 1642.09 | 1642.20 | 1642.31 | 1642.41 | 1642.71 | 1643.10 | 1643.49 | 1643.88 | 1643.62 | 1643.18 | 1642.74 | 1642.63 | 1642.51 | 1642.40 | 1642.32 | 1642.27 | 1642.22 | 1642.17 | 1642.09 | 1642.02 | 1641.95 | 1641.87 | 1641.79 | 1641.69 | 1641.67 | 1641.90 | 1642.13 | 1642.37 | 1642.49 | 1642.38 | 1642.28 | 1642.17 | 1642.07 | 1641.96 | 1641.82 |
| TRENCH DEPTH (M) | 1.02 | 1.66 | 1.45 | 1.51 | 1.53 | 1.30 | 1.82 | 1.50 | 1.33 | 1.47 | 1.17 | 1.43 | 1.50 | 1.44 | 1.46 | 1.36 | 0.98 | 1.06 | 1.14 | 1.12 | 1.10 | 1.20 | 1.31 | 1.41 | 1.34 | 1.42 | 1.29 | 1.16 | 1.03 | 1.26 | 1.42 | 1.46 | 1.48 | 1.19 | 1.55 | 1.32 | 1.07 | 1.12 | 1.17 | 1.24 | 1.29 | 1.32 | 1.35 | 1.37 | 1.41 | 1.44 | 1.48 | 1.52 | 1.50 | 1.41 | 1.46 | 1.53 | 1.59 | 1.66 | 1.72 | 1.83 | 1.93 | 1.85 | 1.57 | 1.28 | 1.14 |
| SIZE/TYPE OF PIPE & HGL | 0D200mm PN16 HDPE PIPE | | |




PLAN
SCALE 1:2000




| CHAINAGES (M) | GROUND LEVELS (Masl) | INVERT LEVELS (Masl) | TRENCH DEPTH (M) |
|---|---|---|---|
| 1+200 | 1644.48 | 1641.82 | 2.65 |
| 1+220 | 1643.58 | 1641.66 | 1.91 |
| 1+240 | 1642.71 | 1641.50 | 1.22 |
| 1+260 | 1642.49 | 1641.34 | 1.16 |
| 1+280 | 1642.41 | 1641.17 | 1.23 |
| 1+300 | 1642.32 | 1641.01 | 1.31 |
| 1+320 | 1642.23 | 1640.84 | 1.39 |
| 1+340 | 1642.59 | 1640.67 | 1.91 |
| 1+360 | 1642.59 | 1640.52 | 2.07 |
| 1+380 | 1641.93 | 1640.44 | 1.50 |
| 1+400 | 1641.84 | 1640.35 | 1.49 |
| 1+420 | 1641.46 | 1640.27 | 1.20 |
| 1+440 | 1641.41 | 1640.18 | 1.23 |
| 1+460 | 1641.34 | 1640.09 | 1.24 |
| 1+480 | 1641.35 | 1640.01 | 1.34 |
| 1+500 | 1641.19 | 1639.92 | 1.27 |
| 1+520 | 1641.14 | 1639.83 | 1.30 |
| 1+540 | 1641.00 | 1639.79 | 1.21 |
| 1+560 | 1640.83 | 1639.74 | 1.09 |
| 1+580 | 1640.80 | 1639.70 | 1.11 |
| 1+600 | 1645.71 | 1639.65 | 6.06 |
| 1+620 | 1643.97 | 1639.92 | 4.06 |
| 1+640 | 1642.84 | 1640.18 | 2.66 |
| 1+660 | 1645.05 | 1640.45 | 4.60 |
| 1+680 | 1644.37 | 1640.72 | 3.65 |
| 1+700 | 1643.67 | 1640.79 | 2.88 |
| 1+720 | 1642.97 | 1640.69 | 2.27 |
| 1+740 | 1642.94 | 1640.60 | 2.35 |
| 1+747 | 1642.83 | 1640.57 | 2.27 |

PROFILE
SCALES HOR 1:2000 AND VERT 1:200

## NOTES

1. ALL LEVELS ARE IN METERS ABOVE ORDINARY DATUM.
2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE GENERAL LAYOUT AND PLAN – FITTING DETAILS DRAWINGS.
3. THIS DRAWING SHOWS THE INDICATIVE ALIGNMENTS AND INVERT LEVELS OF EXISTING PIPELINES. FINAL LOCATIONS TO BE DETERMINED BY THE CONTRACTOR ON SITE. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS.
4. THIS DRAWING PROVIDES PLAN AND PROFILE DETAILS OF THE PIPELINE. ADDITIONAL DETAILS OF FIRE HYDRANTS, BRANCH PIPELINES AND DETAILED FITTINGS ARE GIVEN IN DRAWING No. 6000023-HH-FT-DR-W-018, 018A, 029, 029A, 034, 034A, 045 AND 045A.

## LEGEND:

- EXISTING GROUND PROFILE
- PROPOSED PIPELINE
- PIPE INVERT PROFILE
- BRANCH WATER LINE
- AV – AIR VALVE
- WO – WASHOUT

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title
EASTLEIGH
REHABILITATION LINES - PLAN AND PROFILE
2nd AVENUE - Sheet 2 Of 2

| | |
|---|---|
| Designed by: BAO | Drawn by: BAO |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-PP-DR-W-006
Revision: T0




PLAN
SCALE 1: 2000





DATUM 1630.00 (Masl)

| CHAINAGES (M) | 0+000 | 0+020 | 0+040 | 0+060 | 0+080 | 0+100 | 0+120 | 0+140 | 0+160 | 0+180 | 0+200 | 0+220 | 0+240 | 0+260 | 0+280 | 0+300 | 0+320 | 0+340 | 0+360 | 0+380 | 0+400 | 0+420 | 0+440 | 0+460 | 0+480 | 0+500 | 0+520 | 0+540 | 0+560 | 0+580 | 0+600 | 0+620 | 0+640 | 0+660 | 0+680 | 0+700 | 0+720 | 0+740 | 0+760 | 0+780 | 0+800 | 0+820 | 0+840 | 0+860 | 0+880 | 0+900 | 0+920 | 0+940 | 0+960 | 0+980 | 1+000 | 1+020 | 1+040 | 1+060 | 1+080 | 1+100 | 1+120 | 1+140 | 1+160 | 1+180 | 1+200 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GROUND LEVELS (Masl) | 1646.14 | 1646.00 | 1646.19 | 1645.87 | 1645.80 | 1646.01 | 1645.62 | 1645.77 | 1645.63 | 1645.49 | 1646.13 | 1646.31 | 1645.65 | 1645.37 | 1645.70 | 1645.57 | 1645.61 | 1646.07 | 1646.06 | 1645.92 | 1646.60 | 1646.65 | 1646.44 | 1646.85 | 1647.10 | 1647.36 | 1647.62 | 1647.39 | 1646.80 | 1646.87 | 1647.22 | 1647.55 | 1647.84 | 1647.97 | 1648.08 | 1648.19 | 1648.30 | 1644.73 | 1644.37 | 1644.46 | 1644.52 | 1644.58 | 1644.61 | 1644.64 | 1644.67 | 1644.67 | 1644.62 | 1644.32 | 1645.89 | 1648.20 | 1646.98 | 1644.62 | 1644.17 | 1644.28 | 1645.63 | 1646.03 | 1644.11 | 1645.88 | 1645.59 | 1645.18 | 1644.81 |
| INVERT LEVELS (Masl) | 1644.87 | 1644.82 | 1644.77 | 1644.72 | 1644.67 | 1644.63 | 1644.60 | 1644.58 | 1644.56 | 1644.52 | 1644.48 | 1644.45 | 1644.41 | 1644.37 | 1644.34 | 1644.31 | 1644.29 | 1644.26 | 1644.24 | 1644.21 | 1644.18 | 1644.15 | 1644.11 | 1644.07 | 1644.02 | 1643.95 | 1643.88 | 1643.80 | 1643.84 | 1644.37 | 1644.89 | 1645.41 | 1645.89 | 1646.21 | 1646.53 | 1646.86 | 1645.19 | 1643.54 | 1643.49 | 1643.43 | 1643.38 | 1643.33 | 1643.28 | 1643.23 | 1643.18 | 1643.13 | 1643.07 | 1643.02 | 1642.97 | 1642.97 | 1642.97 | 1642.96 | 1642.96 | 1642.96 | 1642.96 | 1642.96 | 1642.96 | 1642.95 | 1642.95 | 1642.95 | 1642.89 | 1642.83 |
| TRENCH DEPTH (M) | 1.27 | 1.18 | 1.43 | 1.16 | 1.13 | 1.38 | 1.02 | 1.19 | 1.07 | 0.97 | 1.65 | 1.86 | 1.24 | 0.99 | 1.36 | 1.26 | 1.32 | 1.80 | 1.82 | 1.71 | 2.41 | 2.50 | 2.33 | 2.77 | 3.08 | 3.41 | 3.75 | 3.59 | 2.95 | 2.51 | 2.33 | 2.14 | 1.95 | 1.76 | 1.55 | 1.33 | 3.11 | 1.19 | 0.88 | 1.02 | 1.13 | 1.25 | 1.33 | 1.41 | 1.49 | 1.54 | 1.54 | 1.30 | 2.92 | 5.23 | 4.01 | 1.65 | 1.21 | 1.32 | 2.67 | 3.08 | 1.16 | 2.92 | 2.64 | 2.29 | 1.98 |
| SIZE/TYPE OF PIPE & HGL | OD200mm PN16 HDPE PIPE | | |





PLAN
SCALE 1:2000




| | | |





PLAN
SCALE 1:2000




| DATUM 1620.00 (Masl) | | |




PLAN
SCALE 1:2000




PROFILE
SCALES HOR 1:2000 AND VERT 1:200

## NOTES

1. ALL LEVELS ARE IN METERS ABOVE ORDINARY DATUM.
2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE GENERAL LAYOUT AND PLAN – FITTING DETAILS DRAWINGS.
3. THIS DRAWING SHOWS THE INDICATIVE ALIGNMENTS AND INVERT LEVELS OF EXISTING PIPELINES. FINAL LOCATIONS TO BE DETERMINED BY THE CONTRACTOR ON SITE. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS.
4. THIS DRAWING PROVIDES PLAN AND PROFILE DETAILS OF THE PIPELINE. ADDITIONAL DETAILS OF FIRE HYDRANTS, BRANCH PIPELINES AND DETAILED FITTINGS ARE GIVEN IN DRAWING No. 6000023-HH-PP-DR-W-017, 017A, 028, 028A, 029, 029A, 034, 034A, 045 AND 045A

## LEGEND:

- EXISTING GROUND PROFILE
- PROPOSED PIPELINE
- PIPE INVERT PROFILE
- BRANCH WATER LINE
- AV – AIR VALVE
- WO – WASHOUT

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.


Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title
EASTLEIGH
REHABILITATION LINES - PLAN AND PROFILE
MLANGO ROUNDABOUT LINE 1 - Sheet 1 Of 2

| | | | |
|---|---|---|---|
| Designed by: | BAO | Drawn by: | BAO |
| Checked by: | PN | Approved by: | OBO |
| Scale: | AS SHOWN | Date: | JUNE, 2023 |

Drawing Number: 6000023-HH-PP-DR-W-010
Revision: T0




PLAN
SCALE 1:2000




PROFILE
SCALES HOR 1:2000 AND VERT 1:200

## NOTES

1. ALL LEVELS ARE IN METERS ABOVE ORDINARY DATUM.
2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE GENERAL LAYOUT AND PLAN – FITTING DETAILS DRAWINGS.
3. THIS DRAWING SHOWS THE INDICATIVE ALIGNMENTS AND INVERT LEVELS OF EXISTING PIPELINES. FINAL LOCATIONS TO BE DETERMINED BY THE CONTRACTOR ON SITE. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS.
4. THIS DRAWING PROVIDES PLAN AND PROFILE DETAILS OF THE PIPELINE. ADDITIONAL DETAILS OF FIRE HYDRANTS, BRANCH PIPELINES AND DETAILED FITTINGS ARE GIVEN IN DRAWING No. 6000023-HH-PP-DR-W-017, 017A, 028, 028A, 029, 029A, 034, 034A, 045 AND 045A

## LEGEND:

- EXISTING GROUND PROFILE
- PROPOSED PIPELINE
- PIPE INVERT PROFILE
- BRANCH WATER LINE
- AV – AIR VALVE
- WO – WASHOUT

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title
EASTLEIGH
REHABILITATION LINES - PLAN AND PROFILE
MLANGO ROUNDABOUT LINE 1 - Sheet 2 Of 2

| | | | |
|---|---|---|---|
| Designed by: | BAO | Drawn by: | BAO |
| Checked by: | PN | Approved by: | OBO |
| Scale: | AS SHOWN | Date: | JUNE, 2023 |

Drawing Number: 6000023-HH-PP-DR-W-011
Revision: T0





PLAN
SCALE 1:2000





DATUM 1640.00 (Masl)

| CHAINAGES (M) | 0+000 | 0+020 | 0+040 | 0+060 | 0+080 | 0+100 | 0+120 | 0+140 | 0+160 | 0+180 | 0+200 | 0+220 | 0+240 | 0+260 | 0+280 | 0+300 | 0+320 | 0+340 | 0+360 | 0+380 | 0+400 | 0+420 | 0+440 | 0+460 | 0+480 | 0+500 | 0+520 | 0+540 | 0+560 | 0+580 | 0+600 | 0+620 | 0+640 | 0+660 | 0+680 | 0+700 | 0+720 | 0+740 | 0+760 | 0+780 | 0+800 | 0+820 | 0+840 | 0+860 | 0+880 | 0+900 | 0+920 | 0+940 | 0+960 | 0+980 | 1+000 | 1+020 | 1+040 | 1+060 | 1+080 | 1+100 | 1+120 | 1+140 | 1+160 | 1+180 | 1+200 |
|---|---|---




PLAN
SCALE 1:2000




DATUM 1640.00 (Masl)

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CHAINAGES (M) | 1+200 | 1+220 | 1+240 | 1+260 | 1+280 | 1+300 | 1+320 | 1+340 | 1+360 | 1+380 | 1+400 | 1+407 |
| GROUND LEVELS (Masl) | 1649.21 | 1649.14 | 1649.21 | 1649.01 | 1646.94 | 1648.92 | 1648.94 | 1648.81 | 1648.50 | 1648.40 | 1648.17 | 1648.18 |
| INVERT LEVELS (Masl) | 1648.06 | 1647.97 | 1647.88 | 1647.80 | 1647.71 | 1647.62 | 1647.53 | 1647.43 | 1647.33 | 1647.23 | 1647.13 | 1647.10 |
| TRENCH DEPTH (M) | 1.15 | 1.17 | 1.32 | 1.21 | 1.24 | 1.31 | 1.41 | 1.38 | 1.16 | 1.17 | 1.04 | 1.08 |
| SIZE/TYPE OF PIPE & HGL | OD200mm PN16 HDPE PIPE | | | | | | | | | | | |
| PIPE FITTINGS | TEE 200x110 | | | | | | | | | | | |
| SLOPE (%) | -0.44% | | | | | | | | -0.50% | | | |

PROFILE
SCALES HOR 1:2000 AND VERT 1:200

## NOTES

1. ALL LEVELS ARE IN METERS ABOVE ORDINARY DATUM.
2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE GENERAL LAYOUT AND PLAN – FITTING DETAILS DRAWINGS.
3. THIS DRAWING SHOWS THE INDICATIVE ALIGNMENTS AND INVERT LEVELS OF EXISTING PIPELINES. FINAL LOCATIONS TO BE DETERMINED BY THE CONTRACTOR ON SITE. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS.
4. THIS DRAWING PROVIDES PLAN AND PROFILE DETAILS OF THE PIPELINE. ADDITIONAL DETAILS OF FIRE HYDRANTS, BRANCH PIPELINES AND DETAILED FITTINGS ARE GIVEN IN DRAWING No. 6000023-HH-PP-DR-W-017, 017A, 028, 028A, 029, 029A, 034 AND 034A.

## LEGEND:

- – EXISTING GROUND PROFILE
- – PROPOSED PIPELINE
- – PIPE INVERT PROFILE
- – BRANCH WATER LINE
- AV – AIR VALVE
- WO – WASHOUT

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.


Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title
EASTLEIGH
REHABILITATION LINES - PLAN AND PROFILE
MLANGO ROUNDABOUT LINE 2 - Sheet 2 Of 2

| | | | |
|---|---|---|---|
| Designed by: | BAO | Drawn by: | BAO |
| Checked by: | PN | Approved by: | OBO |
| Scale: | AS SHOWN | Date: | JUNE, 2023 |

Drawing Number: 6000023-HH-PP-DR-W-013
Revision: T0




PLAN
SCALE 1:2000




PROFILE
SCALES HOR 1:2000 AND VERT 1:200

## NOTES

1. ALL LEVELS ARE IN METERS ABOVE ORDINARY DATUM.
2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE GENERAL LAYOUT AND PLAN – FITTING DETAILS DRAWINGS.
3. THIS DRAWING SHOWS THE INDICATIVE ALIGNMENTS AND INVERT LEVELS OF EXISTING PIPELINES. FINAL LOCATIONS TO BE DETERMINED BY THE CONTRACTOR ON SITE. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS.
4. THIS DRAWING PROVIDES PLAN AND PROFILE DETAILS OF THE PIPELINE. ADDITIONAL DETAILS OF FIRE HYDRANTS, BRANCH PIPELINES AND DETAILED FITTINGS ARE GIVEN IN DRAWING No. 6000023-HH-PP-DR-W-049, 049A, 056, 056A, 057 AND 057A FOR HAILE SELLASIE AVENUE.
6000023-HH-PP-DR-W-042, 042A, 047 AND 047A FOR KENYATTAE AVENUE.
6000023-HH-PP-DR-W-039, 039A, 042, 042A, 048, 048A, 049 AND 049A FOR MOI AVENUE.

## LEGEND:

- – – – – – – – – – EXISTING GROUND PROFILE
- ■■■■■■■■ PROPOSED PIPELINE
- ——————— PIPE INVERT PROFILE
- ·——·——· BRANCH WATER LINE
- AV – AIR VALVE
- WO – WASHOUT

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.


Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title
NAIROBI CENTRAL BUSINESS DISTRICT
REHABILITATION LINES - PLAN AND PROFILE
HAILE SELASSIE AVENUE - Sheet 1 Of 2

| | |
|---|---|
| Designed by: BAO | Drawn by: BAO |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-PP-DR-W-014
Revision: T0




PLAN
SCALE 1:2000




DATUM 1650.00 (Masl)

| CHAINAGES (M) | 1+200 | 1+220 | 1+240 | 1+260 | 1+280 | 1+300 | 1+320 | 1+340 | 1+360 | 1+380 | 1+400 | 1+420 | 1+440 | 1+460 | 1+480 | 1+500 | 1+520 | 1+540 | 1+560 | 1+580 | 1+598 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GROUND LEVELS (Masl) | 1660.46 | 1660.32 | 1660.17 | 1660.56 | 1661.41 | 1662.25 | 1662.28 | 1661.74 | 1661.20 | 1660.63 | 1660.02 | 1659.40 | 1658.83 | 1658.25 | 1657.67 | 1657.74 | 1657.81 | 1657.77 | 1657.71 | 1657.66 | 1657.27 |
| INVERT LEVELS (Masl) | 1658.81 | 1658.53 | 1658.86 | 1659.47 | 1660.07 | 1660.68 | 1660.75 | 1660.19 | 1659.63 | 1659.07 | 1658.51 | 1657.95 | 1657.39 | 1656.84 | 1656.65 | 1656.47 | 1656.29 | 1656.12 | 1656.01 | 1655.89 | 1655.78 |
| TRENCH DEPTH (M) | 1.65 | 1.79 | 1.31 | 1.10 | 1.33 | 1.57 | 1.52 | 1.55 | 1.57 | 1.56 | 1.51 | 1.45 | 1.44 | 1.41 | 1.02 | 1.27 | 1.52 | 1.64 | 1.71 | 1.77 | 1.49 |
| SIZE/TYPE OF PIPE & HGL | Ø250mm PN12.5 HDPE PIPE | | | | | | | | | | | | | | | | | | | | |
| PIPE FITTINGS | | | 90° H-BEND | | | | | TEE 250x100 | | | | TEE 250x100 | | | | | | | | | |
| SLOPE (%) | -1.44% | | 3.04% | | | | -2.80% | | | | | | | | -0.92% | | | -0.59% | | | |

PROFILE
SCALES HOR 1:2000 AND VERT 1:200

## NOTES

1. ALL LEVELS ARE IN METERS ABOVE ORDINARY DATUM.
2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE GENERAL LAYOUT AND PLAN – FITTING DETAILS DRAWINGS.
3. THIS DRAWING SHOWS THE INDICATIVE ALIGNMENTS AND INVERT LEVELS OF EXISTING PIPELINES. FINAL LOCATIONS TO BE DETERMINED BY THE CONTRACTOR ON SITE. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS.
4. THIS DRAWING PROVIDES PLAN AND PROFILE DETAILS OF THE PIPELINE. ADDITIONAL DETAILS OF FIRE HYDRANTS, BRANCH PIPELINES AND DETAILED FITTINGS ARE GIVEN IN DRAWING No. 6000023-HH-PP-DR-W-049, 049A, 056, 056A, 057 AND 057A FOR HAILE SELLASIE AVENUE.
   6000023-HH-PP-DR-W-042, 042A, 047 AND 047A FOR KENYATTAE AVENUE.
   6000023-HH-PP-DR-W-039, 039A, 042, 042A, 048, 048A, 049 AND 049A FOR MOI AVENUE.

## LEGEND:

- – – – – – – – – EXISTING GROUND PROFILE
- ■■■■■■■■ PROPOSED PIPELINE
- ——————— PIPE INVERT PROFILE
- ■■■■■■■■ BRANCH WATER LINE
- AV — AIR VALVE
- WO — WASHOUT

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.


Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title
NAIROBI CENTRAL BUSINESS DISTRICT
REHABILITATION LINES - PLAN AND PROFILE
HAILE SELASSIE AVENUE - Sheet 2 Of 2

| | |
|---|---|
| Designed by: BAO | Drawn by: BAO |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-PP-DR-W-015
Revision: T0




PLAN
SCALE 1:2000




DATUM 1655.00 (Masl)

| CHAINAGES (M) | 0+000 | 0+020 | 0+040 | 0+060 | 0+080 | 0+100 | 0+120 | 0+140 | 0+160 | 0+180 | 0+200 | 0+220 | 0+240 | 0+260 | 0+280 | 0+300 | 0+320 | 0+340 | 0+360 | 0+380 | 0+400 | 0+420 | 0+440 | 0+460 | 0+480 | 0+500 | 0+520 | 0+540 | 0+560 | 0+580 | 0+600 | 0+620 | 0+640 | 0+660 | 0+680 | 0+700 | 0+720 | 0+740 | 0+760 | 0+780 | 0+800 | 0+819 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GROUND LEVELS (Masl) | 1669.73 | 1669.58 | 1669.43 | 1669.31 | 1669.19 | 1669.07 | 1668.95 | 1668.83 | 1668.91 | 1668.99 | 1669.07 | 1668.91 | 1668.68 | 1668.44 | 1668.20 | 1667.91 | 1667.61 | 1667.32 | 1667.02 | 1666.73 | 1666.59 | 1666.45 | 1666.32 | 1666.47 | 1666.63 | 1666.78 | 1666.93 | 1667.09 | 1667.58 | 1668.08 | 1667.61 | 1666.97 | 1666.33 | 1665.69 | 1665.84 | 1665.99 | 1666.13 | 1666.41 | 1666.69 | 1666.97 | 1667.24 | 1667.50 |
| INVERT LEVELS (Masl) | 1667.89 | 1667.80 | 1667.72 | 1667.63 | 1667.55 | 1667.50 | 1667.45 | 1667.39 | 1667.34 | 1667.29 | 1667.22 | 1667.05 | 1666.88 | 1666.71 | 1666.54 | 1666.36 | 1666.19 | 1666.00 | 1665.81 | 1665.63 | 1665.44 | 1665.25 | 1665.07 | 1665.02 | 1665.23 | 1665.45 | 1665.66 | 1665.88 | 1666.09 | 1666.31 | 1665.67 | 1665.03 | 1664.40 | 1663.84 | 1664.00 | 1664.15 | 1664.31 | 1664.47 | 1664.63 | 1664.96 | 1665.29 | 1665.60 |
| TRENCH DEPTH (M) | 1.84 | 1.74 | 1.71 | 1.74 | 1.82 | 1.73 | 1.65 | 1.44 | 2.02 | 1.71 | 1.86 | 1.70 | 1.78 | 1.63 | 2.11 | 2.91 | 2.07 | 1.00 | 0.41 | 1.92 | 2.17 | 2.23 | 1.25 | 1.93 | 1.91 | 1.73 | 1.65 | 2.28 | 2.83 | 1.95 | 1.92 | 1.89 | 1.87 | 1.85 | 1.53 | 1.21 | 1.82 | 1.91 | 2.03 | 1.95 | 1.89 | 1.90 |
| SIZE/TYPE OF PIPE & HGL | OD315mm PN12.5 HDPE PIPE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| PIPE FITTINGS | TEE 315x160 | | | | | | | | | | | | | | | | | | | TEE 315x160 | | | | | | | | TEE 315x200 | TEE 315x200 | | | | | | | | | | |
| SLOPE (%) | -0.43% | | | | | -0.26% | | | | | | | -0.86% | | | | | | | -0.93% | | | | 1.07% | | | | | | | -3.18% | | | | 0.78% | | | | | 1.65% | |

PROFILE
SCALES HOR 1:2000 AND VERT 1:200

## NOTES

1. ALL LEVELS ARE IN METERS ABOVE ORDINARY DATUM.
2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE GENERAL LAYOUT AND PLAN – FITTING DETAILS DRAWINGS.
3. THIS DRAWING SHOWS THE INDICATIVE ALIGNMENTS AND INVERT LEVELS OF EXISTING PIPELINES. FINAL LOCATIONS TO BE DETERMINED BY THE CONTRACTOR ON SITE. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS.
4. THIS DRAWING PROVIDES PLAN AND PROFILE DETAILS OF THE PIPELINE. ADDITIONAL DETAILS OF FIRE HYDRANTS, BRANCH PIPELINES AND DETAILED FITTINGS ARE GIVEN IN DRAWING No. 6000023-HH-PP-DR-W-049, 049A, 056, 056A, 057 AND 057A FOR HAILE SELLASIE AVENUE.
6000023-HH-PP-DR-W-042, 042A, 047 AND 047A FOR KENYATTAE AVENUE.
6000023-HH-PP-DR-W-039, 039A, 042, 042A, 048, 048A, 049 AND 049A FOR MOI AVENUE.

## LEGEND:

- EXISTING GROUND PROFILE
- PROPOSED PIPELINE
- PIPE INVERT PROFILE
- BRANCH WATER LINE
- AV – AIR VALVE
- WO – WASHOUT

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title
NAIROBI CENTRAL BUSINESS DISTRICT
REHABILITATION PIPELINES - PLAN AND PROFILE
KENYATTA AVENUE - Sheet 1 Of 1

| | |
|---|---|
| Designed by: BAO | Drawn by: BAO |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |


Drawing Number: 6000023-HH-PP-DR-W-016
Revision: T0





PLAN
SCALE 1:2000




| CHAINAGES (M) | 0+000 | 0+020 | 0+040 | 0+060 | 0+080 | 0+100 | 0+120 | 0+140 | 0+160 | 0+180 | 0+200 | 0+220 | 0+240 | 0+260 | 0+280 | 0+300 | 0+320 | 0+340 | 0+360 | 0+380 | 0+400 | 0+420 | 0+440 | 0+460 | 0+480 | 0+500 | 0+520 | 0+540 | 0+560 | 0+580 | 0+600 | 0+620 | 0+640 | 0+660 | 0+680 | 0+700 | 0+720 | 0+740 | 0+760 | 0+780 | 0+800 | 0+820 | 0+840 | 0+860 | 0+880 | 0+900 | 0+920 | 0+940 | 0+960 | 0+980 | 1+000 | 1+020 | 1+040 | 1+060 | 1+080 | 1+100 | 1+120 | 1+140 | 1+160 | 1+180 | 1+200 |
|---|---|---




PLAN
SCALE 1:2000




DATUM 1655.00 (Masl)

| CHAINAGES (M) | 1+200 | 1+220 | 1+240 | 1+260 | 1+280 | 1+300 | 1+320 | 1+340 | 1+360 | 1+380 | 1+400 | 1+420 | 1+440 | 1+460 | 1+480 | 1+500 | 1+520 | 1+540 | 1+560 | 1+580 | 1+600 | 1+602 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GROUND LEVELS (Masl) | 1666.22 | 1666.24 | 1666.26 | 1666.27 | 1666.29 | 1666.31 | 1666.33 | 1666.34 | 1666.36 | 1666.38 | 1666.40 | 1666.42 | 1666.43 | 1666.45 | 1666.47 | 1666.49 | 1666.34 | 1666.03 | 1665.72 | 1665.41 | 1665.10 | |
| INVERT LEVELS (Masl) | 1664.22 | 1664.19 | 1664.19 | 1664.18 | 1664.18 | 1664.17 | 1664.16 | 1664.16 | 1664.15 | 1664.15 | 1664.14 | 1664.13 | 1664.13 | 1664.12 | 1664.11 | 1664.09 | 1664.08 | 1664.04 | 1663.84 | 1663.65 | 1663.45 | |
| TRENCH DEPTH (M) | 2.00 | 2.04 | 2.07 | 2.09 | 2.12 | 2.14 | 2.16 | 2.19 | 2.21 | 2.23 | 2.26 | 2.28 | 2.31 | 2.33 | 2.36 | 2.39 | 2.26 | 2.00 | 1.88 | 1.77 | 1.65 | |
| SIZE/TYPE OF PIPE & HGL | OD315mm PN12.5 HDPE PIPE | | | | | | | | | | | | | | | | | | | | | |
| PIPE FITTINGS | | TEE 315x160 | | TEE 315x200 | | | | | | | | | | | | | | | | TEE 315x100 | | |
| SLOPE (%) | -0.17% | | -0.03% | | | | | | | | | | | -0.07% | | | | | | -0.97% | | |

PROFILE
SCALES HOR 1:2000 AND VERT 1:200

## NOTES

1. ALL LEVELS ARE IN METERS ABOVE ORDINARY DATUM.
2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE GENERAL LAYOUT AND PLAN – FITTING DETAILS DRAWINGS.
3. THIS DRAWING SHOWS THE INDICATIVE ALIGNMENTS AND INVERT LEVELS OF EXISTING PIPELINES. FINAL LOCATIONS TO BE DETERMINED BY THE CONTRACTOR ON SITE. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS.
4. THIS DRAWING PROVIDES PLAN AND PROFILE DETAILS OF THE PIPELINE. ADDITIONAL DETAILS OF FIRE HYDRANTS, BRANCH PIPELINES AND DETAILED FITTINGS ARE GIVEN IN DRAWING No. 6000023-HH-PP-DR-W-049, 049A, 056, 056A, 057 AND 057A FOR HAILE SELLASIE AVENUE.
   6000023-HH-PP-DR-W-042, 042A, 047 AND 047A FOR KENYATTAE AVENUE.
   6000023-HH-PP-DR-W-039, 039A, 042, 042A, 048, 048A, 049 AND 049A FOR MOI AVENUE.

## LEGEND:

- – – – – – – – – – EXISTING GROUND PROFILE
- ■ ■ ■ ■ ■ ■ ■ ■ PROPOSED PIPELINE
- ——————— PIPE INVERT PROFILE
- ■ ■ ■ ■ ■ ■ ■ ■ BRANCH WATER LINE
- AV – AIR VALVE
- WO – WASHOUT

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
INGEROP – Inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.


Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title
NAIROBI CENTRAL BUSINESS DISTRICT
REHABILITATION PIPELINES - PLAN AND PROFILE
MOI AVENUE - Sheet 2 Of 2

| | |
|---|---|
| Designed by: BAO | Drawn by: BAO |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-PP-DR-W-018
Revision: T0




PLAN
SCALE 1:2000





DATUM 1610.00 (Masl)

| | | |




PLAN
SCALE 1:2000




PROFILE
SCALES HOR 1:2000 AND VERT 1:200

## NOTES

1. ALL LEVELS ARE IN METERS ABOVE ORDINARY DATUM.
2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE GENERAL LAYOUT AND PLAN – FITTING DETAILS DRAWINGS.
3. THIS DRAWING SHOWS THE INDICATIVE ALIGNMENTS AND INVERT LEVELS OF EXISTING PIPELINES. FINAL LOCATIONS TO BE DETERMINED BY THE CONTRACTOR ON SITE. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS.
4. THIS DRAWING PROVIDES PLAN AND PROFILE DETAILS OF THE PIPELINE. ADDITIONAL DETAILS OF FIRE HYDRANTS, BRANCH PIPELINES AND DETAILED FITTINGS ARE GIVEN IN DRAWING No. 6000023-HH-FT-DR-W-016, 016A, 017, 017A, 018, 018A, 019, 019A, 020, 020A, 021 AND 021A.

## LEGEND:

- – – – – – – – – – EXISTING GROUND PROFILE
- ■■■■■■■■ PROPOSED PIPELINE
- ——————— PIPE INVERT PROFILE
- ■■■■■■■■ BRANCH WATER LINE
- AV – AIR VALVE
- WO – WASHOUT

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title
EMBAKASI
REHABILITATION LINES - PLAN AND PROFILE
Sheet 2 Of 2

| | |
|---|---|
| Designed by: BAO | Drawn by: BAO |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-PP-DR-W-020
Revision: T0




PLAN
SCALE 1:2000





DATUM 1630.00 (Masl)

| CHAINAGES (M) | 0+000 | 0+020 | 0+040 | 0+060 | 0+080 | 0+100 | 0+120 | 0+140 | 0+160 | 0+180 | 0+200 | 0+220 | 0+240 | 0+260 | 0+280 | 0+300 | 0+320 | 0+340 | 0+360 | 0+380 | 0+400 | 0+420 | 0+440 | 0+460 | 0+480 | 0+500 | 0+520 | 0+540 | 0+560 | 0+580 | 0+600 | 0+620 | 0+640 | 0+660 | 0+680 | 0+700 | 0+720 | 0+740 | 0+760 | 0+780 | 0+800 | 0+820 | 0+840 | 0+860 | 0+880 | 0+900 | 0+920 | 0+940 | 0+960 | 0+980 | 1+000 | 1+020 | 1+040 | 1+060 | 1+080 | 1+100 | 1+120 | 1+140 | 1+160 | 1+180 | 1+200 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GROUND LEVELS (Masl) | 1652.63 | 1652.58 | 1652.53 | 1652.68 | 1652.84 | 1652.59 | 1652.22 | 1652.09 | 1651.95 | 1651.82 | 1651.64 | 1651.47 | 1651.29 | 1651.21 | 1651.14 | 1651.06 | 1650.96 | 1650.79 | 1650.62 | 1650.45 | 1650.37 | 1650.30 | 1650.22 | 1650.14 | 1649.97 | 1649.80 | 1649.63 | 1649.46 | 1649.29 | 1649.11 | 1648.93 | 1648.74 | 1648.56 | 1648.38 | 1648.20 | 1648.02 | 1647.65 | 1647.28 | 1646.88 | 1646.21 | 1645.54 | 1644.87 | 1644.58 | 1644.29 | 1644.00 | 1643.80 | 1643.59 | 1643.72 | 1643.83 | 1643.76 | 1643.68 | 1643.82 | 1643.96 | 1643.93 | 1643.90 | 1643.88 | 1644.19 | 1644.50 | 1644.81 | 1644.76 | 1644.68 |
| INVERT LEVELS (Masl) | 1651.12 | 1651.18 | 1651.23 | 1651.28 | 1651.27 | 1651.21 | 1651.05 | 1650.88 | 1650.71 | 1650.54 | 1650.37 | 1650.20 | 1650.03 | 1649.86 | 1649.69 | 1649.53 | 1649.42 | 1649.34 | 1649.25 | 1649.17 | 1649.08 | 1648.99 | 1648.91 | 1648.78 | 1648.61 | 1648.43 | 1648.25 | 1648.08 | 1647.90 | 1647.72 | 1647.55 | 1647.37 | 1647.20 | 1647.02 | 1646.84 | 1646.67 | 1646.49 | 1646.04 | 1645.39 | 1644.73 | 1644.08 | 1643.43 | 1643.08 | 1642.99 | 1642.90 | 1642.81 | 1642.72 | 1642.63 | 1642.58 | 1642.55 | 1642.52 | 1642.49 | 1642.47 | 1642.44 | 1642.41 | 1642.38 | 1642.44 | 1642.56 | 1642.69 | 1642.82 | 1642.94 |
| TRENCH DEPTH (M) | 1.51 | 1.40 | 1.29 | 1.40 | 1.57 | 1.37 | 1.17 | 1.21 | 1.25 | 1.28 | 1.27 | 1.26 | 1.25 | 1.35 | 1.44 | 1.54 | 1.53 | 1.45 | 1.37 | 1.28 | 1.29 | 1.30 | 1.31 | 1.36 | 1.36 | 1.37 | 1.38 | 1.38 | 1.39 | 1.38 | 1.38 | 1.37 | 1.37 | 1.36 | 1.35 | 1.35 | 1.15 | 1.24 | 1.50 | 1.48 | 1.46 | 1.45 | 1.50 | 1.30 | 1.10 | 0.99 | 0.87 | 1.09 | 1.26 | 1.21 | 1.16 | 1.33 | 1.49 | 1.50 | 1.50 | 1.50 | 1.75 | 1.94 | 2.12 | 1.95 | 1.74 |
| SIZE/TYPE OF PIPE & HGL | OD315mm PN16 HDPE PIPE | | |





PLAN
SCALE 1:2000





DATUM 1630.00 (Masl)

| | | |




PLAN
SCALE 1:2000




PROFILE
SCALES HOR 1:2000 AND VERT 1:200

## NOTES

1. ALL LEVELS ARE IN METERS ABOVE ORDINARY DATUM.
2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE GENERAL LAYOUT AND PLAN – FITTING DETAILS DRAWINGS.
3. THIS DRAWING SHOWS THE INDICATIVE ALIGNMENTS AND INVERT LEVELS OF EXISTING PIPELINES. FINAL LOCATIONS TO BE DETERMINED BY THE CONTRACTOR ON SITE. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS.
4. THIS DRAWING PROVIDES PLAN AND PROFILE DETAILS OF THE PIPELINE. ADDITIONAL DETAILS OF FIRE HYDRANTS, BRANCH PIPELINES AND DETAILED FITTINGS ARE GIVEN IN DRAWING No. 6000023-HH-PP-DR-W-75, 75A, 83, 83A, 84, 84A, 96, 96A.

## LEGEND:

- – – – – – – – – EXISTING GROUND PROFILE
- ■■■■■■■■ PROPOSED PIPELINE
- ——————— PIPE INVERT PROFILE
- BRANCH WATER LINE
- AV — AIR VALVE
- WO — WASHOUT

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys
Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title
INDUSTRIAL AREA
REHABILITATION LINES - PLAN AND PROFILE
ENTERPRISE ROAD - Sheet 3 Of 3

| | |
|---|---|
| Designed by: BAO | Drawn by: BAO |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-PP-DR-W-023
Revision: T0




## PLAN
SCALE 1:2000




## PROFILE
SCALES HOR 1:2000 AND VERT 1:200

## NOTES

1. ALL LEVELS ARE IN METERS ABOVE ORDINARY DATUM.
2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE GENERAL LAYOUT AND PLAN – FITTING DETAILS DRAWINGS.
3. THIS DRAWING SHOWS THE INDICATIVE ALIGNMENTS AND INVERT LEVELS OF EXISTING PIPELINES. FINAL LOCATIONS TO BE DETERMINED BY THE CONTRACTOR ON SITE. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS.
4. THIS DRAWING PROVIDES PLAN AND PROFILE DETAILS OF THE PIPELINE. ADDITIONAL DETAILS OF FIRE HYDRANTS, BRANCH PIPELINES AND DETAILED FITTINGS ARE GIVEN IN DRAWING No. 6000023-HH-PP-DR-W-75, 75A, 83, 83A, 84, 84A, 96, 96A.

## LEGEND:

- EXISTING GROUND PROFILE
- PROPOSED PIPELINE
- PIPE INVERT PROFILE
- BRANCH WATER LINE
- AV – AIR VALVE
- WO – WASHOUT

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK

Drawing Title


INDUSTRIAL AREA
REHABILITATION LINES - PLAN AND PROFILE
LUSAKA ROAD - Sheet 1 Of 2

| | |
|---|---|
| Designed by: BAO | Drawn by: BAO |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-PP-DR-W-024
Revision: T0




PLAN
SCALE 1:2000




PROFILE
SCALES HOR 1:2000 AND VERT 1:200

## NOTES

1. ALL LEVELS ARE IN METERS ABOVE ORDINARY DATUM.
2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE GENERAL LAYOUT AND PLAN – FITTING DETAILS DRAWINGS.
3. THIS DRAWING SHOWS THE INDICATIVE ALIGNMENTS AND INVERT LEVELS OF EXISTING PIPELINES. FINAL LOCATIONS TO BE DETERMINED BY THE CONTRACTOR ON SITE. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS.
4. THIS DRAWING PROVIDES PLAN AND PROFILE DETAILS OF THE PIPELINE. ADDITIONAL DETAILS OF FIRE HYDRANTS, BRANCH PIPELINES AND DETAILED FITTINGS ARE GIVEN IN DRAWING No. 6000023-HH-PP-DR-W-75, 75A, 83, 83A, 84, 84A, 96, 96A.

## LEGEND:

- – – – – – – – – EXISTING GROUND PROFILE
- ■■■■■■■■ PROPOSED PIPELINE
- ——————— PIPE INVERT PROFILE
- ■■■■■■■■ BRANCH WATER LINE
- AV — AIR VALVE
- WO — WASHOUT

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.


Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title
INDUSTRIAL AREA
REHABILITATION LINES - PLAN AND PROFILE
LUSAKA ROAD - Sheet 2 Of 2

| | |
|---|---|
| Designed by: BAO | Drawn by: BAO |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-PP-DR-W-025
Revision: T0




PLAN
SCALE 1:2000





DATUM 1635.00 (Masl)

| CHAINAGES (M) | 0+000 | 0+020 | 0+040 | 0+060 | 0+080 | 0+100 | 0+120 | 0+140 | 0+160 | 0+180 | 0+200 | 0+220 | 0+240 | 0+260 | 0+280 | 0+300 | 0+320 | 0+340 | 0+360 | 0+380 | 0+400 | 0+420 | 0+440 | 0+460 | 0+480 | 0+500 | 0+520 | 0+540 | 0+560 | 0+580 | 0+600 | 0+620 | 0+640 | 0+660 | 0+680 | 0+700 | 0+720 | 0+740 | 0+760 | 0+780 | 0+800 | 0+820 | 0+840 | 0+860 | 0+880 | 0+900 | 0+920 | 0+940 | 0+960 | 0+980 | 1+000 | 1+020 | 1+040 | 1+060 | 1+080 | 1+100 | 1+120 | 1+140 | 1+160 | 1+180 | 1+200 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GROUND LEVELS (Masl) | 1652.69 | 1652.53 | 1652.37 | 1652.22 | 1652.06 | 1651.90 | 1651.67 | 1651.44 | 1651.21 | 1650.98 | 1650.24 | 1649.50 | 1648.76 | 1648.02 | 1647.28 | 1646.54 | 1645.81 | 1646.06 | 1646.32 | 1646.45 | 1646.58 | 1646.71 | 1646.83 | 1646.70 | 1646.56 | 1646.43 | 1646.99 | 1647.29 | 1647.59 | 1647.89 | 1648.34 | 1648.78 | 1649.22 | 1649.67 | 1650.11 | 1650.55 | 1651.03 | 1651.51 | 1651.99 | 1652.48 | 1652.78 | 1653.09 | 1653.39 | 1653.70 | 1653.89 | 1654.09 | 1654.28 | 1654.28 | 1654.28 | 1653.69 | 1653.09 | 1652.50 | 1652.25 | 1652.00 | 1651.76 | 1651.65 | 1651.53 | 1651.42 | 1651.48 | 1651.38 | 1651.20 |
| INVERT LEVELS (Masl) | 1651.45 | 1651.26 | 1651.07 | 1650.88 | 1650.68 | 1650.46 | 1650.23 | 1650.01 | 1649.79 | 1649.47 | 1648.79 | 1648.10 | 1647.42 | 1646.72 | 1646.01 | 1645.30 | 1644.59 | 1644.60 | 1644.64 | 1644.68 | 1644.71 | 1644.75 | 1644.78 | 1644.90 | 1645.17 | 1645.43 | 1645.70 | 1645.97 | 1646.23 | 1646.50 | 1646.90 | 1647.36 | 1647.82 | 1648.27 | 1648.73 | 1649.19 | 1649.65 | 1650.08 | 1650.46 | 1650.83 | 1651.20 | 1651.58 | 1651.95 | 1652.32 | 1652.61 | 1652.89 | 1653.17 | 1652.75 | 1652.33 | 1651.91 | 1651.52 | 1651.36 | 1651.21 | 1651.05 | 1650.90 | 1650.75 | 1650.59 | 1650.44 | 1650.18 | 1649.93 | 1649.67 |
| TRENCH DEPTH (M) | 1.24 | 1.27 | 1.30 | 1.33 | 1.38 | 1.45 | 1.44 | 1.43 | 1.42 | 1.51 | 1.46 | 1.40 | 1.34 | 1.30 | 1.27 | 1.24 | 1.21 | 1.46 | 1.68 | 1.77 | 1.87 | 1.96 | 2.04 | 1.79 | 1.39 | 0.99 | 1.29 | 1.33 | 1.36 | 1.40 | 1.44 | 1.42 | 1.41 | 1.39 | 1.38 | 1.36 | 1.39 | 1.43 | 1.54 | 1.65 | 1.58 | 1.51 | 1.44 | 1.38 | 1.29 | 1.20 | 1.11 | 1.53 | 1.95 | 1.77 | 1.58 | 1.14 | 1.04 | 0.95 | 0.86 | 0.90 | 0.94 | 0.98 | 1.29 | 1.45 | 1.53 |
| SIZE/TYPE OF PIPE & HGL | | OD200mm PN16 HDPE PIPE | | |





PLAN
SCALE 1:2000




| DATUM 1635.00 (Masl) | | |




**PLAN**
SCALE 1:1000




| CHAINAGES (M) | 0+000 | 0+020 | 0+040 | 0+060 | 0+080 | 0+100 | 0+120 | 0+140 | 0+160 | 0+180 | 0+200 | 0+220 | 0+240 | 0+260 | 0+280 | 0+300 | 0+320 | 0+337 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GROUND LEVELS (Masl) | 1642.61 | 1643.87 | 1644.09 | 1643.48 | 1642.81 | 1642.07 | 1641.65 | 1641.62 | 1640.86 | 1640.44 | 1640.85 | 1641.00 | 1641.00 | 1641.03 | 1641.20 | 1641.47 | 1641.70 | 1642.11 |
| INVERT LEVELS (Masl) | 1641.53 | 1642.45 | 1642.91 | 1642.33 | 1641.74 | 1641.16 | 1640.57 | 1640.07 | 1639.71 | 1639.34 | 1639.50 | 1639.67 | 1639.83 | 1639.99 | 1640.16 | 1640.39 | 1640.61 | 1640.80 |
| TRENCH DEPTH (M) | 1.08 | 1.42 | 1.17 | 1.15 | 1.07 | 0.91 | 1.08 | 1.55 | 1.15 | 1.10 | 1.35 | 1.33 | 1.17 | 1.04 | 1.04 | 1.08 | 1.09 | 1.31 |
| SIZE/TYPE OF PIPE & HGL | OD200mm PN16 HDPE PIPE | | | | | | | | | | | | | | | | | |
| PIPE FITTINGS | | | | | | | | | | 90° H-BEND | | | | | | | 90° H-BEND | |
| SLOPE (%) | 4.58% | | | -2.92% | | | | -1.84% | | | | 0.82% | | | | | 1.12% | |

**PROFILE**
SCALES HOR 1:2000 AND VERT 1:200

## NOTES

1. ALL LEVELS ARE IN METERS ABOVE ORDINARY DATUM.
2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE GENERAL LAYOUT AND PLAN – FITTING DETAILS DRAWINGS.
3. THIS DRAWING SHOWS THE INDICATIVE ALIGNMENTS AND INVERT LEVELS OF EXISTING PIPELINES. FINAL LOCATIONS TO BE DETERMINED BY THE CONTRACTOR ON SITE. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS.
4. THIS DRAWING PROVIDES PLAN AND PROFILE DETAILS OF THE PIPELINE. ADDITIONAL DETAILS OF FIRE HYDRANTS, BRANCH PIPELINES AND DETAILED FITTINGS ARE GIVEN IN DRAWING No. 6000023-HH-PP-DR-W-017, 017A, 028, 028A, 029, 029A, 034, 034A, 045 AND 045A

## LEGEND:

- – – – – – – – – EXISTING GROUND PROFILE
- PROPOSED PIPELINE
- PIPE INVERT PROFILE
- BRANCH WATER LINE
- AV – AIR VALVE
- WO – WASHOUT

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT


Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK

Drawing Title
JOGOO ROAD ZONE
REHABILITATION LINES - PLAN AND PROFILE
J1 - Sheet 1 Of 1

| | | | |
|---|---|---|---|
| Designed by: BAO | | Drawn by: BAO | |
| Checked by: PN | | Approved by: OBO | |
| Scale: AS SHOWN | | Date: JUNE, 2023 | |
| Drawing Number: 6000023-HH-PP-DR-W-041 | | | Revision T0 |




**PLAN**
SCALE 1:2000




**PROFILE**
SCALES HOR 1:2000 AND VERT 1:200

## NOTES

1. ALL LEVELS ARE IN METERS ABOVE ORDINARY DATUM.
2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE GENERAL LAYOUT AND PLAN – FITTING DETAILS DRAWINGS.
3. THIS DRAWING SHOWS THE INDICATIVE ALIGNMENTS AND INVERT LEVELS OF EXISTING PIPELINES. FINAL LOCATIONS TO BE DETERMINED BY THE CONTRACTOR ON SITE. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS.
4. THIS DRAWING PROVIDES PLAN AND PROFILE DETAILS OF THE PIPELINE. ADDITIONAL DETAILS OF FIRE HYDRANTS, BRANCH PIPELINES AND DETAILED FITTINGS ARE GIVEN IN DRAWING No. 6000023-HH-PP-DR-W-017, 017A, 028, 028A, 029, 029A, 034, 034A, 045 AND 045A

## LEGEND:

- – – – – – – – – – EXISTING GROUND PROFILE
- ■ ■ ■ ■ ■ ■ ■ ■ PROPOSED PIPELINE
- ——————— PIPE INVERT PROFILE
- ■ ■ ■ ■ ■ ■ ■ ■ BRANCH WATER LINE
- AV – AIR VALVE
- WO – WASHOUT

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
INGEROP – Inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title
JOGOO ROAD ZONE
REHABILITATION LINES - PLAN AND PROFILE
J2 - Sheet 1 Of 1

| | | | |
|---|---|---|---|
| Designed by: | BAO | Drawn by: | BAO |
| Checked by: | PN | Approved by: | OBO |
| Scale: | AS SHOWN | Date: | JUNE, 2023 |

Drawing Number: 6000023-HH-PP-DR-W-042
Revision: T0




**PLAN**
SCALE 1:2000




**PROFILE**
SCALES HOR 1:2000 AND VERT 1:200

## NOTES

1. ALL LEVELS ARE IN METERS ABOVE ORDINARY DATUM.
2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE GENERAL LAYOUT AND PLAN – FITTING DETAILS DRAWINGS.
3. THIS DRAWING SHOWS THE INDICATIVE ALIGNMENTS AND INVERT LEVELS OF EXISTING PIPELINES. FINAL LOCATIONS TO BE DETERMINED BY THE CONTRACTOR ON SITE. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS.
4. THIS DRAWING PROVIDES PLAN AND PROFILE DETAILS OF THE PIPELINE. ADDITIONAL DETAILS OF FIRE HYDRANTS, BRANCH PIPELINES AND DETAILED FITTINGS ARE GIVEN IN DRAWING No. 6000023-HH-PP-DR-W-017, 017A, 028, 028A, 029, 029A, 034, 034A, 045 AND 045A

## LEGEND:

- – – – – – – – – EXISTING GROUND PROFILE
- ■■■■■■■■ PROPOSED PIPELINE
- ——————— PIPE INVERT PROFILE
- ■■■■■■■■ BRANCH WATER LINE
- AV — AIR VALVE
- WO — WASHOUT

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title
JOGOO ROAD ZONE
REHABILITATION LINES - PLAN AND PROFILE
J3 - Sheet 1 Of 1

| | |
|---|---|
| Designed by: BAO | Drawn by: BAO |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-PP-DR-W-043
Revision: T0




**PLAN**
SCALE 1:2000




DATUM 1620.00 (Masl)

| CHAINAGES (M) | 0+000 | 0+020 | 0+040 | 0+060 | 0+080 | 0+100 | 0+120 | 0+140 | 0+160 | 0+180 | 0+200 | 0+220 | 0+240 | 0+260 | 0+280 | 0+300 | 0+320 | 0+340 | 0+360 | 0+380 | 0+400 | 0+420 | 0+440 | 0+460 | 0+480 | 0+500 | 0+520 | 0+540 | 0+560 | 0+580 | 0+600 | 0+620 | 0+640 | 0+660 | 0+680 | 0+700 | 0+720 | 0+737 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GROUND LEVELS (Masl) | 1638.43 | 1638.79 | 1638.36 | 1637.68 | 1636.56 | 1635.35 | 1634.67 | 1633.96 | 1633.48 | 1633.06 | 1632.98 | 1633.63 | 1633.42 | 1632.79 | 1631.83 | 1631.99 | 1632.12 | 1631.75 | 1631.28 | 1630.70 | 1629.98 | 1629.49 | 1629.17 | 1629.76 | 1631.14 | 1632.86 | 1634.49 | 1636.00 | 1636.98 | 1637.49 | 1637.97 | 1638.45 | 1638.57 | 1638.57 | 1638.68 | 1639.03 | 1639.15 | 1639.13 |
| INVERT LEVELS (Masl) | 1637.32 | 1637.08 | 1636.83 | 1636.04 | 1635.25 | 1634.46 | 1633.78 | 1633.26 | 1632.74 | 1632.21 | 1631.75 | 1631.54 | 1631.34 | 1631.13 | 1630.92 | 1630.71 | 1630.51 | 1630.14 | 1629.77 | 1629.40 | 1629.04 | 1628.67 | 1628.30 | 1628.21 | 1629.72 | 1631.22 | 1632.73 | 1634.23 | 1635.58 | 1636.13 | 1636.69 | 1637.25 | 1637.56 | 1637.71 | 1637.87 | 1638.02 | 1638.18 | 1638.31 |
| TRENCH DEPTH (M) | 1.10 | 1.71 | 1.53 | 1.64 | 1.31 | 0.89 | 0.89 | 0.70 | 0.74 | 0.85 | 1.23 | 2.09 | 2.08 | 1.66 | 0.91 | 1.28 | 1.61 | 1.61 | 1.51 | 1.29 | 0.94 | 0.82 | 0.87 | 1.55 | 1.42 | 1.64 | 1.77 | 1.76 | 1.40 | 1.36 | 1.27 | 1.20 | 1.01 | 0.85 | 0.82 | 1.00 | 0.97 | 0.81 |
| SIZE/TYPE OF PIPE & HGL | OD200mm PN16 HDPE PIPE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| PIPE FITTINGS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SLOPE (%) | -1.21% | | | | -3.95% | | | | -2.61% | | | | | -1.04% | | | | | | | | | | | -1.84% | | | | | | | | | | | 7.53% | | | 2.78% | | | 0.78% | |

TEE
90° H-BEND
90° H-BEND

**PROFILE**
SCALES HOR 1:2000 AND VERT 1:200

## NOTES

1. ALL LEVELS ARE IN METERS ABOVE ORDINARY DATUM.
2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE GENERAL LAYOUT AND PLAN – FITTING DETAILS DRAWINGS.
3. THIS DRAWING SHOWS THE INDICATIVE ALIGNMENTS AND INVERT LEVELS OF EXISTING PIPELINES. FINAL LOCATIONS TO BE DETERMINED BY THE CONTRACTOR ON SITE. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS.
4. THIS DRAWING PROVIDES PLAN AND PROFILE DETAILS OF THE PIPELINE. ADDITIONAL DETAILS OF FIRE HYDRANTS, BRANCH PIPELINES AND DETAILED FITTINGS ARE GIVEN IN DRAWING No. 6000023-HH-PP-DR-W-017, 017A, 028, 028A, 029, 029A, 034, 034A, 045 AND 045A

## LEGEND:

- EXISTING GROUND PROFILE
- PROPOSED PIPELINE
- PIPE INVERT PROFILE
- BRANCH WATER LINE
- AV – AIR VALVE
- WO – WASHOUT

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title
JOGOO ROAD ZONE
REHABILITATION LINES - PLAN AND PROFILE
J4 - Sheet 1 Of 1

| Designed by: BAO | Drawn by: BAO |
|---|---|
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-PP-DR-W-044
Revision: T0




**PLAN**
SCALE 1:2000





DATUM 1640.00 (Masl)

| | | |




**PLAN**
SCALE 1:2000




**PROFILE**
SCALES HOR 1:2000 AND VERT 1:200

## NOTES

1. ALL LEVELS ARE IN METERS ABOVE ORDINARY DATUM.
2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE GENERAL LAYOUT AND PLAN – FITTING DETAILS DRAWINGS.
3. THIS DRAWING SHOWS THE INDICATIVE ALIGNMENTS AND INVERT LEVELS OF EXISTING PIPELINES. FINAL LOCATIONS TO BE DETERMINED BY THE CONTRACTOR ON SITE. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS.
4. THIS DRAWING PROVIDES PLAN AND PROFILE DETAILS OF THE PIPELINE. ADDITIONAL DETAILS OF FIRE HYDRANTS, BRANCH PIPELINES AND DETAILED FITTINGS ARE GIVEN IN DRAWING No. 6000023-HH-PP-DR-W-75, 75A, 83, 83A, 84, 84A, 96, 96A.

## LEGEND:

- – – – – – – – – EXISTING GROUND PROFILE
- ■■■■■■■■ PROPOSED PIPELINE
- ——————— PIPE INVERT PROFILE
- ——— ——— BRANCH WATER LINE
- AV — AIR VALVE
- WO — WASHOUT

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.


Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title
INDUSTRIAL AREA
REHABILITATION LINES - PLAN AND PROFILE
LUSAKA ROAD - Sheet 2 Of 2

| | | | |
|---|---|---|---|
| Designed by: | BAO | Drawn by: | BAO |
| Checked by: | PN | Approved by: | OBO |
| Scale: | AS SHOWN | Date: | APRIL, 23 |

Drawing Number: 6000023-HH-PP-DR-W-046
Revision: T0




**PLAN**
SCALE 1:2000




DATUM 1640.00 (Masl)

| CHAINAGES (M) | 0+000 | 0+020 | 0+040 | 0+060 | 0+080 | 0+100 | 0+120 | 0+140 | 0+160 | 0+180 | 0+200 | 0+220 | 0+240 | 0+260 | 0+280 | 0+300 | 0+320 | 0+340 | 0+360 | 0+380 | 0+400 | 0+420 | 0+440 | 0+460 | 0+480 | 0+500 | 0+520 | 0+540 | 0+560 | 0+580 | 0+600 | 0+620 | 0+640 | 0+660 | 0+668 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GROUND LEVELS (Masl) | 1654.03 | 1653.91 | 1653.73 | 1653.54 | 1653.62 | 1654.01 | 1654.56 | 1654.93 | 1655.25 | 1655.47 | 1655.61 | 1655.76 | 1655.51 | 1654.93 | 1654.43 | 1654.84 | 1655.11 | 1654.72 | 1654.48 | 1654.28 | 1653.80 | 1653.29 | 1652.28 | 1651.22 | 1650.78 | 1650.25 | 1650.64 | 1650.87 | 1651.48 | 1652.35 | 1653.19 | 1653.97 | 1654.67 | 1654.23 | 1654.05 |
| INVERT LEVELS (Masl) | 1652.89 | 1652.56 | 1652.22 | 1652.39 | 1652.68 | 1652.98 | 1653.27 | 1653.56 | 1653.86 | 1654.15 | 1654.44 | 1654.74 | 1654.26 | 1653.78 | 1653.30 | 1653.35 | 1653.57 | 1653.73 | 1653.37 | 1653.01 | 1652.65 | 1651.90 | 1651.15 | 1650.40 | 1649.65 | 1648.90 | 1649.36 | 1649.82 | 1650.43 | 1651.21 | 1651.99 | 1652.77 | 1653.54 | 1652.91 | 1652.63 |
| TRENCH DEPTH (M) | 1.13 | 1.35 | 1.51 | 1.15 | 0.94 | 1.04 | 1.29 | 1.37 | 1.40 | 1.33 | 1.16 | 1.03 | 1.26 | 1.15 | 1.13 | 1.49 | 1.54 | 0.99 | 1.11 | 1.26 | 1.15 | 1.39 | 1.12 | 0.82 | 1.13 | 1.35 | 1.28 | 1.05 | 1.04 | 1.14 | 1.20 | 1.20 | 1.12 | 1.32 | 1.42 |
| SIZE/TYPE OF PIPE & HGL | OD250mm PN16 HDPE PIPE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| PIPE FITTINGS | AV-01 | | | | | | | | | | | | | | | | | | | | | | | | | WO-01 | | | | | | | | | |
| SLOPE (%) | -1.67% | | | | | 1.47% | | | | | | | -2.39% | | 1.11% | | | -1.79% | | | | -3.75% | | | | | 2.29% | | | | 3.89% | | | | 3.69% |

**PROFILE**
SCALES HOR 1:2000 AND VERT 1:200

## NOTES

1. ALL LEVELS ARE IN METERS ABOVE ORDINARY DATUM.
2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE GENERAL LAYOUT AND PLAN – FITTING DETAILS DRAWINGS.
3. THIS DRAWING SHOWS THE INDICATIVE ALIGNMENTS AND INVERT LEVELS OF EXISTING PIPELINES. FINAL LOCATIONS TO BE DETERMINED BY THE CONTRACTOR ON SITE. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS.
4. THIS DRAWING PROVIDES PLAN AND PROFILE DETAILS OF THE PIPELINE. ADDITIONAL DETAILS OF FIRE HYDRANTS, BRANCH PIPELINES AND DETAILED FITTINGS ARE GIVEN IN DRAWING No. 6000023-HH-PP-DR-W-75, 75A, 83, 83A, 84, 84A, 96, 96A.

## LEGEND:

- – – – – – – – – EXISTING GROUND PROFILE
- ■■■■■■■■ PROPOSED PIPELINE
- ——————— PIPE INVERT PROFILE
- ——— BRANCH WATER LINE
- AV – AIR VALVE
- WO – WASHOUT

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK


Drawing Title
INDUSTRIAL AREA
REHABILITATION LINES - PLAN AND PROFILE
OFF LUSAKA ROAD - Sheet 1 Of 1

| | |
|---|---|
| Designed by: BAO | Drawn by: BAO |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: APRIL, 23 |

Drawing Number: 6000023-HH-PP-DR-W-047
Revision: T0





**PLAN**
SCALE 1:2000





DATUM 1640.00 (Masl)

| CHAINAGES (M) | 0+000 | 0+020 | 0+040 | 0+060 | 0+080 | 0+100 | 0+120 | 0+140 | 0+160 | 0+180 | 0+200 | 0+220 | 0+240 | 0+260 | 0+280 | 0+300 | 0+320 | 0+340 | 0+360 | 0+380 | 0+400 | 0+420 | 0+440 | 0+460 | 0+480 | 0+500 | 0+520 | 0+540 | 0+560 | 0+580 | 0+600 | 0+620 | 0+640 | 0+660 | 0+680 | 0+700 | 0+720 | 0+740 | 0+760 | 0+780 | 0+800 | 0+820 | 0+840 | 0+860 | 0+880 | 0+900 | 0+920 | 0+940 | 0+960 | 0+980 | 1+000 | 1+020 | 1+040 | 1+060 | 1+080 | 1+100 | 1+120 | 1+140 | 1+160 | 1+180 | 1+200 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GROUND LEVELS (Masl) | 1659.66 | 1659.49 | 1659.32 | 1659.15 | 1658.93 | 1658.72 | 1658.51 | 1658.29 | 1658.08 | 1657.87 | 1657.66 | 1657.45 | 1657.23 | 1657.02 | 1656.81 | 1656.60 | 1656.38 | 1656.17 | 1655.96 | 1655.75 | 1655.53 | 1655.32 | 1655.11 | 1654.90 | 1654.68 | 1654.47 | 1654.26 | 1654.05 | 1653.83 | 1653.62 | 1653.41 | 1653.20 | 1652.99 | 1652.77 | 1652.54 | 1652.32 | 1652.09 | 1651.86 | 1651.63 | 1651.41 | 1651.18 | 1650.95 | 1650.73 | 1650.50 | 1650.24 | 1649.97 | 1649.70 | 1649.43 | 1649.23 | 1648.98 | 1648.76 | 1648.54 | 1648.32 | 1648.10 | 1647.88 | 1647.67 | 1647.53 | 1647.47 | 1647.42 | 1647.37 | 1647.32 |
| INVERT LEVELS (Masl) | 1658.85 | 1658.61 | 1658.37 | 1658.12 | 1657.88 | 1657.67 | 1657.47 | 1657.27 | 1657.07 | 1656.87 | 1656.68 | 1656.48 | 1656.28 | 1656.08 | 1655.88 | 1655.68 | 1655.48 | 1655.28 | 1655.08 | 1654.88 | 1654.67 | 1654.45 | 1654.24 | 1654.03 | 1653.81 | 1653.60 | 1653.38 | 1653.17 | 1652.95 | 1652.74 | 1652.52 | 1652.31 | 1652.10 | 1651.88 | 1651.67 | 1651.45 | 1651.24 | 1651.02 | 1650.81 | 1650.59 | 1650.35 | 1650.06 | 1649.77 | 1649.48 | 1649.19 | 1648.90 | 1648.61 | 1648.33 | 1648.04 | 1647.75 | 1647.46 | 1647.20 | 1647.08 | 1646.97 | 1646.85 | 1646.73 | 1646.61 | 1646.50 | 1646.38 | 1646.26 | 1646.15 |
| TRENCH DEPTH (M) | 0.81 | 0.88 | 0.96 | 1.02 | 1.05 | 1.05 | 1.03 | 1.02 | 1.01 | 1.00 | 0.98 | 0.97 | 0.96 | 0.94 | 0.93 | 0.92 | 0.90 | 0.89 | 0.88 | 0.86 | 0.86 | 0.87 | 0.87 | 0.87 | 0.87 | 0.88 | 0.88 | 0.88 | 0.88 | 0.88 | 0.89 | 0.89 | 0.89 | 0.89 | 0.88 | 0.86 | 0.85 | 0.84 | 0.83 | 0.81 | 0.83 | 0.89 | 0.96 | 1.02 | 1.05 | 1.07 | 1.09 | 1.11 | 1.19 | 1.24 | 1.30 | 1.34 | 1.24 | 1.14 | 1.04 | 0.93 | 0.91 | 0.98 | 1.04 | 1.11 | 1.17 |
| SIZE/TYPE OF PIPE & HGL | OD200mm PN16 HDPE PIPE | | |




**PLAN**
SCALE 1:2000




| DATUM 1630.00 (Masl) | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CHAINAGES (M) | 1+200 | 1+220 | 1+240 | 1+260 | 1+280 | 1+300 | 1+320 | 1+340 | 1+360 | 1+380 | 1+400 | 1+420 | 1+440 | 1+460 | 1+480 | 1+500 | 1+520 | 1+540 | 1+560 | 1+571 |
| GROUND LEVELS (Masl) | 1647.32 | 1647.27 | 1647.22 | 1647.16 | 1647.11 | 1647.07 | 1647.00 | 1646.81 | 1646.68 | 1646.47 | 1646.01 | 1645.61 | 1645.26 | 1644.93 | 1644.71 | 1644.51 | 1644.46 | 1644.08 | 1643.91 | 1643.75 |
| INVERT LEVELS (Masl) | 1646.15 | 1646.03 | 1645.94 | 1645.88 | 1645.83 | 1645.77 | 1645.71 | 1645.65 | 1645.59 | 1645.28 | 1644.92 | 1644.55 | 1644.18 | 1643.81 | 1643.46 | 1643.24 | 1643.01 | 1642.79 | 1642.57 | 1642.45 |
| TRENCH DEPTH (M) | 1.17 | 1.24 | 1.28 | 1.28 | 1.29 | 1.30 | 1.29 | 1.16 | 1.09 | 1.19 | 1.09 | 1.06 | 1.08 | 1.12 | 1.25 | 1.28 | 1.44 | 1.29 | 1.34 | 1.30 |
| SIZE/TYPE OF PIPE & HGL | OD200mm PN16 HDPE PIPE | | | | | | | | | | | | | | | | | | | |
| PIPE FITTINGS | | | | | | | | | | | | | | | | | | | | |
| SLOPE (%) | -0.59% | | | -0.29% | | | | | | | -1.84% | | | | | | | -1.11% | | |

**PROFILE**
SCALES HOR 1:2000 AND VERT 1:200

## NOTES

1. ALL LEVELS ARE IN METERS ABOVE ORDINARY DATUM.
2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE GENERAL LAYOUT AND PLAN – FITTING DETAILS DRAWINGS.
3. THIS DRAWING SHOWS THE INDICATIVE ALIGNMENTS AND INVERT LEVELS OF EXISTING PIPELINES. FINAL LOCATIONS TO BE DETERMINED BY THE CONTRACTOR ON SITE. ALL SETTING OUT OF PIPELINES, FITTINGS, CHAMBERS AND FINAL INVERT LEVELS TO BE APPROVED BY THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION WORKS.
4. THIS DRAWING PROVIDES PLAN AND PROFILE DETAILS OF THE PIPELINE. ADDITIONAL DETAILS OF FIRE HYDRANTS, BRANCH PIPELINES AND DETAILED FITTINGS ARE GIVEN IN DRAWING No. 6000023-HH-FT-DR-W-017, 017A, 018, 018A, 019, 019A, 020, 020A, 021, 021A, 022, 022A, 023, 023A, 024 AND 024A.

## LEGEND:

- – EXISTING GROUND PROFILE
- – PROPOSED PIPELINE
- – PIPE INVERT PROFILE
- – BRANCH WATER LINE
- AV – AIR VALVE
- WO – WASHOUT

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys
Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title


CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK

Drawing Title


EASTLEIGH
REHABILITATION PIPELINES - PLAN AND PROFILE
JUJA ROAD - Sheet 2 Of 2

| | | | |
|---|---|---|---|
| Designed by: BAO | | Drawn by: BAO | |
| Checked by: PN | | Approved by: OBO | |
| Scale: AS SHOWN | | Date: JUNE, 2023 | |
| Drawing Number: 6000023-HH-PP-DR-W-049 | | | Revision T0 |

# STANDARD DRAWINGS




SIDE ELEVATION




SECTION A – A




FRONT ELEVATION

NOTES

1. ALL DIMENSIONS ARE IN MM UNLESS OTHERWISE STATED
2. FINAL WORDING ON THE SIGNBOARD AS APPROVED BY THE EMPLOYER
3. THE EXACT LOCATION OF THE SIGNBOARD ERECTION TO BE APPROVED BY THE ENGINEER ON SITE

LEGEND

R.H – RECTANGULAR HOLLOW

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT


Drawing Title

STANDARD DRAWINGS
PROJECT SIGNBOARD DETAILS

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: APRIL, 23 |


Drawing Number: 6000023-HH-SD-DR-W-001

Revision: P0




## REINSTATING EXISTING CONSUMER CONNECTION

SCALE 1:




## SCHEMATIC CONSUMER CONNECTION


SCALE 1:25

## FITTINGS SCHEDULE FOR TYPICAL HOUSE CONNECTION

| ITEM No. | DESCRIPTION | QUANTITY |
|---|---|---|
| 1 | HDPE SADDLE CLAMP | 1 |
| 2 | $D_2$ DIA. BRASS FERRULE | 1 |
| 3 | $D_2$ DIA. HDPE PIPE LENGTH 1m (CUT TO SUIT ON SITE) | 1 |
| 4 | 32x32mm DIA. TEE | 1 |
| 5 | $D_1$ DIA. HDPE PIPE LENGTH 20m (CUT TO SUIT ON SITE) | 1 |
| 6 | $D_2$ DIA. HDPE 90° ELBOW | 2 |
| 7 | $D_2$x$D_1$ DIA. REDUCING COUPLER | 1 |
| 8 | $D_1$ DIA. HDPE PIPE LENGTH 20m (CUT TO SUIT ON SITE) | 1 |
| 9 | $D_1$ DIA. HDPE 90° ELBOW | 2 |
| 10 | $D_1$ DIA. FLANGE ADAPTOR (STUB END) COMPLETE WITH METAL BACK UP RING | 2 |
| 11 | $D_1$ DIA. STOCK COCK | 1 |
| 12 | $D_1$ DIA. METER LINER | 1 |
| 13 | $D_1$ DIA. PLASTIC WATER METER INCLUDING STANDARD METER BOX (ELSTER KENT OR APPROVED EQUIVALENT) | 1 |
| 14 | $D_1$ DIA. HDPE PIPE 1000mm LONG (CUT TO SUIT ON SITE) | 1 |
| 15 | $D_1$ DIA. HDPE END CAP | 1 |


## FITTINGS SCHEDULE FOR DETAIL 'B'

| ITEM No. | DESCRIPTION | QUANTITY |
|---|---|---|
| A | HDPE TEE Dxd | 1 |
| B | SHORT LENGTH HDPE PIPE | 1 |
| C | COUPLING | 1 |
| D | STEEL SF PIPE PIECE | 1 |
| E | SLUICE VALVE | 1 |
| F | FLANGE ADAPTOR | 2 |
| G | PE PIPE | 1 |
| H | COUPLING | 1 |





## NEW CONSUMER CONNECTION

SCALE 1:



## DETAIL 'A'

SCALE 1:




## DETAIL 'B'

SCALE 1:

## NOTES

1. ALL DIMENSIONS/LEVELS ARE IN METERS UNLESS NOTED OTHERWISE.
2. FINAL LOCATION TO BE DETERMINED ON SITE AND APPROVED BY THE ENGINEER.
3. ALL EXPOSED CONCRETE EDGES HAVE A 25mm X 25mm CHAMFER.
4. ALL REINFORCED CONCRETE SHALL BE CLASS '30/20' FOR WATER RETAINING STRUCTURES AND OTHER REINFORCED CONCRETE. BLINDING CONCRETE SHALL BE CLASS '15/20' UNLESS OTHERWISE STATED.
5. ALL PIPES AND FITTINGS TO BE SIZED TO BS4772.
6. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH OTHER RELATED DRAWINGS.
7. FLANGED INSERTS SHALL BE CAST WITH FLANGES CLEAR OF THE CONCRETE SURFACE TO ENABLE FASTENING OF BOLTS.

## LEGEND

- NEW SECONDARY MAIN
- NEW TERTIARY/SERVICE MAIN
- EXISTING PRIMARY/SECONDARY MAINS
- INDIVIDUAL CONSUMER CONNECTIONS
- EXISTING SECONDARY MAIN TO BE REPLACED BY MAIN CONTRACTOR
- CONSUMER CONNECTIONS TO OLD MAIN
- EXISTING TERTIARY/SERVICE MAINS
- CONSUMER CONNECTION OFF TERTIARY/SERVICE MAIN
- CONSUMER CONNECTION OFF SECONDARY MAIN
- CONNECTION OF NEW SECONDARY MAIN TO EXISTING NETWORK
- SECONDARY MAIN TO TERTIARY/ SERVICE MAIN CONNECTION

## ABBREVIATIONS:

| | |
|---|---|
| E.G.L | EXISTING GROUND LEVEL |
| F.G.L | FINISHED GROUND LEVEL |
| R.C | REINFORCED CONCRETE |
| SV | SLUICE VALVE |
| PF | PUDDLE FLANGE |
| DN | NOMINAL DIAMETER |
| MS | MILD STEEL |
| GMS | GALVANISED MILD STEEL |
| TWL | TOP WATER LEVEL |

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT


Drawing Title

STANDARD DETAILS
CONSUMER WATER CONNECTION DETAILS

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE,2023 |


Drawing Number: 6000023-HH-SD-DR-W-002

Revision: T0





FIRE HYDRANT TYPE 1 (OFFSET CONNECTION FROM MAIN PIPE) TYPICAL NARROW CONCRETE CHAMBER

SCALE 1:10




PLAN OF OUT FALL WASHOUT TYPE 1

(ARRANGEMENT WHERE NATURAL DRAINAGE POSSIBLE)





SECTION THROUGH WASHOUT TYPE 1

(ARRANGEMENT WHERE NATURAL DRAINAGE POSSIBLE)


N.T.S

**FIRE HYDRANT CONNECTION TYPE 1**





| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | STEPPED COUPLING | 2 |
| 2 | OD Dx75mm DIA. HDPE PLAIN ENDED TEE | 1 |
| 3 | OD75mm DIA. HDPE PIPE, 1.2m LONG, CUT TO SUIT | 1 |
| 4 | OD75mm DIA. HDPE PLAIN ENDED 90° BEND | 1 |
| 5 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 6 | OD75mm DIA. HDPE PIPE, 1.2m LONG, CUT TO SUIT | 1 |
| 7 | DN80mm DIA. FIRE HYDRANT | 1 |

**FIRE HYDRANT CONNECTION TYPE 2**




| ITEM | DESCRIPTION | NO. |
|---|---|---|
| 1 | STEPPED COUPLING | 2 |
| 2 | OD Dx75mm DIA. HDPE PLAIN ENDED TEE | 1 |
| 3 | OD75mm DIA. HDPE PIPE, 1.2m LONG, CUT TO SUIT | 1 |
| 4 | OD75mm DIA. HDPE STUB END WITH FLANGE | 1 |
| 5 | DN80mm DIA. FIRE HYDRANT | 1 |




FIRE HYDRANT TYPE 2 DIRECT CONNECTION


SCALE 1:15




SECTION A–A

SCALE 1:15


TYPICAL NARROW CONCRETE CHAMBER




TYPICAL NARROW HDPE CHAMBER FOR GATE VALVE <150mm DIA

SCALE 1:10

(ADDITIONAL BLANK FLANGE FITTED WITH HOSE ADAPTOR AND HOSE SUPPLIED SEPARATELY IF REQUIRED AND BOLTED ON WHEN WASHOUT IN OPERATION)




WASHOUT TYPE 2

(ARRANGEMENT WHERE NATURAL DRAINAGE IS NOT POSSIBLE) N.T.S

TABLE OF WASHOUT BRANCH SIZES

| MAIN DIAMETER | WASHOUT BRANCH |
|---|---|
| 100 – 400 | 80 |
| 450 – 600 | 100 |
| 650 – 800 | 150 |

NOTES

1. ALL DIMENSION ARE IN MILLIMETRES UNLESS OTHERWISE STATED
2. ALL FABRIC REINFORCEMENT SHOULD CONFIRM TO BS 4483
3. SURFACE BOXES TO CHAMBERS TO BE OF CAST IRON
4. ADDITIONAL RISER PIECES AND TAPERS ON WASHUOT BRANCHES TO BE USED AS REQUIRED BY THE ENGINEER REPRESENTATIVE
5. ALL EXTERNAL EDGES TO BE CHAMFERED (25x25mm)
6. ALL PRECAST CONCRETE IS CLASS '30'

LEGEND:

F.G.L – FINISHED GROUND LEVEL

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT


Drawing Title

STANDARD DRAWINGS
FIRE HYDRANT,GATE VALVE AND WASHOUT DETAILS

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |


Drawing Number: 6000023-HH-SD-DR-W-003

Revision: T0





TYPICAL TRENCH

SCALE 1:10





TRENCH IN ROCK

SCALE 1:10





PIPE BEDDING DETAIL IN BLACK COTTON SOIL

SCALE 1:10




MARKER POST (FOR PIPELINE)
TYPICAL SECTION

N.T.S




PIPELINE MARKER POST LETTERING

N.T.S

SLUICE VALVE MARKER POST LETTERING

N.T.S

FIRE HYDRANT MARKER POST LETTERING

N.T.S

AIR VALVE MARKER POST LETTERING

N.T.S

WASHOUT MARKER POST LETTERING

N.T.S

MARKER POST ELEVATIONS

(SECTION SIMILAR TO MARKER POST FOR PIPELINE)

## NOTES

1. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE STATED.
2. ALL CORNERS OF PRECAST UNITS TO HAVE A CHAMFER OF 20mm
3. LETTERING ON MARKER POSTS TO BE ENGRAVED ABOUT 8mm IN CONCRETE
4. MARKER POSTS TO BE POSITIONED IN SAFE LOCATIONS WHERE POSSIBLE AGAINST BOUNDARY OF ROAD RESERVE
5. QUARRY DUST SHALL NOT HAVE ANY GRAINS OF DIAMETER GREATER THAN 5mm AND FINES OF DIAMETER LESS THAN 0.05mm SHALL NOT EXCEED 15%

## LEGEND:

| | |
|---|---|
| F.G.L | –FINISHED GROUND LEVEL |
| DN | –NOMINAL DIAMETER |
| SV | –SLUICE VALVE |
| AV | –AIR VALVE |
| WO | –WASHOUT |
| H | –FIRE HYDRANT |
| AWWDA | –ATHI WATER WORKS DEVELOPMENT AGENCY |

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT


Drawing Title

STANDARD DRAWINGS
MARKER POSTS AND TRENCH DETAILS

| | | | |
|---|---|---|---|
| Designed by: | LMN | Drawn by: | LMN |
| Checked by: | PN | Approved by: | OBO |
| Scale: | AS SHOWN | Date: | JUNE,2023 |


Drawing Number: 6000023-HH-SD-DR-W-004

Revision: T0





SECTION C–C

SCALE: 1:25





SECTION D–D

SCALE: 1:25




SECTIONAL PLAN E–E
AIR VALVE CHAMBER

SCALE: 1:25




ROOF PLAN

SCALE: 1:25

## SCHEDULE FOR AIR VALVE CHAMBER

| MAIN DIAMETER | AIR VALVE BRANCH | TYPE | W | X |
|---|---|---|---|---|
| UP TO 400 | DN 80 | A | 850 | 850 |
| 450 TO 600 | DN 100 | A | 850 | 850 |

## NOTES

1. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE STATED
2. ALL CONCRETE TO BE CLASS '25' UNLESS OTHERWISE STATED
3. ALL EXPOSED CONCRETE MEMBERS TO HAVE A CHAMFER OF 25mm UNLESS STATED OTHERWISE
4. ALL STEEL MANHOLE COVERS TO BE PAINTED AFTER FABRICATION WITH TWO COATS OF ZINC BASED PRIMER
5. STEP IRONS ARE ONLY REQUIRED WHERE CHAMBER IS GREATER THAN 1000mm. DEEP
6. MINIMUM COVER TO ALL REINFORCEMENT TO BE 40mm
7. ADDITIONAL RISER PIECES TO BE USED AS DIRECTED BY THE ENGINEER'S REPRESENTATIVES
8. THE CONTRACTOR MAY SUPPLY UNITS IN CLASS '30' PRECAST CONCRETE

## LEGEND:

F.G.L – FINISHED GROUND LEVEL
R.C – REINFORCED CONCRETE
O.D – OUTSIDE DIAMETER
C/C – CENTRE TO CENTRE

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT


Drawing Title

STANDARD DRAWINGS
AIR VALVE CHAMBER


| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-SD-DR-W-005


Revision: T0





SECTION A–A
SCALE: 1:25





SECTION C–C
SCALE: 1:25





SECTION A–A
SCALE: 1:25




SECTIONAL PLAN B–B
GATE VALVE CHAMBER
SCALE: 1:25




SECTIONAL PLAN D–D
FLOWMETER CHAMBER
SCALE: 1:25




SECTIONAL PLAN B–B
TYPICAL MASONRY CHAMBER
SCALE: 1:25

## NOTES

1. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE STATED
2. ALL CONCRETE TO BE CLASS '25' UNLESS OTHERWISE STATED
3. ALL EXPOSED CONCRETE MEMBERS TO HAVE A CHAMFER OF 25mm UNLESS STATED OTHERWISE
4. ALL STEEL MANHOLE COVERS TO BE PAINTED AFTER FABRICATION WITH TWO COATS OF ZINC BASED PRIMER
5. STEP IRONS ARE ONLY REQUIRED WHERE CHAMBER IS GREATER THAN 1000mm. DEEP
6. MINIMUM COVER TO ALL REINFORCEMENT TO BE 40mm
7. ADDITIONAL RISER PIECES TO BE USED AS DIRECTED BY THE ENGINEER'S REPRESENTATIVES
8. THE CONTRACTOR MAY SUPPLY UNITS IN CLASS '30' PRECAST CONCRETE

## LEGEND:

F.G.L – FINISHED GROUND LEVEL
R.C – REINFORCED CONCRETE
O.D – OUTSIDE DIAMETER
C/C – CENTRE TO CENTRE

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title


CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title

STANDARD DRAWINGS
GATE VALVE & FLOW METER CHAMBER

| | | | |
|---|---|---|---|
| Designed by: | LMN | Drawn by: | LMN |
| Checked by: | PN | Approved by: | OBO |
| Scale: | AS SHOWN | Date: | JUNE, 2023 |


Drawing Number: 6000023-HH-SD-DR-W-006
Revision: T0





ELEVATION
SCALE 1:10

PLAN
SCALE 1:10

PRECAST CONCRETE CHANNEL





SECTION C – C
SCALE 1:10




ELEVATION
SCALE 1:10





SECTION B – B
SCALE 1:10





PLAN
SCALE 1:10


PRECAST CONCRETE EDGING




ELEVATION
SCALE 1:10





PLAN
SCALE 1:10





SECTION A – A
SCALE 1:10

125x250 HALF BATTERED KERB





250x125 PRECAST CONCRETE KERB
–WITH CONCRETE BEDDING AND HAUNCHING
SCALE 1:10




PLAN
SCALE 1:5

SECTION D – D
SCALE 1:5


SIDE SLAB FOR INVERT BLOCK DRAIN




END ELEVATION
SCALE 1:10

SIDE ELEVATION
SCALE 1:10

PRECAST CONCRETE INVERT BLOCK DRAIN




INVERT BLOCK DRAIN ASSEMBLY DETAIL

1. ALL DIMENSIONS ARE IN MM UNLESS OTHERWISE STATED

Client:
THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.


Project Name
CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title
CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title
STANDARD DRAWINGS
ROAD KERB, CHANNEL AND DRAINAGE DETAILS


| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE,2023 |

Drawing Number: 6000023-HH-SD-DR-W-007
Revision: T0





## 100mm DIA PIPE ANCHORAGE DETAIL

SCALE 1:5




## 150mm DIA PIPE ANCHORAGE DETAIL


SCALE 1:5




## SECTION V-V

SCALE 1:25


## THRUST BLOCKS FOR UP-THRUST ON FITTINGS




## SECTION W-W

SCALE 1:25

## THRUST BLOCK ON HORIZONTAL BENDS AND TEES





## SECTION U-U

SCALE 1:25

## THRUST BLOCKS ON VERTICAL BENDS (DOWN-THRUST)


| (ND) NOMINAL DIAMETER (mm) | THRUST BLOCK DIMENSIONS AxBxC(m), CONCRETE VOLUME ($m^3$) | |
|---|---|---|
| | CAPPED ENDS & 90°TEES | 90°BENDS |
| 80 | 0.35x0.2x0.2 **(0.02$m^3$)** | 0.4x0.2x0.2 **(0.02$m^3$)** |
| 100 | 0.45x0.25x0.25 **(0.04$m^3$)** | 0.55x0.3x0.3 **(0.06$m^3$)** |
| 150 | 0.65x0.35x0.35 **(0.10$m^3$)** | 0.8x0.4x0.35 **(0.16$m^3$)** |
| 200 | 0.85x0.45x0.4 **(0.20$m^3$)** | 1.0x0.5x0.4 **(0.29$m^3$)** |
| 250 | 1.1x0.55x0.45 **(0.39$m^3$)** | 1.2x0.6x0.45 **(0.50$m^3$)** |
| 300 | 1.25x0.65x0.5 **(0.59$m^3$)** | 1.5x0.75x0.5 **(0.94$m^3$)** |
| 350 | 1.4x0.7x0.55 **(0.80$m^3$)** | 1.6x0.8x0.55 **(1.20$m^3$)** |
| 400 | 1.6x0.8x0.6 **(1.20$m^3$)** | 1.8x0.9x0.6 **(1.60$m^3$)** |
| 450 | 1.8x0.9x0.65 **(1.7$m^3$)** | 2.0x1.0x0.65 **(2.2$m^3$)** |
| 500 | 2.0x1.0x0.7 **(2.3$m^3$)** | 2.3x1.2x0.7 **(3.5$m^3$)** |
| 600 | 2.3x1.2x0.8 **(3.6$m^3$)** | 2.7x1.4x0.8 **(5.6$m^3$)** |

NOTE:– THE ABOVE VALUES APPLY FOR HDPE AND FLANGED OR COUPLED LINED STEEL PIPES SUBJECT TO A WORKING PRESSURE HEAD OF 12 BAR




## SECTION A-A


SCALE 1:10




## SECTION B-B


SCALE 1:10

## ANCHOR PLATES & GMS CLAMP DETAILS





## ANCHOR PLATE DETAIL

SCALE 1:25




## GMS CLAMP - ELEVATION

SCALE 1:25




## GMS CLAMP - PLAN

SCALE 1:25

NOTE:
SUITABLE FOR ANCHORAGE ON COLUMN AND BRIDGE DECK

## NOTES

1. ALL DIMENSIONS ARE IN mm UNLESS OTHERWISE STATED
2. ANCHOR BLOCKS TO BE INSTALLED FOR PIPES LAID AT SLOPES EXCEEDING 1:6 SLOPE
3. THRUST BLOCKS TO BE INSTALLED AT ALL HORIZONTAL AND VERTICAL BENDS, CAPPED ENDS, TEES, TAPERS AND GATE VALVES
4. PROGRAMME, METHOD OF CONSTRUCTION AND SETTING OUT OF WORK TO BE APPROVED BY THE ENGINEER BEFORE COMMENCEMENT OF WORK
5. DESIGN CRITERIA:
   (a) DESIGN CODES B.S. 8007 & B.S. 8110
   (b) UNIFORM NON-COMPRESSIBLE FOUNDATION WITH BEARING CAPACITY 80kN/$m^2$
6. CONCRETE:
   (a) CEMENT TO BE ORDINARY PORTLAND CEMENT TO B.S. 12
   (b) CONCRETE AGGREGATE TO COMPLY WITH B.S. 882
   (c) WATER IN CONCRETE MIXES TO B.S. 3148
   (d) CONCRETE CLASSES TO BE AS FOLLOWS:-
   MASS CONCRETE FILL AND BLINDING MIX, CLASS 15/20
   REINFORCED CONCRETE, CLASS 25/20
   (e) MINIMUM COVER TO ALL REINFORCEMENT TO BE 40mm UNLESS AS SPECIFIED BELOW FOR BUILDINGS:
   - COLUMNS - 40 mm
   - FOUNDATIONS & FOOTINGS - 50 mm

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP inventing for tomorrow
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys Consulting Engineers
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT


Drawing Title

STANDARD DRAWINGS
PIPE ANCHOR SUPPORT & THRUST BLOCK DETAILS

| | | | |
|---|---|---|---|
| Designed by: | LMN | Drawn by: | LMN |
| Checked by: | PN | Approved by: | OBO |
| Scale: | AS SHOWN | Date: | JUNE,2023 |


Drawing Number: 6000023-HH-SD-DR-W-008

Revision: T0




## TYPICAL ROAD CROSS SECTION

(SCALE 1:25)





## TYPICAL ROAD CROSSING LONGITUDINAL SECTION

N.T.S

## SCHEDULE FOR SLEEVE DIAMETER

| MAIN PIPE DIAMETER (A) | SLEEVE DIAMETER (B) |
|---|---|
| OD160 – OD200 | DN 250 |
| OD250 | DN 300 |
| OD315 | DN 400 |
| OD400 | DN 450 |




## TRENCH DETAIL AT ROAD CROSSINGS AND CULVERTS

SCALE 1:25

**NOTES:**

1. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE STATED.
2. PIPE PROTECTION REINFORCED CONCETE CLASS 25/20 TO HAVE REINFORCEMENT OF T16-200 B1,T12-200 B2 & T12-200T1/T2
3. ASPHALT CONCRETE (AC)/PRECAST CONCRETE PAVING BLOCKS TO MATCH EXISTING ROAD WITH SPECIFICATIONS AS PER KENYA ROAD DESIGN MANUAL PART III

**LEGEND:**

O.G.L –ORIGINAL GROUND LEVEL
O.D –OUTSIDE DIAMETER
DN –NOMINAL DIAMETER

Client:

THE CHIEF EXECUTIVE OFFICER
ATHI WATER WORKS DEVELOPMENT AGENCY
Athi Water Plaza, Muthaiga North Road
off Kiambu Road
P.O Box 45283 – 00100
Nairobi – Kenya.

Design and Supervision Consultant:

INGEROP
Devan Plaza, Crossway Road,
Westlands.
P.O Box 2758 – 00606
Nairobi.

Howard Humphreys
The Address, Muthangari Drive
off Waiyaki Way.
P.O Box 30156 – 00100
Nairobi.

Project Name

CKE 1135
NAIROBI WATER AND SANITATION PROJECT

Project Title

CONSTRUCTION WORKS FOR REHABILITATION OF CENTRAL NAIROBI AREA WATER NETWORK PROJECT

Drawing Title

TYPICAL ROAD
REINSTATEMENT CROSS-SECTION DETAILS

| | |
|---|---|
| Designed by: LMN | Drawn by: LMN |
| Checked by: PN | Approved by: OBO |
| Scale: AS SHOWN | Date: JUNE, 2023 |

Drawing Number: 6000023-HH-SD-DR-W-009

Revision: T0